

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

# Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:


- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

#### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



SCIENTIFIC LIBRARY.
nber 134-5374
4-27-1904
10111
PARKE, DAVIS & CO.,





# ROYAL GARDENS, KEW.

Kew, Eng Royal botanic gardiens,

# HAND-LIST

OF

# ERNS AND FERN ALLIES

CULTIVATED IN

THE ROYAL GARDENS.



#### LONDON:

SOLD AT THE ROYAL GARDENS, KEW.

INTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,

PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

1895.

Price Sixpence.

Of this, the first volume appeared in 1846, and the last in 1864. He planned also a condensed hand-book of all the known ferns, to be called Synopsis Filicum, intended specially for the use of colonists and travellers. All the drawings for this had been made, but the letter-press was not far advanced when he died in the autumn of 1865. It was completed by Mr. J. G. Baker, F.R.S., now Keeper of the Herbarium, in 1868, and a second edition was brought out in 1874. Since that date many hundred new species have been discovered, and a volume of Hooker's Icones Plantarum, containing plates and descriptions of the more interesting of the novelties, was published in 1887. Mr. Baker has also published in the Annals of Botany (1891) a summary of new ferns discovered or described since 1874. The type specimens from which most of the descriptions and plates contained in this series of books have been made are deposited in the Kew Herbarium.

The living collection in the garden owes its completeness very largely to the zeal and assiduity with which the veteran pteridologist, Mr. John Smith, curator of the Royal Gardens from 1841-63, watched over it for more than 40 years.

In his privately printed Records of Kew (pp. 322, 323) he gives the following particulars of its origin and development:—"In the year 1822 I found the collection of ferns at Kew extremely poor, especially as regards tropical species, very many of those introduced in previous years having been lost and very few new ones added. . . . The tender exotic species were

amounting to about 40. In 1825 I arranged the tropical species in a group at the end of the then lean-to house . . . now included in the tropical fern house, the area they occupied being 6 it. by 12 ft. These formed the nucleus of the now great collection. They were successively added to by importations of living plants, as also plants raised from spores obtained from herbarium specimens."

"The collection continued yearly to increase, and in 1846 [1845] I drew up a list of the collection, which was published in an Appendix to the *Botanical Magazine*, for that year; the number then amounted to 400 [378] species. This in 1857 [1856] was followed by another list, entitled 'Catalogue of Cultivated Ferns,' in which 600 [504] species are enumerated."

The principal books published by Mr. Smith are his Ferns, British and Foreign, issued in 1866, which contains a classified list of all the species then known in cultivation, full directions for the cultivation of ferns of the different climatic types and by far the most complete history of their gradual introduction which has ever appeared in print, and his Historia Filicum, issued in 1875, which contains woodcuts of 220 types and gives a full exposition of his views on fern classification.

In 1868 the last published list was prepared by Mr. J. G. Baker. It enumerates 802 species and varieties of ferns and 48 of fern allies.

The present list comprises 1,116 species and varieties of ferns and 97 of fern allies; this is exclusive of British ferns of which 586 varieties are in cultivation.

The collection falls into the Tropical; (ii.) Temperate; and

The TROPICAL FERNS are cult

The TEMPERATE FERNS are cu Filmy Ferns have a separate : structed for the special treatme The fine collection of Temperate in the Temperate House.

The HARDY FERNS are arrang rockery,  $\frac{7}{E}$  of the Key Plan, boundary of Lawn L.

The structural development of the collection is housed has kept Their history may be given brie

The Tropical Fern House (N house 129 feet long, 34 feet bro the centre. It has a wide tra 40 feet long, 33 feet wide, and 1

In 1841 the site of this hou

No. 2, which was kept at a somewhat lower temperature, but opened into it through a partition. The centre was filled up with slate shelf staging, and the sides with stone shelves. No. 2 was used as a stove for rare Palms and large Tropical Ferns. No. 3 was at first occupied by the Woburn collection of orchids presented by Her Majesty the Queen; for this purpose it proved eventually unsuited. The orchids were gradually replaced by Ultimately the latter obtained Aroideæ and Ferns. possession of the whole house. According to John Smith (Records, p. 334), "the centre of the house was a raised sloping rockery, amongst which the plants were growing in a natural state, forming fine! bushy specimens."

A small house for tree ferns was built in 1861; this was connected with the principal house in 1868, and now forms the transept.

In 1879 the Tropical Fern House, which from the decay of the timbers had lapsed into an almost ruinous condition, was further severely damaged by the hail storm of August 3rd; 1,152 panes of glass in it were broken. It was subsequently put into a thorough state of repair, but the collections received considerable damage.

In 1887 the west end of the house was set back a few feet; the staging was partly re-arranged and the broad path through the transept was made.

The humid conditions necessary for the cultivation of tropical ferns are unfortunately not conducive to the preservation of the structures in which they are grown when they are built of wood. In 1889 it therefore again

became necessary to renew the est house. In order to secure greated ecided to use iron for the principle wood only for the lights. The top-vided for by means of a lantern instand more clumsy method of sliding stime the use of green glass in the was abandoned. This was introduced on the recommendation of the late F.R.S., who advocated its use on theorare now known to be mistaken. The ment in the growth of the plants, est of Adiantum was very marked, and of the west wing was re-glazed with results.

The TEMPERATE FERNS are now of (No. III.), which was also built on the iron and wood construction. It was take the place of a decayed and observed of two small greenhouses unit

by the late John Cooper Forster, which was presented to the Royal Gardens in 1888 by his widow.

The collection is now contained in the new Filmy Fern House (No. II. A.) erected on the north side of No. II. It is 50 feet long by 14 feet wide, with a central path and two cases running the full length of the house.

The Hardy Ferns occupy the rockery originally devoted to Alpine plants (before the construction of the Rock Garden in 1882), and it extends over part of the adjacent ground. A collection was established here in 1874, and the rockery itself was reconstructed in 1888.

The collection as a whole is now probably the richest in existence in garden forms of British species. This is due to the munificent bequest by W. C. Carbenell, Esq., of the extensive collection formed by him at Rhiew Castel, Usk, Monmouthshire. The whole was removed to Kew in 1887. It consisted of 4,261 specimens, many probably unique, besides some hundreds of seedlings.

The total number of well-marked species of ferns and the vascular Cryptogamia (Fern Allies) now mounts up to 3,500. Not more than one-third of these have been brought into cultivation, and Kew is always glad to receive any additions, if possible in the form of well-established plants; if not, in the shape of dry spores, which can be collected and sent very easily by post in small packets.

The following table, which shows the per-centage of the total n of ferns found in different parts of the world was drawn up by Mr. Baker in not think that the discoveries of the have altered any of the figures mater

The present hand-list is divided in

- (i) FERNS proper (pp. 13-133);
- (ii) FERN ALLIES (pp. 135-143);
- (iii) as an APPENDIX, a list of gard species (pp. 145-183).

With regard to (i) Ferns proper,

present purpose to separate them according to a botanical classification.

The cultivated and feral varieties of British Ferns have been enumerated in ลท (iii) Although the collection of them at Kew is very rich they stand in a different position to the collection of recognised and well-determined species. Apart from their intrinsic beauty, which is often striking, they are of considerable scientific interest as showing the range of variation due to crossing and seminal reproduction. The amateurs and cultivators who have raised them have furnished them with Latin names, often cumbrous and fantastic, which have received no formal definition. They cannot, therefore, be fixed or quoted for any scientific purpose; they have, in fact, the same relationship to the species from which they have originated as Bedding Pelargoniums bear to Pelargonium zonale or as the Drumhead and other cabbages to Brassica oleracea.



# I. FERNS.

Acrophorus. See Davallia.

## Acrostichum, L.

- A. acuminatum, Hook. Brazil.
- A. alienum, Sw. Tropical America.
- A. apodum, Kaulf. Tropical America.
- A. appendiculatum, Willd. Tropical Asia.
- A. aureum, L. Tropical and sub-tropical regions.
- A. Burchellii, Baker. Brazil.
- A. Cænopteris, Kze. Tropical America.
- A. cervinum, Sw. Tropical America.
- A. conforme, Sw. Tropical and sub-tropical regions.
   Var. alatum (Fée). Tropical and sub-tropical regions.
- A. crassinerve, Kze. See latifolium.
- A. crinitum, L. Tropical America.
- A. crispatulum, Wall. See virens.
- A. decoratum, Kze. West Indies, Guiana, &c.
- A. drynarioides, Hook. Penang, Solomon Isles.
- A. flagelliferum, Wall. Tropical Asia.
- A. gramineum, Baker. West Indies.

minion Bory. West Indies,

# 

•

## Acrostichum, L.—cont.

A. latifolium, Sw. Tropics.

Var. angustifolium, Hort. Tropical America.

Var. callæfolium (Bl.). Tropical Asia.

Var. conopodium, Hort.

Var. crassinerve (Kze.). Brazil.

Var. Sartorii (Liebm.). Mexico.

- A. Lingua, Raddi. Tropical America.
- A. longifolium, Jacq. See latifolium.
- A. luridum, Fée. 'Trinidad, Guiana.
- A. magnum, Baker. Demerara.
- A. melanopus, Kze. Venezuela.
- A. muscosum, Sw. Tropical America.
- A. osmundaceum, Hook. Tropical America. Var. frondosum, Hort.
- A. pallidum, Baker. West Indies.
- A. peltatum, Sw. Tropical America.
- A. Prestoni, Baker. Rio Janeiro.
- A quercifolium, Retz. Tropical Asia.
- A. repandum, Bl. Tropical Asia. Var. quoyanum (Gaud.). Tropical Asia.
- . A. Sartorii, Liebm. See latifolium.
  - A. scandens, J. Sm. Tropical America.
  - A. simplex, Sw. Cuba to Brazil.
  - A. sorbifolium, L. Tropics. Var. buxifolium (Kze.).
  - A. spicatum, L. Tropics of Old World.
  - A. squamosum, Sw. Tropics.

-

www.com/

----

## Acrostichum, L.—cont.

- A. Taylori, Bailey. Queensland.
- A. tenuifolium, Baker. Mascarene Islands.
- A. tomentosum, Bory. Bourbon.
- A. undulatum, Willd. See villosum.
- A. variabile, Hook. Tropical Asia.
- A. villosum, Sw. Tropical America. Var. undulatum (Willd.).
- A. virens, Wall. Tropical Asia. Var. crispatulum (Wall.).
- A. viscosum, Sw. Tropies.

# Actiniopteris, Link.

A. radiata, Link. Tropical Asia, Tropical Africa. Var. australis, (Link).

Adiantopsis. See Cheilanthes.

# Adiantum, L.

A. æthiopicum, L. Tropical and south temp. zones.

Var. assimile (Sw.). Australia.

Var. chilense (Kaulf.). Chili.

Var. pellucidum, (M. & G.). Mexico.

Var. scabrum (Kze.).

- A. affine, Hook. See diaphanum.
- A. amabile, Moore. See Moorei.
- A. aneitense, Carruth. Aneiteum.
- A. assimile, Sw. See æthiopicum.
- A. Bausei, Moore. Garden origin.
- A. bellum, Moore. Bermuda.
- A. Birk ii, Hort. Garden origin.

11 854.

Sustainers, mfel minemonible mich toamped a grown & Lawrence 1800 199-115 10000

#### Adiantum, L.—cont.

A. \*Capillus-veneris, L. Tropical and temp. zones. Var. Lowei, Hort. Crimea.

Var. moritzianum (Klotzsch). South America.

A. cardiochlaena, Kze. See polyphyllum.

A. Catherinæ, J. Sm. See trapeziforme.

A. caudatum, L. Tropics everywhere. Var. ciliatum, Hort.

A. Collisii, Moore. Garden origin.

A. colpodes, Moore. Tropical America. Var. elegans, Hort.

A. concinnum, H.B.K. Tropical America. Var. Flemingii, Hort.

Var. latum, Moore.

A. cristatum, L. Tropical America.

A. cultratum, J. Sm. See trapeziforme.

A. cuneatum, L. & F. Tropical America.

Var. æmulum (Moore).

Var. deflexum, Hort.

Var. dissectum, Hort.

Var. elegans, Hort.

Var. elegantissimum, Hort.

Var. fragrantissimum, Hort.

Var. gracillimum (Moore).

Var. grandis, Hort.

Var. grandiceps, Hort.

Var. lambertianum, Hort.

Var. Lawsoni, Hort.

<sup>\*</sup> For garden varieties, see p. 145.



partition (

## Adiantum, L.-cont.

A. cuneatum, L. & F. Tropical America—cont.

Var. Legrandi, Hort.

Var. mundulum (Moore).

Var. Pacotti, Hort.

Var. Rœnbeckii, Hort.

Var. reginae, Hort.

Var. schizophyllum, Hort.

Var. strictum, Hort.

A. curvatum, Kaulf. Tropical America. Var. brasiliense (Raddi).

A. cyclosorum, Moore. Andes.

A. decorum, Moore. See Wagneri.

A. deflexum. See cuneatum.

A. diaphanum, Bl. New Zealand, &c.

A. digitatum, Presl. Brazil, Peru, &c.

Var. palmatum (Moore).

Var. speciosum, (Hook.).

A. dolabriforme, Hook. See lunulatum.

A. dolosum, Kze. Tropical America.

A. Edgeworthii, Hook. India and China.

A. elegans, Hort. Garden Origin.

A. emarginatum, Bory. See æthiopicum.

A. excisum, Kze. Chili.

Var. Leyi, Hort.

Var. multifidum, Hort.

A. Fergusoni, Moore. Ceylon.

A. formosum, R. Br. Australia.

A. fovearum, Raddi. Sec tetraphyllum.



```
1
Market Co.
```

#### Adiantum, L.—cont.

- A. fulvum, Raoul. New Zealand.
- A. Funckii, Hort. See trapeziforme.
- A. glaucophyllum, Hook. Mexico.
- A. grandiceps, Hort. See cuneatum.
- A. Hendersoni, Linden. See tetraphyllum.
- A. henslovianum, Hook. f. Colombia, Peru, &c.
- A. hippocrepis, Hort.
- A. hispidulum, Sw. Tropics, &c. of Old World. Var. tenellum, Moore. Australia.
- A. Hosei, Baker. Borneo.
- A. intermedium, Sw. Tropical America.
- A. Kaulfussii, Kze. Tropical America.
- A. Lathomii, Hort. See tenerum.
- A. Legrandi, Hort. See cuneatum.
- A. luddemannianum, Hort. Garden origin.
- A. lunulatum, Burm. Tropics everywhere. Var. dolabriforme (Hook.).
- A. macrophyllum, Sw. Tropical America. Var. bipinnatum, Jenm. Jamaica. Var. albostriatum, Hort.
- A. magnificum, Hort. See Wagneri.
- A. matthewsianum, Hook. See polyphyllum.
- A. monochlamys, Eaton. Japan.
- A. Moorei, Baker. Andes of Peru.
- A. moritzianum, Klotzsch. See Capillus-veneris.
- A. neo-caledoniæ, Keys. New Caledonia.
- A. neoguineense, Moore. New Guinea.

70

Continue of the continue of th

un Mono cristo su su von Troplos sersi a mono arme ( Words 28th - Troppes 4 state

#### Adiantum, L.—cont.

A. obliquum, Willd. Tropical America. Var. minus, Hort.

A. Pacotti, Hort. See cuneatum.

A. pellucidum. See æthiopicum.

A. pedatum, L. North America, &c.

A. peruvianum, Klotzsch. Peru.

A. polyphyllum, Willd. Tropical America.

A. prionophyllum, H.B.K. See tetraphyllum.

A. pulverulentum, L. Tropical America.

A. reginæ, Hort. See Capillus-veneris.

A. reniforme, L. Madeira and Teneriffe. Var. asarifolium (Willa.). Mauritius.

A. rhodophyllum, Moore. Garden origin.

A. rhomboideum, Hort. See obtusum,

A. Roebelini, Hort.

A. rubellum, Moore. Bolivia.

A. scabrum, Kze. See æthiopicum.

A. scutum, Hort. See tenerum.

A. Seemanni, Hook. Guatemala.

A. sessilifolium, Hook. See henslovianna

A. setulosum, J. Sm. See diaphanum.

A. speciosum, Hook. See digitatum,

A. tenerum, Sw. Tropical America.

Var. alcicorne, Hort.

Var. Farleyense, Moore.

Var. Lathomii, Hort.

Var. scutum, Hort.

Var. Victoria (Moore).

same a convert. That to men must be seen about a

A Present Plant Sewermentum

See Marchen See attitudes

A. melalem, J. North Sparse, A.

med Avenual Assault Service

a polyparilym MWG Trapled Lines.

proceeding II. B. S. Servery 1

é, primardonness, é Tropiesi branco-

street-office out on the contract

A. rentierre, L. Manner, and Terreitle. Yes, anythings (40 Ma). Manuface

a chodophyllma, West visite - an

transfer of roll or bushood to

to the second of

W. Carnelliann, Princery, 2003.

Lamberton, No. Specialization and

antennes - de - de - de

streemed how comments

unnunyahirat vet maki mangake 1

committee we see a surrection to

A removed we proposed American

var summun, Voor

Su Talliyense, Reserve

SeeW. Humaliful and

# Adiantum, L.—cont.

- A. tetragonum, Schrad. Brazil.
- A. tetraphyllum, Willd. Tropical America. Var. acuminatum, Hort. Var. gracile, Hort.
- A. tinctum, Moore. Tropical America.
- A. trapeziforme, L. Tropical America.
  Var. Catherinæ, J. Sm.
  Var. cultratum, J. Sm.
  Var. Funckii, Hort.
- A. triangulatum, Kaulf. See intermedium.
- A. veitchianum, Moore. Andes of Peru.
- A. Veitchii, Hance. See monochlamys.
- A. velutinum, Moore. Tropical America.
- A. venustum, Don. Himalaya.

  Var. integrifolium, Baker. Himalaya.
- A. Victoriæ, Moore. See tenerum.
- A. villosum. L. Tropical America.
- A. Wagneri, *Mett.* Andes of Peru. Var. magnificum (*Hort.*).
- A. Weigandii, Moore. Garden origin.
- A. Williamsii, Moore. Andes.
- A. Wilsoni, Hook. See dolosum.

Aglaomorpha. See Polypodium.

Aleuritopteris. See Cheilanthes.

Allosorus. See Pellæa and Cryptogramme.

# Alsophila, R. Br.

A. aculeata, J. Sm. See ferox.

- and - All - EV 201 au 8 ft. av 4 - 40 The street contract of No may be got the governm19 . (1) /0

# Alsophila, R. Br.—cont.

- A. Andersoni, Scott. Sikkim.
- A. armata, Presl. Tropical America.
- A. aspera, R. Br. West Indies.
- A. atrovirens, Presl. Tropical America.
- A. australis, R. Br. Australia, &c.
- A. Colensoi, Hook. fil. New Zealand.
- A. contaminens, Wall. Java and Malaya.
- A. crinita, Hook. Ceylon, &c.
- A. excelsa, R. Br. Norfolk Island.
- A. ferox, Presl. Tropical America.
- A. glabra, Hook. East Indies.
- A. infesta, Kze. Andes and Brazil. Var. phalerata, Mart.
- A. latebrosa, Hook. East Indies.
- A. leichardtiana, F. Muell. Australia.
- A. Malzinei, Hort. Mexico.
- A. paleolata, Mart. Colombia and Brazil.
- A. phalerata, Mart. See infesta.
- A. podophylla, Hook. Hong Kong.
- A. procera, Kaulf. Tropical America.
- A. pruinata, Kaulf. Tropical America.
- A. radens, Kaulf. Brazil.
- A. Rebeccæ, F. Muell. Rockingham Bay.
- A. Taenitis, Hook. Brazil.
- A. tomentosa, Hook. East Indies.

or copyri

Almone

10 - 10 - 10 - 10 - V

or police

manuff colum

1001

The Richard Street

....

4 - 4

# Alsophila, R. Br.—cont.

A. truncata, Brack. Fiji, &c.

A. Van Geertii, Hort. See Cyathea mexicana.

Amphicosmia. See Hemitelia.

Anapeltis. See Polypodium.

Anchistea. See Woodwardia.

# Anemia, Swartz.

A. collina, Raddi. Brazil.

A. dregeana, Kze. Natal.

A. fraxinifolia, Raddi. See Phyllitidis.

A. mandioccana, Raddi. Brazil.

A. Phyllitidis, Sw. Tropical America. Var. fætida, Hort.

A. tomentosa, Sw. Tropical America. Var. fulva, (Sw.).

Auemidictyon. See Anemia.

Anetium. See Hemionitis.

# Angiopteris, Hoffm.

A. evecta, Hoffm. Tropics of Old World. Var. brongniartiana (De Vriese). Tahiti.

Var. hypoleuca (De Vriese). Java.

Var. macrophylla (De Vriese). Java.

Var. miqueliana (De Vriese). Java.

Var. pruinosa (Kze.). Java.

Var. teysmannians (De Vriese). Java.

Anisogonium.

Antigramm

Arthropter ... punctatum,

0.0

1901-09

(100)

- of application of

Vinesia 1917

1.5

None Control

110

WOALL carpet)

### Aspidium, Swartz.

A. acrostichoides, Sw. North America.

Var. incisum (Hort.).

A. \*aculeatum, Sw. Ubiquitous.

Var. angulare (Willd.).

Var. lobatum (Sw.).

Var. moritzianum, (Kze.). South America.

Var. setosum, (Wall.). Himalaya.

Var. tsus-simense (Hook.).

A. amabile, Bl. Japan, &c.

A. angulare, Willd. See aculeatum.

A. anomalum, H. & A. Ceylon.

A. aristatum, Sw. Tropical Asia.

Var. coniifolium (Wall.).

Var. variegatum, Hort.

A. atratum, Wall. See Nephrodium hirtipes.

A. auriculatum, Sw. East Indies.

A. Blumei. See Nephrodium.

A. capense, Willd. S. Temp. zone, &c.

A. caryotideum, Wall. See falcatum.

A. concavum, Hort. See laserpitiifolium.

A. confluens. See Nephrodium.

A. coniifolium, Wall. See aristatum.

A. erythrosorum, Hort. See Nephrodium.

A. Fadyeni. See Fadyenia prolifera.

A. falcatum, Sw. Japan, &c.

Var. caryotideum (Wall.). East Indies, &c.

<sup>\*</sup> For garden varieties, see p. 145.



a American Mark III TOLKY SAME 4.899.00 or from our

### Aspidium, Swartz—cont.

- A. falcatum, Sw. Japan, &c.—cont. Var. Fortunei (J. Sm.). Japan. Var. pendulum, Hort.
- A. falcinellum, Sw. Madeira.
- A. flexum, Kze. Juan Fernandez.
- A. frondosum, Lowe. Madeira.
- A. laserpitiifolium, Mett. Japan.
- A. lepidocaulon, Hook. Japan.
- A. lobatum, Sw. See aculeatum.
- A. Lonchitis. Sw. N. temp. zone.
- A. macrophyllum, Hort. See Nephrodium.
- A. marginale. See Nephrodium.
- A. meniscioides, Schrad. Tropical America.
- A. mucronatum, Sw. West Indies.
- A. munitum, Kaulf. W.North America. Var. imbricans, Hort.
- A. Plumieri, Presl. See trifoliatum.
- A. proliferum, R. Br. See aculeatum.
- A. pungens, Kaulf. South Africa.
- A. repandum, Willd. Tropical Asia.
- A. Richardi, Hook. New Zealand.
- A. Standishii, Hort. See laserpitiifolium.
- A. subtriphyllum, Hook habrodium.
- A. triangulum, Suc.

Var. ilicifolim

A. trifoliatum, A.

Var. Plumieri (1

dim

### Aspidium, Swartz-cont.

- A. tripteron, Kze. Japan.
- A. uliginosum, Hort. See Nephrodium cristatum.
- A. variolosum, Wall. See Nephrodium.
- A. varium, Sw. Japan, &c.
- A. vestitum, Sw. See aculeatum.

#### Asplenium, L.

- A. abscissum, Willd. Tropical America.
- A. achilleæfolium, Liebm. Mexico.
- A. Adiantum-nigrum, L. North and South temp. zones. Var. acutum (Willd.).
- A. alatum, H. B. K. Tropical America.
- A. angustifolium, Mich. North America.
- A. anisophyllum, Kze. Natal.
- A. apicidens, Moore. See Vieillardii.
- A. arboreum, Willd. Tropical America.
- A. Arnottii, Baker. Sandwich Islands.
- A. attenuatum, R. Br. Australia. Var. integrum, Hort.
- A. aureum, Link. See Ceterach.
- A. auritum, Sw. Tropical America. Var. macilentum (Kze.). Var. rigidum (Sw.).
- A. australasicum, Hook. See Nidus,
- A. axillare, Ait. See umbrosum.
- A. bantamense, Baker. Tropical Asia.
- A. Baptistii, Hort. See Vieillardii.

moneous and daying the and All Control 0.0

- A. Belangeri, Kze. Malayan Islands.
- A. brachypteron, Kze. Tropical Africa.
- A. Bradleyi, Eaton. North America.
- A. bulbiferum, Forst. Australia, &c.

Var. fabianum (H. & J.).

Var. laxum (R. Br.).

Var. minus, Baker. New Zealand.

- A. caryotaefolium, Hort. See cuneatum.
- A. caudatum, Forst. Tropical and sub-tropical regions.
- A. celtidifolium, Kze. Tropical America.
- A. Ceterach, L. Europe and temp. Asia. Var. aureum (Link).
- A. cicutarium, Sw. Tropical America.
- A. Colensoi, Hook. fil. New Zealand.
- A: compressum, Sw. St. Helena.
- A. conchatum, Moore. West Indies.
- A. contiguum, Kaulf. Polynesia, &c. Var. fissum, Hort.
- A. cordifolium, Mett. Malaya, &c.
- A. costale, Sw. West Indies and Peru.
- A. crenulatum, Baker. Tropical America.
- A. cultrifolium, L. West Indies.
- A. cuneatum, Lam. Tropical America, &c.
- A. decurrens, Bedd. India.
- A. decussatum, Sw. Tropics of Old World.
- A. dilatatum, Hook. See latifolium.

may allow

amana (

. . .

Mark Propaga

and the state of the state of

white a temporal temporal and

Tomas A council

arrowed south

Communication (96)

mount 16

 $-\sin\theta = \theta$ 

Lineau,

- A. dimidiatum, Sw. Tropical America.
- A. dimorphum, Kze. Norfolk Island.
- A. divaricatum, Kze. Chili and Peru.
- A. ebeneum, Ait. Temp. regions.
- A. elongatum, Sw. See tenerum.
- A. erectum, Bory. See lunulatum.
- A. erosum, L. West Indies.
- A. esculentum, Presl. Tropical Asia. Var. glabrum, Hort. Var. serampurense (Spr.).
- A. fabianum, H. & J. See bulbiferum.
- A. falcatum, Lam. Tropics and sub-tropics, Old World. Var. erosum, Hort.
- A. fernandezianum, Kze. See lunulatum.
- A. fijiense, Brack. Fiji Islands.
- A. \*Filix-formina, Bernh. Ubiquitous.
- A. firmum, Kze. See abscissum.
- A. flabellifolium, Cav. Australia.
- A. flaccidum, Forst. Australia. &c.
- A. fontanum, Bernh. North temp. zone.
- A. formosum, Willd. Tropical America.
- A, fragrans, Sw. Tropical America. Var. fceniculaceum (H. B. K.)

send to our I

- A. Franconis, Mett. Tropical America.
- A. fraxinifolium, Wall. See bantamense.
- A. furcatum, Thunb. Tropical and sub-tropical regions. Var. tripinnatum, Baker. Natal.
- A. gemmiferum, Schrad. South Africa.
- A. germanicum, Weiss. Europe.
- A. Godmani, Baker. West Indies.
- A. goringianum, Mett. See macrocarpum.
- A. grandifolium, Sw. Tropical America.
- A. griffithianum, Hook. Himalaya.
- A. Hemionitis, L. South Europe and North Africa.
- A. heterocarpum, Wall. East Indies.
- A. heterophlebium, Mett. Himalaya.
- A. hians, Kze. West Indies.
- A. hookerianum, Colenso. New Zealand.
- A. horridum, Kaulf. Sandwich Islands, &c.
- A. incisum, Thb. Japan.
- A. japonicum, Thb. Japan.
- A. Klotzschii, Mett. Colombia and Venezuela.
- A. laffanianum, Baker. Bermuda.
- A. lanceolatum, Huds. Europe.
- A. lanceum, Thunb. Japan.
- A. lasiopteris, Mett. See Peterseni.
- A. latifolium, Don. Tropical Asia.
- A. laxum, R. Br. See bulbiferum.

and the Company of th

and have the

topo (

and the plant of the

Acres Contra

000 0 0 0 0 X 00 (A)

respect description of the second

and countries of the

rest. open opariti 121a

amort confit 140

Vol. Louron

.....

.....

17.5-4

- A. lineatum, Sw. Mauritius. Var. bifidum (Presl).
- A. longissimum, Bl. Java, &c.
- A. lucidum, Forst. See obtusatum.
- A. lunulatum, Sw. Tropics.

Var. erectum (Bory).

Var. lobatum (P. & R.). South Africa.

Var. pteropus (Kaulf.). Tropical America.

Var. fernandezianum (Kze.).

Var. tenellum (Roxb.). St. Helena, &c.

Var. tripinnatifidum, Hort.

- A. macilentum, Kze. See auritum.
- A. macrocarpum, Bl. Tropical Asia. Var. goringianum (Mett.).
- A. macrophyllum, Sw. Tropical Asia.
- A. marginatum, L. Tropical America.
- A. marinum, L. Europe, &c.

Var. imbricatum, Hort.

Var. ramosum, Hort.

- A. maximum, Don. West Indies to Ceylon.
- A. Michauxii, Spreng. See Filix fæmina.
- A. monanthemum, L. Temperate regions.
- A. monticolum, Jenm. Jamaica.
- A. Nidus, L. Tropics, Old World.

  Var. australasicum, (Hook.). Australia.
- A. nigripes, Bl. Tropical Asia.
- A. nigro-paleaceum, Baker. St. Helena.

V 1861

W.

100000

4

- A. niponicum, Mett. Japan. Var. cristatum, Hort.
- A nitens, Sw. Mauritius.
- A. nitidum, Sw. East Indies.
- A. nobile, Hort. See viviparum.
- A. nodulosum, Hort. See lineatum.
- A. novæ-caledoniæ, Hook. New Caledonia.
- A. obliquum, Forst. See obtusatum,
- A. obtusatum, Forst. Australia, &c.
  Var. lucidum (Forst.).
  Var. Lyallii, Hook. New Zealand.
  Var. obliquum (Forst.).
- A. obtusifolium, L. Tropical America.
- A. obtusilobum, Hook. Polynesia.
- A. oligophyllum, Kaulf. Tropical America.
- A. paleaceum, R. Br. Tropical Australia.
- A. paradoxum, Bl. Java, &c.
- A. Peterseni, Kze. East Indies. Var. lasiopteris (Mett.).
- A. planicaule, Wall. Himalaya.
- A. plantagineum, L. Tropical America.
- A. polyodon, Forst. See falcatum.
- A. polypodioides, Mett. Tropical Asia.
- A. præmorsum, Sw. See furcatum.
- A. proliferum, Lam . See decussatum.
- A. prolongatum, Hort. See rutæfolium.
- A. pteridoides, Baker. Lord Howe's Island.

unjuly

militar to

OH 1000 PV

continued to

control of my Calconne

and the party laws

A otherwise

distributed and the

Polymers

and a compact

48.20

What to

- A. pteropus, Kaulf. See lunulatum.
- A. pubescens, Hort. See esculentum.
- A. reclinatum, Moore. See lunulatum.
- A. refractum, Moore. See sontanum.
- A. resectum, Sm. Tropical Asia.
- A. rhizophyllum, Kze. Tropical America.
- A. rhizophorum, L. Tropical America.
- A. rutæfolium, Kze. Ceylon, South Africa, &c. Var. prolongatum (Hook.).
- A. Ruta-muraria, L. North temp. zone.
- A. scandens, J. Sm. New Guinea and Philippines.
- A. Schimperi, A. Br. East Africa.
- A. semihastatum, Kze. Cuba.
- A. septentrionale, Hoffm. North temp. zone.
- A. Serra, L. & F. Tropical America. Var. natalensis.
- A. serratum, L. Tropical America.
- A. Shepherdi, Spreng. Tropical America.
- A. sinuatum, Beauv. Tropical Africa.
- A. speciosum, Mett. Tropical Asia.
- A. splendens, Kze. South Africa.
- A. squamulatum, Bl. East Indies.
- A. striatum, L. See Shepherdi.
- A. sylvaticum, Presl. Tropics.
- A. tenellum, Roxb. See lunulatum. u 85419.

- A. tenerum, Forst. Malaya, &c. Var. elongatum (Sw.).
- A. thelypteroides, Mich. North America.
- A. Thwaitesii, A. Br. Ceylon, &c.
- A. tomentosum, Hook. East Indies, &c.
- A. \*Trichomanes, L. Temp. regions.
- A. umbrosum, J. Sm. Madeira. Var. tenuifolium, Kirk. New Zealand.
- A. vagans, Baker. Isle of St. Thomas.
- A. unilaterale, Lam. See resectum.
- A. veitchianum, Moore. See Belangeri.
- A. Vieillardii, Mett. New Caledonia. Var. apicidens (Moore). Var. Baptistii (Hort.).
- A. viride, Huds. North temp. zone.
- A. viviparum, *Presl.* Mauritius. Var. nobile, *Hort*.
- A. zamioides, Hook. See paradoxum.
- A. zeylanicum, Hook. Ceylon.

Athyrium. See Asplenium.

3alantium. See Dicksonia.

# 3lechnum, L.

- B. australe, L. South Africa and Madagascar.
- B. boreale, Sw. See Lomaria Spicant.
- B. brasiliense, Desv. Tropical America. Var. corcovadense (Raddi).

<sup>\*</sup> For garden varieties, see p. 169.

#### 3lechnum, Linn.—cont.

- B. cartilagineum, Sw. Australia.
- B. corcovadense, Raddi. See brasiliense.
- B. Gilliesii. See Lomaria procera.
- B. glandulosum, Link. See occidentale.
- B. gracile, Kaulf. See longifolium.
- B. hastatum, Kaulf. Temperate South America.
- B. Lanceola, Sw. Tropical America.
- B. latifolium, Hort. See longifolium.
- B. longifolium, H. B. K. Tropical America. Var. fraxineum (Willd.). Var. gracile (Kaulf.).
- B. melanopus, Hook. India.
- B. occidentale, L. Tropical America. Var. glandulosum (Link).
- B. polypodioides, Raddi. See unilaterale.
- B. punctulata. See Lomaria.
- B. rugosum, Moore. Origin unknown.
- B. triangulare, Link. See unilaterale.
- B. unilaterale, Willd. Tropical America.
- B. volubile, Kaulf. Tropical America.

#### Bolbitis. See Acrostichum.

# 30trychium, Swartz.

- B. Lunaria, Sw. Temperate regions.
- B. ternatum, Sw. North and south temp. zones. Var. dissectum, Muhl.
- B. virginianum, Sw. North and south temp. zones.

- ideabook

manifolia de la composição de la composi

semble the design

#### Brainea, Hook.

B. insignis, Hook. Hong Kong and Khasia.

Cænopteris. See Asplenium.

Callipteris. See Asplenium.

Campyloneuron. See Polypodium.

Camptosorus. See Scolopendrium.

Campteria, See Pteris.

### Cassebeera, Kaulf.

C. triphylla, Kaulf. South Brazil.

Cephalomanes. See Trichomanes.

### Ceratopteris, Brong.

C. thalictroides, Brong. Tropics.

Ceropteris. See Gymnogramme.

Ceterach. See Asplenium.

# Cheilanthes, Swartz.

- C. alabamensis, Baker. North America.
- C. californica, Harv. See Hypolepis.
- C. chlorophylla, Sw. Tropical America.
- C. Clevelandii, Eaton. California.
- C. dicksonioides, Endl. See Hypolepis tenuifolia.
- C. elegans, Desv. See myriophylla.
- C. ellisiana, Hort. See hirta.
- C. farinosa, Kaulf. Tropics everywhere.
   Var. anceps (Blandf.). Himalaya.
   Var. punctata, Hort.
- C. fragrans, W. & B. Europe, &c.



#### Cheilanthes, Swartz.—cont.

- C. hirta, Sw. South America. Var. ellisiana, Hort.
- C. multifida, Sw. St. Helena.
- C. myriophylla, *Desv.* Tropical America. Var. elegans, (*Desv.*).
- C. profusa, Kze. See Pellæa involuta.
- C. pulveracea, Hook. See Nothochlæna sulphurea.
- C. radiata, R. Br. Tropical America.
- C. spectabilis, Kaulf. See chlorophylla.
- C. tomentosa, Link. North Carolina, &c.
- C. vestita, Sw. North America.

Chrysodium. See Acrostichum.

Cibotium. See Dicksonia.

Cincinalis. See Nothochlæna,

Cionidium. See Deparia,

Coniogramme. See Gymnogramme.

Craspedaria. See Polypodium.

Cryptogramme, R. Br.

C. crispa, R. Br. North temp. zone. Cyathea. Smith.

- C. arborea, J. Sm. 'Tropical America.
- C. beyrichiana. See Hemitelia setosa.
- C. dealbata, Sw. New Zealand. Var. tricolor (Col.).
- C. Dregei, Kze. Tropical Africa.
  Var. Burkei, Hook. South Africa.

--------A

# Cyathea, Smith-cont.

- C. Hookeri, Thw. Ceylon.
- C. imrayana, Hook. See Tussacii.
- C. insignis, Eaton. West Indies.
- C. medullaris, Sw. New Zealand.
- C. mexicana, Schlecht. Mexico.
- C. princeps, J. Sm. See insignis.
- C. Schanschin, Mart. South America.
- C. serra, Willd. Tropical America.
- C. Smithii, Hook. See Hemitelia Smithii.
- C. spinulosa, Wall. India.
- C. tricolor, Col.. See dealbata.
- C. Tussacii, Desv. West Indies.
- C. sinuata, H. & G. Ceylon.

Cyclodium. See Aspidium.

Cyclopeltis. See Aspidium.

Cyrtogonium. See Acrostichum.

Cyrtomium. See Aspidium.

Cyrtophlebium. See Polypodium.

# Cystopteris, Bernh.

- C. alpina, Desv. Europe.
- C. bergiana. See Hypolepis.
- C. bulbifera, Bernh. North America.
- C. fragilis, Bernh. Cosmopolitan.

Var. angustata (Sm.).

Var. canariensis (Moore).

Var. dickeana (Moore).

Var. sempervirens (Moore). Madeira.

### Cystopteris, Bernh.—cont.

- C. montana, Link. Europe.
- C. tenuis, Schott. See fragilis.

Darea. See Asplenium.

#### Davallia, Smith.

- D. aculeata, Sw. West Indies.
- D. affinis, Hook. Tropical and sub-tropical Asia.
- D. alpina, Bl. Malaya, &c.
- D. angustata, Wall. Tropical Asia.
- D. assamica, Baker. Bhotan.
- D. bullata, Wall. Tropical Asia.

  Var. decora (Moore). Java.

  Var. Mariesii (Moore). Japan.
- D. canariensis, Sm. Europe and Canaries.
  Var. alopecuroides.
- D. chærophylla, Wall. East Indies.
- D. ciliata, Hook. Philippines.
- D. concinna, Schr. Tropical Africa and America.
- D. cristata, J. Sm. See strigosa.
- D. decora, Moore. See bullata.
- D. dissecta, J. Sm. Java.
- D. divaricata, Bl. Malaya.
- D. elata, Sw. See elegans.
- D. elegans, Sw. Tropical Asia, &c.
  Var. elata (Sw.).
  Var. Kunzei, Hort. Malaya.
  Var. polydactyla, Hort.
- D. epiphylla, Bl. Java.

#### Davallia, Smith--cont.

- D. ferruginea, Desv. Madagascar.
- D. fijiensis, Hook. Fiji Islands. Var. major, Hort. Var. plumosa, Hort.
- D. fœniculacea, Hook. Fiji.
- D. griffithiana, Hook. Himalaya, &c.
- D. hemiptera, Bory. See repens.
- D. heterophylla, Sm. Tropical Asia.
- D. hirsuta, Sw. Japan, &c. Var. angustata.
- D. hirta, Kaulf. Tropical and sub-tropical Asia. Var. cristata.
- D. immersa, Wall. Tropical and sub-tropical Asia.
- D. khasyana, Hook. See strigosa.
- D. kunzeana, Hook. See davallioides.
- D. Lindleyi, Hook. See solida.
- D. Lorrainei, Hance. Malaya.
- D. lonchitidea, Wall. See platyphylla.
- D. lucida, Hort. See solida.
- D. marginalis, Baker. Tropical Asia.
- D. Mariesii, Moore. See bullata.
- D. membranulosa, Wall. East Indies.
- D. mooreana, Masters. See pallida.
- D. multidentata, Hk. Himalaya.
- D. Novæ zealandiæ, Col. New Zealand.
- D. ornata, Wall. See solida.

#### Davallia, Smith—cont.

- D. pallida, Mett. Malaya and Polynesia.
- D. parvula, Wall. Malaya.
- D. pedata, Sm. Tropical and sub-tropical Asia.
- D. pentaphylla, Bl. Malaya.
- D. pinnata, Cav. East Indies.
- D. platyphylla, Don. East Indies.
- D. polyantha, Hook. See divaricata.
- D. polypodioides, Don. See Spelunce.
- D. pulchra, Don. Himalaya.
- D. pycnocarpa, Brack. See pentaphylla.
- D. pyxidata, Cav. Australia.
- D. repens, Desv. East Indies.
- D. retusa, Cav. See Lindsays retusa.
- D. rhomboidea, Wall. Tropical and sub-tropical Asia.
- D. rubiginosa, Kaulf. Tropical America.
- D. scabra, Don. See marginalis.
- D. solida, Sw. Tropical Asia and Africa.Var. Lindleyi (Hook.).Var. ornata (Wall.).
- D. Spelunce, Baker. Tropics, ubiquitous.
- D. strigosa, Sw. Tropical and sub-tropical Asia. Var. rhomboidea (Wall.). North India.
- D. tenuifolia, Sw. Tropics of Old World.Var. stricta, Hort.Var. Veitchii, Hort.
- D. trichosticha, Hook. See Speluncæ, u 85419.

\*\*\*



# Davallia, Smith-cont.

- D. Tyermanni, Baker. China.
- D. vestita, Bl. Java and Ceylon.
- D. villosa, Wall. See marginalis.

Dennstædtia. See Dicksonia.

### Diacalpe, Blume.

- D. aspidioides, Bl. Tropical Asia.
- D. fæniculacea, C. B.Cl. See Aspidium fæniculaceum. Dicksonia, Smith.
  - D. adiantoides, H. B. K. Tropical America.
  - D. antarctica, Lab. Australia.
  - D. apiifolia, Hook. Andes of Ecuador and Peru.
  - D. Barometz, Link. Sub-tropical Asia.
  - D. berteroana, Hook. Juan Fernandez.
  - D. Billardieri. See antarctica.
  - D. Chamissoi, Hook. fil. Sandwich Islands.
  - D. cicutaria, Sw. Tropical America.
  - D. Culcita, L'Herit. Madeira, Azores, and Spain.
  - D. davallioides, R. Br. Australia.
  - D. Deplanchei, Vieill. New Caledonia.
  - D. fibrosa, Col. New Zealand.
  - D. gracilis, Col. New Zealand.
  - D. Herberti, Moore. Queensland.
  - D. Lathami, Moore. Garden origin.
  - D. Menziesii, H. & B. Sandwich Islands.
  - D. obtusifolia, Willd. See 1
  - D. princeps, Hort. See

arm you'll be

pertil Lings

anomal analogate or .

annound, lawyer."

pearly from embración in sen-

Arresto Dimenso - O

\_\_\_\_OUTFORCE ( 1000)

Grantill Willytonia.

without more mindre

### Dicksonia, Smith—cont.

- D. regalis, Baker. Mexico.
- D. Schiedei, Baker. Tropical America.
- D. sellowiana, *Hook*. South Brazil. Var. karsteniana (*Klotzch*).
- D. spectabilis, Hort. See Wendlandi.
- D. squarrosa, Sw. New Zealand.
- D. tenera, Hort. See apiifolia.
- D. Wendlandi, Baker. Guatemala. Var. Verschaffeltii, Hort.
- D. Youngiæ, C. Moore. New South Wales.

Dictyogramme. See Gymnogramme,

Dictyopteris. See Polypodium,

Didymochlæna, Desv.

- D. lunulata, Desv. Tropics everywhere.
- D. sinuosa, Desv. See lunulata.
- D. truncatula, J. Sm. See lunulata.

Didymoglossum. See Hymenophyllum.

Diplazium. See Asplenium.

Dipteris. See Polypodium.

Disphenia. See Cyathea.

Doodia, R. Br.

- D. aspera, R. Br. Australia. Var. multifida, Hort.
- D. blechnoides, Cun. Australia.
- D. caudata, R. Br. Australia and New Zealand. Var. scabrida.

Salmon A bestern

June Brend -Destalati

outsides.

brok.

conc South Value,

antrovers ( m

services on

-strike-con

Additional tools

comply)times

Doodia, R. Br.—cont.

D. dives, Kze. Ceylon.

D. kunthiana, Gaud. Sandwich Islands.

D. lunulata, R. Br. See media,

D. media, R. Br. Australia and New Zealand.

Doryopteris. See Pteris,

## Drymoglossum, Presl.

D. carnosum, Hook. East Himalaya.

Var. subcordatum (Fee.). China and Japan.

D. piloselloides, Presl. Tropical Asia.

Drynaria. See Polypodium.

D. diversifolia, J. Sm. See Polypodium rigidulum.

D. morbillosa, J. Sm. See P. Heracleum,

Egenolfia. See Acrostichum.

Elaphoglossum. See Acrostichum.

Eupodium, See Marattia,

## Fadyenia, Hook.

F. prolifera, Hook. West Indies.

Feea. See Trichomanes.

## Gleichenia, Smith.

G. circinata, Sw. Australia and New Zealand.

Var. Mendelii, Hort. Australia.

Var. microphylla (R. Br.).

Var. semivestita (Lab.).

Var. Speluncæ (R. Br.).

Librariane, in

American and Town States

applied knot Sum (2004). Chiral and depute rest: Tropled Nam.

4101.001

Sm., No. Dobputtim reguntance

Sec. See P. Herselegal.

Simmod

Auniment

#### Gleichenia, Smith-cont.

G. dicarpa, R. Br. Australia and New Zealand.

Var. alpina (R. Br.).

Var. glauca, Moore.

Var. longipinnata, Hort.

- G. dichotoma, Willd. Tropical and sub-tropical regions. Var. nana, Hort.
- G. excelsa, Sm. See longissima,
- G. flabellata, R. Br. Australia, &c.
- G. longipinnata, Hort. See dicarpa,
- G. longissima, Bl. Tropics.
- G. rupestris, R. Br. Australia.
  Var. gigantea, Hort.
  Var. glaucescens, Hort.

Goniophlebium. See Polypodium.

Goniopteris. See Polypodium.

## Gymnogramme, Desv.

- G. ampla, Baker. Australia.
- G. calomelanos, Kaulf. Tropical America.

Var. Alstoni, Hort.

Var. chrysophylla (Kaulf.).

Var. cristata, Hort.

Var. laucheana (K. Koch).

Var. grandiceps, Hort.

Var. Martensii (Kaulf.).

Var. Massoni, Hort.

Var. peruviana (Desv.).

Var. Parsonsi, Hort.

G. cantoniensis, Baker. China.

.. .....



#### Gymnogramme, Desv.-cont.

- G. caudiformis, Hook. Tropical Asia.
- G. chrysophylla, Kaulf. See calomelanos.
- G. decomposita, Baker. Garden origin.
- G. decurrens, Hook. See elliptica.
- G. diplazioides, Desv. Tropical America.
- G. dobroydense, Hort. Garden origin.
- G. elegantissima, Hort. See decomposita.
- G. elliptica, Baker. Tropical Asia, &c.
- G. Feei, Hook. Malaya.
- G. fraxinea, Don. See javanica.
- G. gracilis, Hew. Jamaica.
- G. hamiltoniana, Hook. E. Himalaya.
- G. japonica, Hook. Japan, &c.
- G. leptophylla, Desv. Cosmopolitan.
- G. laucheana, K. Koch. See calomelanos.
- G. L'Herminieri, Link. See calomelanos.
- G. linkiana, Kze. See diplazioides.
- G. Mathewsii, Hook. Peru.
- G. Muelleri, Hook. Australia.
- G. multiceps, Hort. See calomelanos.
- G. Parsonsi. See calomelanos.
- G. Pearcei, Moore. Peru. Var. robusta, Hort.
- G. peruviana, Desv. See calomelanos.
- G. pulchella, Linden. Tropical America.Var. wettenhalliana, Hort.Var. Mayi, Hort.

-filmonon? Seculous antitytion v mount Amoret olalin admit allinguiscob == Second Indian arreign H xunologumon Longraphy x mile

#### Gymnogramme, Desv.—cont.

- G. rupestris, Kze. See diplazioides.
- G. schizophylla, Baker. Jamaica. Var. gloriosa, Hort.
- G. sulphurea, Desv. West Indies. Var. grandiceps, Hort.
- G. tartarea, Desv. Tropical America.
- G. tomentosa, Desv. South America.
- G. Totta, Schlecht. Tropics.
- G. triangularis, Kaulf. Vancouver Island, &c.
- G. trifoliata, Desv. Tropical America.
- G. vestita, Hk. N. Himalaya, &c.

Gymnopteris. See Acrostichum.

Haplopteris. See Vittaria,

# Helminthostachys, Kaulf.

H. dulcis, Kaulf. See zeylanica.

H. zeylanica, Hook. Tropical Asia, &c.

Hemidictyum. See Asplenium.

## Hemionitis, L.

H. cordata, Roxb. East Indies.

H. palmata, L. Tropical America.

# Hemitelia, R. Br.

- H. brunoniana, C. B. Cl. Himalaya.
- H. capensis, R. Br. S. Africa and Brazil.
- H. horrida R. Br. West Indies, &c.
- H. setosa, Mett. Brazil.
- H. Smithii, Hook. New Zealand.
- H. Walkeræ, Hook. Ceylon.

•



Humata. See Davallia,

Hymenodium. See Acrostichum.

Hymenolepis. See Acrostichum.

Hymenophyllum, Smith.

H. abruptum, Hook. Jamaica and South America.

H. æruginosum, Carm. Isle of Tristan d'Acunha.

H. asplenioides, Sw. Tropical America, &c.

H. bivalve, Sw. New Zealand.

H. Catheringe, Hook. Jamaica.

H. caudiculatum, Mart. Tropical America, &c.

H. chiloense, Hook. Isle of Chiloe, &c.

H. ciliatum, Sw. Tropical America.

H. crispum, H. B. K. Tropical America.

H. cruentum, Cav. Chili.

H. demissum, Sw. Australia and New Zealand. Var. nitens, Hort.

H. dilatatum, Sw. New Zealand, &c. Var. forsterianum, (Hort.).

H. elegans, Spr. See lineare.

H. elegantulum, V. D. B. Andes.

H. flabellatum, Lab. Australia and New Zealand.

H. forsterianum, Hort. See dilatatum.

H. fuciforme, Sw. Chili and Juan Fernandez.

H. fucoides, Sw. Tropical America.

H. hirsutum, Sw. Tropical America.

H. javanicum, Spreng. Tropical Asia, &c.

Var. cris um (Wall.).

Var. flexue m (Cunn.).

Var. tamai olium (Hort.).

- mark that the relationship American Phones Land - promit proop -1115 mK langer of Children Av. warming to ...

#### Hymenophyllum, Smith-cont.

- H. lineare, Sw. Tropical America.
- H. magellanicum, Willd. South America.
- H. multifidum, Sw. New Zealand and Pacific Isles.
- H. pectinatum, Cav. Chili, Chiloe, &c. Var. superbum, Hort,
- H. polyanthos, Sw. Tropics everywhere.
- H. pulcherrimum, Col. New Zealand.
- H. rarum, R. Br. Mauritius, New Zealand, &c.
- H. scabrum, A. Rich. New Zealand.
- H. sericeum, Sw. Tropical America.
- H. subtilissimum, Kze. New Zealand.
- H. tamariscifolium, Hort. See javanicum.
- H. tunbridgense, Sw. Ubiquitous. Var. Wilsoni, Hook.
- H. villosum, Col. See polyanthos.

# Hypoderris, R. Br.

H. Brownii, J. Sm. Trinidad.

## Hypolepis, Bernh.

- H. anthriscifolia, Presl. Tropical Africa.
- H. bergiana, Hook. South Africa.
- H. californica, Hook. California.
- H. distans, Hook. New Zealand.
- H. millefolia, Hook. New Zealand.
- H. repens, Presl. Tropical America.
- H. tenuifolia, Bernh. Polynesia, &c.

soloma. See Lindsaya.

u 85419.

Lastrea. See Nephrodium.

L. aristata, Hort. See Aspidium aristatum.

Lecanopteris, Bl.

L. carnosa, Bl. Malaya.

Lepicystis. See Polypodium.

Leptochilus. See Acrostichum.

Leptogramme. See Gymnogramme.

Leptopteris. See Todea,

Leucostegia. See Davallia,

# Lindsaya, Dry.

- L. davallioides, Bl. Malaya.
- L. ensifolia, Sw. Old World Tropics.
- L. flabellulata, Dry. Tropical Asia.
- L. heterophylla, Dry. Tropical Asia.
- L. Lowii. See Acrostichum sorbifolium.
- L. reniformis, Dry. Guiana.
- L. retusa, Mett. Philippines, &c.

Litobrochia. See Pteris,

## Lomaria, Willd.

- L. alpina, Spreng. South temperate zone.
- L. attenuata, Willd. Tropical and south temperate regions.

Var. gigantea (Kaulf.). South Africa.

Var. heterophylla (Hort.).

- L. Banksii, Hook. fil. New Zealand.
- L. boryana, Willd. Tropical and south temperate regions. Var. cycadæfolia (Colla). Chili.
- L. capensis, Willd. See procera.

controping of con-

acceptes, they says hapiling relations in during 22.

oprane, 4th allega

on New Polygodiana

aumfathered +120 in

ommerconnect de orien

the See Lotter

spin So Perpila

lugalization, Vil. Malaca.

maifula 201 (110 World Doques

and lawyers with containing

networkylla (1-y Troposi Atlaage, No Accordance solublam

manus) and autotime

 $c_{\rm ABB_{\rm c}}(V/\ell) = 1055 {\rm primery} \ {\rm Jec}$ 

omaria, Willd .- cont.

- L. ciliata, Moore. New Caledonia.
- L. crenulata, Moore. See Germainii.
- L. discolor, Willd. Australia and New Zealand.

Var. bipinnatifida, Hort.

Var. falcata (Spreng).


Var. nuda (R. Br.).

- L. fluviatilis, Spreng. Australia and New Zealand.
- L. Germainii, Hook. Chili.
- L. gibba, Lab. New Caledonia, &c. Var. tincta, Hort.
- L. gigantea, Kaulf. See attenuata.
- L. Gilliesii, Hook. & Grev. See procera.
- L. heterophylla, Hort. See attenuata.
- L. lanceolata, Spr. Australia.
- L. L'Herminieri, Bory. Tropical America.
- L. magellanica, Desv. See boryana.
- L. membranacea, Col. New Zealand.
- L. minor, R. Br. See procera.
- L. neo-caledonica, Hort. See gibbs.
- L. nigra, Col. New Zealand.
- L. Patersoni, Spreng. Australia. Var. elongata (Bl.).
- L. procera, Spreng. Australia, &c.
- L. pumila, Raoul. New Zealand.
- L. punctulata, Kze. South Africa.
- L.\* Spicant, Desv. North temperate zone.

<sup>\*</sup> For garden varieties, see p. 169.



ded to the second of the secon



Lomaria, Willd .- cont.

L. tuberculata, J. Sm. See procera.

L. zamifolia, Hort. See boryana.

Lomariopsis. See Acrostichum.

L. buxifolium, Fee. See A. sorbifolium, var. buxifolium,

Lonchitis, L.

L. pubescens, Willd. Tropics.

Lopholepis. See Polypodium.

Lophosoria. See Alsophila.

Lorinseria. See Woodwardia.

Lotzea. See Asplenium.

Lygodictyon. See Lygodium.

## Lygodium, Sw.

L. circinatum, Sw. See dichotomum.

L. dichotomum, Sw. Tropical Asia.

L. flexuosum, J. Sm. See dichotomum.

L. Forsteri, J. Sm. See reticulatum.

L. japonicum, Sw. Tropics, &c., Old World.

L. lanceolatum, Desv. Madagascar.

L. palmatum, Sw. United States.

L. pinnatifidum, Sw. Tropics, &c., Old World.

L. reticulatum, Schk. Polynesia.

L. scandens, Sw. Tropics, &c., Old World. Var. microphyllum (R. Br.).

L. venustum, Sw. West Indies, &c.

L. volubile, Sw. South America.

general de la companya del companya del companya de la companya de

. .

i Maria de la Caraca de Caraca Maria de Caraca de Caraca

#### Marattia, Smith.

M. alata, J. Sm. West Indies.

M. attenuata, Lab. New Caledonia.

Var. Moorei (Hort.).

M. Ascensionis, J. Sm. See fraxinea, var. purpurascens.

M. cristata, J. Sm. See fraxinea, var. purpurascens.

M. cicutæfolia, Kaulf. Brazil.

M. Cooperi, Hort. See attenuata.

M. elegans, Endl. See fraxinea.

M. fraxinea, Sm. Tropics, &c., Old World. Var. purpurascens (De Vriese.). Ascension Island.

M. Kaulfussii, J. Sm. Tropical America.

M. laxa, Kze. Mexico.

M. Moorei, Hort. See attenuata.

M. sorbifolia, Bory. See fraxinea.

## Keniscium, Schreb.

M. angustifolium, Willd. West Indies, &c.

M. deltigerum. See Acrostichum virens.

M. reticulatum, Sw. Tropical America.

Var. macrophyllum (Kze.).

Var. oligophyllum, Hort.

M. serratum, Cav. Tropical America.

M. simplex, Hook. Tropical and sub-tropical Asia.

Mertensia. See Gleichenia.

Mesochlæna. See Didymochlæna.

dicrolepia. See Davallia.

ficrosorum. See Polypodium.

10

witte [mi]

Surrous aver, propulsional,

commission of the con-

11

Stan

.....

LOW WHILE

Years S. Assessment Irland.

primari la

....

,-000

a story to

### Mohria, Sw.

M. caffrorum, Desv. South Africa. Var. achilleæfolia, Hort.

M. thurifraga. See caffrorum.

### Monogramme, Sch.

M. seminuda, Baker. West Indies, &c.

Myriopteris. See Cheilanthes.

Neottopteris. See Asplenium.

### Nephrodium, Rich.

N. zemulum, Baker. Britain and Madeira.

N. affine, Lowe. See Filix-mas.

N. albopunctatum, Desv. Guinea, Natal, &c.

N. atratum (Wall.). See hirtipes.

N. atrovirens (J. Sm.). See decompositum.

N. Blumei, Hook. See intermedium.

N. boryanum, Baker. Himalaya.

N. calcaratum, Hook. East Indies.

N. canum, Baker. Himalaya.

N. catopteron, Hook. South Africa.

N. chinense, Baker. China and Japan.

N. chrysolobum, Fée. Brazil and Colombia.

N. cicutarium, Baker. Tropics, ubiquitous.

N. confluens, F. Muell. Queensland.

N. coruscum, Hort. See Aspidium varium.

N. cristatum, Mich. Et pe t North Var. uliginosum, A

N. cuspidatum, Baker.

in Albama tree

eri Lestino, Ans.

tendad has not (x-me-x)

Guines, Nemi, Su.

angunt i

surficesqueoch with

niormotomá,...

-asynlam)

sention make

#### Nephrodium, Rich.-cont.

- N. cyatheoides, Kaulf. Tropical Asia.
- N. decompositum, R. Br. Australia and New Zealand. Var. glabellum (Cunn.). Var. Shepherdi (Kze.).
- N. decurrens, Baker. Tropical Asia.
- N. decursivo-pinnatum, Baker. China and Japan.
- N. deltoideum, Desv. Tropical America.
- N. denticulatum, Hook. Tropical America.
- N. dilatatum, Desv. See spinulosum.
- N. dissectum, Desv. Tropics of Old World. Var. membranifolium (Presl.).
- N. divergens, Willd. See effusum.
- N. effusum, Baker. Tropical America. Var. divergens (Willd.).
- N. elongatum, H. & G. See Filix-mas.
- N. eriocarpum, D.C. See odoratum.
- N. erythrosorum, Hook. Japan. Var. prolificum (Maxim.).
- N. extensum, Hook. Ceylon.
- N.\* Filix-mas, Desv. Temperate regions, ubiquitous. Var. elongatum (Hook. & Gr.). Sub-tropical regions. Var. schimperianum (Hochst.). Simla.
- N. floridanum, Hook. Louisiana and Florida.
- N. Fænisecii, Lowe. See æmulum.
- N. glabellum, Cunn. See decompositum.

<sup>\*</sup> For garden varieties, see p. 171.

reprint Asia. and Inthy completion wint? \_\_\_\_\_ militain ly bestig control A betimed olimental in the Mary hit Co. -1. Voge 1.7 oma Ba out Assurery married of and the same 1.0090

## Nephrodium, Rich.—cont.

- N. goldieanum, Hook. North America.
- N. Grisebachii, Baker. Cuba.
- N. hirtipes, Hook. Tropical Asia.
- N. hispidum, Hook. New Zealand.
- N. incisum, Baker. West Indies.
- N. intermedium, Buker. Tropical Asia.
- N. irregulare, Brack. See latifolium,
- N. Jenmani, Baker. Jamaica.
- N. lacerum, Baker. Japan.
- N. latifolium, Baker. Polynesia.
- N. lepidum, Moore. Polynesia.
- N. leuzeanum, Hook. Tropical Asia.
- N. macrophyllum, Baher. Tropical America. Var. calvatum, Hort.
- N. marginale, Mich. North America.
- N. membranifolium, Presl. See dissectum.
- N. molle, Desv. Ubiquitous.

  Var. polydactylon, Hort. Tropics.

  Var. violascens, Link.
- N. montanum, Baker. Europe.
- N. nevadense, Baker. North America.
- N. noveboracense, Desv. North America.
- N. odoratum, Baker. Tropical Asia, &c.
- N. Oreopteris, Desv. See montanum.
- N. patens, Desv. Tropics, &c.
- N. polymorphum, Baker. Tropical Asia.

oisomh div mil. -100 F. Li Leafand X -mel Sind ladge? moldible 50% district -class mental Deady Tropical Asserta. L America So di etamo

### Nephrodium, Rich.—cont.

- N. prolificum, Maxim. See erythrosorum.
- N. pubescens, Desv. West Indies.
- N. recedens, Hook. Ceylon, &c.
- N. recurvum, Hort. See æmulum.
- N. Richardsi, Baker. New Caledonia. Var. multifidum, Hort.
- N. rigidum, Desv. North temp. zone. Var argutum (Kaulf.).
- N. rodigasianum, Morr. Samoa.
- N. scabrosum, Baker. Nilgherries.
- N. setigerum, Baker. Japan and tropical Asia. Var. cristatum, Hort.
- N. setosum, Baker. Java.
- N. Sieboldii, Hook. Japan.
- N. Sloanei, Baker. Tropical America.
- N. sparsum, Don. Tropical Asia.
- N.\* spinulosum, Desv. North temp. zone. Var. dilatatum (Desv.).
- N. subtriphyllum, Baker. Tropical Asia.
- N. tenericaule, Hook. See setigerum.
- N. Thelypteris, Desv. North and South temp. zones.
- N. Thwaitesii, Baker. Ceylon.
- N. Trimeni, Beddome. Ceylon.
- N. truncatum, Presl. East Indies, &c.
- N. unitum, R. Br. Tropical and sub-tropical regions.

<sup>\*</sup> For garden varieties, see p. 175.

market will arm and sal Total Village List was a some may be

## Nephrodium, Rich.-cont.

- N. varians, Fée. Trinidad.
- N. variolosum, Baker. Malaya.
- N. villosum, *Presl.* Tropical America. Var. lachnopodium (J. Sm.).

## Nephrolepis, Schott.

- N. acuta, Presl. Tropics everywhere.
- N. Bausei, Hort. Garden origin.
- N. biserrata, Schott. See acuta.
- N. cordifolia, Baker. Tropics everywhere.

Var. compacta, Hort.

Var. pectinata (Schott).

Var. philippensis (Hort.).

Var. tuberosa (Presl).

- N. davallioides, Kze. Java. Var. furcans, Hort.
- N. Duffii, Moore. Australia.
- N. ensifolia, Presl. See acuta.
- N. exaltata, Schott. Tropics everywhere. Var. Barteri, Hort. West Tropical Africa. Var. hirsutula, Presl.
- N. pectinata, Schott. See cordifolia.
- N. philippinensis, Hort. See cordifolia.
- N. Pluma, Moore. Madagascar.
- N. ramosa, Moore. Tropics, Old World.
- N. recurvata, Hort. S.
- N. rufescens, Prest.
  Var. tripinneth



. .

.

Nephrolepis, Schott.—cont.

N. tuberosa, Presl. See cordifolia.

N. undulata, J. Sm. See cordifolia.

Neurocallis. See Acrostichum.

Niphobolus. See Polypodium.

N. rupestris, Spr. See Polypodium serpens.

Niphopsis. See Polypodium.

Nothochlama, R. Br.

N. offinis, Hook. Mexico, &c.

N. sekloniana, Kze. South Africa.

N. ferruginea, Hook. South America and West sidies.

N. flavens, Moore. Tropical America.

N. Hookeri, Lowe. See nivea.

N. lævis, M. & G. See sinuata.

N. lanuginosa, Desv. South Europe, &c.

N. Marantæ, R. Br. South Europe, &c.

N. nivea, Desv. Tropical America.

N. rufa, Presl. See ferruginea.

N. sinuata, Kaulf. Tropical America.

N. sulphurea, J. Sm. California, Mexico, &c.

N. trichomanoides, R. Br. Jamaica, Cuba.

Odontosoria. See Davallia.

Oleandra, Cav.

O. articulata, Cav. Tropical Africa.

0. nodosa, Presl. Tropical America.

Olfersia. See Acr m.

200 \_\_advallence =

#### Onoclea, L.

- 0. germanica, Willd. Europe and North America.
- O. pennsylvanica, Willd. See germanica.
- 0. sensibilis, L. North America.

## Onychium, Kaulf.

- 0. auratum, Kaulf. Himalaya.
- 0. japonicum, Kze. Japan and Himalaya. Var. multisectum, Henders.
- O. lucidum, Spr. See japonicum.

## Ophioglossum, L.

- 0. pendulum, L. Tropics, Old World.
- 0. vulgatum, L. Ubiquitous.

## Osmunda, L.

- 0. cinnamomea, L. North America, &c.
- 0. claytoniana, L. North America, &c.
- O. interrupta, Mich. See claytoniana.
- O. japonica, Thunb. See regalis.
- 0. javanica, Bl. Java, &c.
- 0. regalis, L. North and South temp. regions.

Var. corymbifera, Hort.

Var. cristata, Hort.

Var. japonica (Thunb). Japan, &c.

Var. palustris, Hort.

Var. purpurascens, Hort.

O. spectabilis, Willd. See regalis.

Paragramma. See Polypodium.

# Pellæa, Link.

P. adiantifolia, Hort. See hastata.

\_acrembil

arydamid few w

4133004

,000,000

(Bart 58)

allo

and personal t

200.00 --- 16

- Low Commune

windle.

Pellæa, Link.-cont.

- P. alabamensis, Baker. Alabama.
- P. andromedæfolia, Fée. California and South Africa.
- P. atropurpurea, Link. North America.
- P. brachyptera, Baker. California.
- P. cordata, J. Sm. Mexico.

Var. flexuosa (Link).

- P. densa, Hook. North America.
- P. falcata, Fée. Tropical Asia and Australia.
- P. geraniæfolia, Fée. Tropics.
- P. gracilis, Hook. North temp. zone.
- P. hastata, Link. South Africa.
- P. intramarginalis, J. Sm. Mexico.
- P. involuta, Baker. East Africa.
- P. mucronata, Eaton. Calfornia, &c.
- P. paradoxa, Hook. Australia.
- P. ternifolia, Fée. Tropical America.
- P. wrightiana, Hook. See mucronata.

Phegopteris. See Polypodium.

- P. lachnopoda, J. Sm. See Nephrodium amplum.
- P. submarginalis, J. Sm. See N. caripense.
- P. trichodes, J. Sm. See N. setigerum.

Phlebodium. See Polypodium.

Phymatodes. See Polypodium.

P. vulgare, Presl. See Polypod

?latycerium, Desv.

P. æthiopicum, Hook. Tı



#### Platycerium, Desv.-cont.

- P. alcicorne, Desv. Australia. Var. Hillii (Moore).
- P. grande, J. Sm. Tropical Asia and North Australia.
- P. Stemmaria, Beauv. See æthiopicum.
- P. Wallickii, Hook. Malaya.
- P. Willinckii, Moore. Java.

Platyloma. See Pellæa.

Pleocnemia. See Nephrodium.

Pleopeltis. See Polypodium.

Pleuridium. See Polypodium.

Pœcilopteris. See Acrostichum.

Polybotrya. See Acrostichum.

#### Polypodium, L.

- P. adnascens, Sw. Tropical Asia. Var. lævis (J. Sm.).
- P. adnatum, Kze. South America.
- P. albopunctatissimum, Linden. See crassifolium.
- P. albosquamatum, Bl. Malaya.
- P. alpestre, *Hoppe*. North temp. zone. Var. flexile (*Newm*.). Scotland.
- P. amœnum, Wall. North India.
- P. amphostemon, Kze. See angustifolium.
- P. angustatum, Sw. Tropical Asia.
- P. angustifolium, Sw. Tropical America.
- P. appendiculatum, Wall. East Himalaya.
- P. areolatum, H. B. K. See aureum.

```
man & death has bed more
          announced the same
                    - Ordeli
```

#### Polypodium, L.—cont.

P. aureum, L. Tropical America.

Var. areolatum (H. B. K.).

Var. glaucum, Hort.

Var. pulvinatum (Link).

Var. sporodocarpon (Willd.).

- P. Billardieri, R. Br. Australia and New Zealand.
- P. biseriale, Baker. Peru, &c.
- P. calcareum, Sm. See Dryopteris.
- P. californicum, Kaulf: California.
- P. calvatum, Baker. China.
- P. cambricum, L. See vulgare.
- P. cameroonianum, Hook. Cameroon Mountains.
- P. Catherinæ, J. Sm. See loriceum.
- P. caudiceps, Moore. Formosa.
- P. chnoodes, Spreng. Tropical America.
- P. clathratum, C. B. Clarke. Simla.
- P. colpodes, Kze. See plesiosorum.
- P. conjugatum, Lam. Tropical Asia.
- P. contiguum, Wall. See longifolium.
- P. coronans, Wall. See conjugatum.
- P. crassifolium, L. Tropical America. Var. albopunctatissimum (Linden). Brazil.
- P. cuspidatum, Bl. See persicæfolium.
- P. dissimile, Hook. See chnoodes.
- P. distans, Raddi. See diversifolium.
- P. diversifolium, Sw. Tropical America.

# Polypodium, L.—cont.

- P. drepanum, Hook. Madeira.
- P. Dryopteris, L. North temp. zone. Var. robertianum (Hoffm.).
- P. effusum. See Nephrodium.
- P. ensifolium, Willd. See angustifolium.
- P. elasticum, Rich. Tropical America.
- P. fraxinifolium, Jacq. See diversifolium.
- P. fossum, Baker. Malaya.
- P. Gardneri, Mett. Ceylon.
- P. glaucophyllum, Kze. West Indies. Var. glaucum, Hort. Var. viride, Hort.
- P. griseum, Liebm. Mexico and Guatemala.
- P. guatemalense, Hook. Tropical America.
- P. harpeodes, Link. See loriceum.
- P. hastæfolium, Sw. West Indies.
- P. hastatum, Thunb. Japan, &c.
- P. hemionitideum, Wall. Tropical Asia.
- P. Heracleum, Kze. Tropical Asia.
- P. hexagonopterum, Mich. North America.
- P. hirsutum, Sw. Brazil.
- P. hymenodes, Bl. See superficiale.
- P. inæquale, Moore. See guatemalense.
- P. incanum, Sw. South Africa and America.
- P. incurvatum, Bl. Malaya, &c.
- P. intermedium, H. & A. See californicum.



.

# Polypodium, L.—cont.

- P. irioides, Lam. Tropics and sub-tropics, Old World.
- P. juglandifolium, Don. Himalaya. Var. tenuicauda (Hook.).
- P. karwinskianum, A. Br. See plebeium.
- P. lachnopus, Wall. N. India.
- P. lævigatum, Cav. Tropical America.
- P. lanceolatum, L. Tropics.
- P. leiorhizon, Wall. Tropical Asia.
- P. lepidopteris, Kze. 'Tropical America. Var. sepultum (Kaulf.).
- P. Lingua, Sw. Tropical Asia, &c.
   Var. corymbiferum, Hort.
   Var. Heteractis (Mett.). Himalaya.
- P. longissimum, Rl. Tropical Asia.
- P. longifolium, Mett. Malaya.
- P. loriceum, L. Tropical America. Var. pinnatifidum, Baker. Var. vacillans (Link).
- P. lycopodioides, L. Tropics everywhere.
  Var. maximum, Hort.
  Var. owariense (Desv.). Tropical Africa.
  Var. salicifolium (Willd.). Tropical America.
  Var. squamulosum, Kaulf. Brazil.
- P. macrourum, Baker. Australia.
- P. megalodus, Schk. See tetragonum.
- P. membranaceum, Don. N. India.
- P. menisciifolium, L. & F. Brazil.

representations of the Monto.

accionist -a

The for personal

- p((m) W

moreout hospire!

ero is port

Toqual Aces

second married

1/1/00

so and let

months and

mild of

-and house

Summer.

. years

# Polypodium, L.—cont.

- P. meyenianum, Schott. Philippines.
- P. musæfolium, Bl. Malaya.
- P. multilineatum, Wall. N. India.
- P. neriifolium, Schk. Tropical America.
- P. nigrescens, Bl. Malaya, &c.
- P. nigripes, Hook. Venezuela.
- P. nitidum, J. Sm. See lycopodioides.
- P. owariense, Desv. See lycopodioides.
- P. pectinatum, L. Tropical America. Var. Paradiseæ (L. & F.). Var. plumosum, Hort.
- P. peltideum, Link. See Phymatodes.
- P. pennigerum, Forst. New Zealand.
- P. percussum, Cav. Tropical America.
- P. persicæfolium, Desv. Tropical Asia. Var. grandidens, Kze. Java.
- P. Phegopteris, L. North temp. zone. Var. cristatum, *Hort*.
- P. Phyllitidis, L. Tropical America. Var. brevifolium (Link.). Var. obscurum (Mett.).
- P. Phymatodes, L. Tropics, Asia and Africa.Var. longipes (Link.).Var. terminale (Link.).
- P. pictum, Baker. Polynesia.
- P. piloselloides, L. Tropical America.
- P. plebeium, Schlecht. Mexico.

-sunbarritrett C

Antaga W

Throad America

.071 binis

A PATO - CO

salato(fampery) - i

animalingment with

\_oron# leave

100

5,7700

aminotomy (19 ho

Stratural way

safesand 1631

and Into U

176

um- min de

#### Polypodium, L.—cont.

- P. plesiosorum, Kze. Tropical America. Var. appendiculatum (Klotzsch).
- P. Plumula, H. B. K. See elasticum.
- P. preslianum, Link. See neriifolium.
- P. propinguum, Wall. Tropical Asia.
- P. pulvinatum, Link. See aureum.
- P. pustulatum, Forst. Australia and New Zealand.
- P. quercifolium, L. Tropical Asia, &c.
  - . repens, L. Tropical America. Var. undulatum, Hort.
- P. reptans, Sw. Tropical America. Var. asplenioides, (Sw.).
- P. rigidulum, Sw. N. Australia, &c.
- P. robertianum, Hoffm. See Dryopteris.
- P. rostratum, Hook. N. India.
- P. rubidum, Hook. Philippines.
- P. rupestre, Bl. Java, &c.
- P. Scouleri, H. & G. N.W. America.
- P. sepultum, Kaulf. See lepidopteris.
- P. serpens, Forst. Australia.
- P. simplex, Sw. See lineare.
- P. spectrum, Kaulf. Sandwich Isles.
- P. sphærocephalum, Wall. See angustatum.
- P. sporodocarpon, Willd. See aureum.
- P. squamulosum, Kaulf. See lycopodioides.
- P. stigmaticum, Presl. Tropic America,

amount league! -(Aparth | April )

annual of

marking or -January I

Asserting and Sam Xindrati-

Acquired design &c.

postwere h la

assering arm

- 100

Airchealey Art.

Proposti Se

# Polypodium, L.—cont.

- P. subauriculatum, Bl. Tropical Asia &c. Var. Reinwardtii (Kze.).
- P. subpetiolatum, Hook. Central America.
- P. superficiale, Bl. East Indies.
- P. suspensum, L. Tropical America.
- P. tæniosum, Hort. See angustifolium.
- P. tenellum, Forst. Australia, &c.
- P. tenuicauda, Hook. See juglandifolium.
- P. tetragonum, Sw. Australia, &c. Var. megalodus (Schk.).
- P. tricuspe, Sw. Japan.
- P. vacillans, Link. See loriceum.
- P. vacciniifolium, L. and F. Tropical America. Var. album, Hort.
- P. venosum, Desv. See stigmaticum.
- P. verrucosum, Wall. Malaya.
- P. \*vulgare, L. North temp. zone.
- P. Xiphias, Moore. Polynesia.
- P. Zippelii, Bl. See heterocarpum.

Polystichum. See Aspidium.

Prosaptia. See Davallia.

Pseudathyrium. See Polypodium.

# Pteris, L.

- P. aquilina, L. Cosmopolitan.
- P. arguta, Ait. South Europe and Azores.

<sup>\*</sup> For garden varieties, see p. 175.

A -A benger) S (mW). 1 ad formed da Acres I morne THE PROPERTY AND ADDRESS OF THE PARTY AND ADDR See anguida ever-Jak Steems amphilitation -with milleren A Ac block sortenal between C. . A. to amendance of organity.

#### Pteris, L.—cont.

- P. argyræa, Moore. See quadriaurita.
- P. Bausei. See semipinnata.
- P. biaurita, L. Tropics.

  Var. memoralis variegata.
- P. collina, Raddi. See palmata.
- P. crassipes, Ag. See gigantea.
- P. crenata, Sw. See ensiformis.
- P. cretica, L. Tropical and sub-tropical regions.

Var. albolineata, Hort.

Var. cristata, Hort.

Var. Mayi, Hort.

Var. nobilis, Hort.

- P. elata, Ag. Tropical America.
- P. ensiformis, Burm. Tropical Asia. Var. Victoriæ, Hort.

Var. cristata, Hort.

- P. flabellata, Thunb. South Africa.
- P. Ghiesbreghtii, J. Sm. See laciniata.
- P. gigantea, Willd. West Indies.
- P. glaucovirens, Linden. See quadriaurita.
- P. heterophylla, L. West Indies. Var. internata (Moore).
- P. incisa, Thunb. Tropical and sub-tropical regions.
- P. laciniata, Willd. Tropical America. Var. Ghiesbreghtii, J. Sm.
- P. leptophylla, Sw. Brazil.

100 0.00

#### Pteris, L.—cont.

- P. longifolia, L. Tropical and sub-tropical regions. Var. Mariesii, Hort. Japan.
- P. ludens, Wall. Tropical Asia.
- P. moluccana, Bl. Malaya, &c.
- P. memoralis, Willd. See biaurita.
- P. nobilis, Hort. See palmata.
- P. Ouvrardii, Hort. See serrulata.
- P. palmata, Willd. Tropical America, &c. Var. collina (Raddi). Var. nobilis, Hort.
- P. patens, Hook. Tropics of Old World.
- P. podophylla, Sw. Tropical America, &c.
- P quadriaurita, Retz. Tropics. Var. argyrma (Moore).

Var. rubricaulis (J. Sm.).

Var. tricolor (Hort.).

- P. robusta, Hort. See aculeata.
- P. sagittifolia, Raddi. Brazil.
- P. scaberula, A. Rich. New Zealand.
- P. semipinnata, L. Tropical and sub-tropical Asia. Var. Bausei, *Hort*.
- P. serrulata, L. fil. China and Japan.

Var. compacta, Hort.

Var. cristata, Hort.

Var. densa, Hort.

Var. gracilis, Hort.

Var. gloriosa, Hort.

amicer and an Inches from

.

مالوپ وي

Authorities 1 vol.

\$1,500 tm

andrew w

- Lastron A Leropex l

21000

January 187 - - 1

\_\_\_\_

subject?

1.00

#### Pteris. L.—cont.

P. serrulata, L. fil. China and Japan--cont.

Var. Leyi, Hort.

Var. maxima, Hort.

Var. Ouvrardii, Hort.

Var. undulata, Hort.

P. straminea, Mett. Chili.

P. sulcata, Link. See quadriaurita.

P. tremula, R. Br. Australia.

Var. elegans, Hort.

Var. kingiana (Endl.).

Var. smithiana, Hort.

P. umbrosa, R. Br. Australia.

P. undulata, Moore. Fiji.

P. Victoriæ, Hort. See ensiformis.

P. wallichiana, Ag. Himalaya.

Pteropsis. See Tænitis.

Pycnopteris. See Nephrodium.

Rhipidopteris. See Acrostichum.

Saccoloma. See Davallia,

# Sadleria, Kaulf.

S. cyatheoides, Kaulf. Sumatra and Sandwich Islands.

Sagenia. See Nephrodium.

Salpichlæna. See Lomaria.

Schellolepsis. See Polypodium.

Schizocæna. See Cyathea.

Schizoloma. See Lindsaya.

Stopel Thouse Anthropics -

#### olopendrium, Sm.

- S. brasiliense, Kze. Brazil.
- S. Krebsii, Kze. See Lomaria punctulata.
- S. \*vulgare, Sm. North temperate zone.

elliguea. See Gymnogramme.

tolobium. See Davallia.

romanes. See Acrostichum Cænopteris.

egania. See Lomaria.

enochlæna. See Acrostichum.

enolomana. See Davallia.

enosemia. See Acrostichum.

ruthiopteris. See Onoclea.

aeniopsis. See Vittaria.

hyrsopteris, Kze.

T. elegans, Kze. Juan Fernandez. odea, Willd.

- T. africana, Willd. See barbara.
- T. barbara, Moore. South Africa, Australia, and New Zealand.
- T. Fraseri, H. & G. Australia, &c.
  Var. wilkesiana (Brack.). Polynesia.
- T. grandipinnula, Moore. See Moorei.
- T. hymenophylloides, R. & L. New Zealand.
- T. Moorei, Baker. Lord Howe's Island.
- T. pellucida, Carm. See hymenophylloides.
- T. rivularis, Sieb. See barbara.

<sup>\*</sup> For garden varieties, see p. 179.

...lmm Lorente principios man directors in and painty a y (133.88) 20070078 art Arreng American may Ke

#### Todea, Willd .-- cont.

- T. superba, Col. New Zealand.
- T. wilkesiana, Brack. See Fraseri.

#### Trichomanes, L.

- T. alatum, Sw. Tropical America. Var. attenuatum (Hook.).
- T. angustatum, Carm. See tenerum.
- T. apiifolium, Presl. Polynesia, &c.
- T. auriculatum, Bl. Tropical Asia, &c.
- T. Bancroftii, H. & G. Tropical America.
- T. bipunctatum, Poir. See Filicula.
- T. Bojeri, H. & G. See cuspidatum.
- T. boschianum, Sturm. See radicans.
- T. crispum, L. Tropical America.
- T. cuspidatum, Willd. Mauritius.
- T. elongatum, Cunn. See rigidum.
- T. exsectum, Kze. Chili, &c.
- T. Filicula, Bory. Tropical Asia and Africa.
- T. fæniculaceum, Bory. Mauritius, &c.
- T. humile, Forst. Polynesia, &c.
- T. javanicum, Bl. Malaya.
- T. Kaulfussii, Hook. fil. West Indies.
- T. luschnathianum, Presl. See radicans.
- T. maximum, Bl. Malaya and Polynesia.
- T. meifolium, Hort. See apiifolium.
- T. membranaceum, L. Tropical America. u 85419.

myramy op on a part of the second of the sec

manther oil

analiza i Se

richomanes, L.—cont.

- T. muscoides, Sw. Tropics.
- T. parviflorum, Poir. See fæniculaceum.
- T. parvulum, Poir. Tropics of Old World.
- T. Petersii, A. Gray. Alabama.
- T. pinnatum, Sw. Tropical America.
- T. Prieurii, Kze. Tropical America.
- T. pulcherrimum, Col. New Zealand.
- T. pyxidiferum, L. Tropics everywhere.
  Var. olivaceum (Kze.). Tropical America.
- T. quercifolium, H. & G. See pusillum.
- T. radicans, Sw. Tropical and sub-tropical regions.

Var. alabamense, A Gray.

Var. Andrewsii, Newm. Ireland.

Var. boschianum (Sturm.).

Var. crispum, Hort.

Var. dilatatum, Hort.

Var. frondosum (Fée.).

Var. luschnathianum (Presl). Brazil.

- T. reniforme, Forst. New Zealand.
- T. reptans, Sw. Tropical America.
- T. rigidum, Sw. Tropics everywhere. Var. elongatum (Cunn.). New Zealand.
- T. scandens, L. Central America.
- T. spicatum, Hedw. West Indies.
- T. strictum, Menz. New Zealand.
- T. tenerum, Spreng. Tropical America.
- T. trichoideum, Sw. Tropical America.
- T. venosum, R. Br. Australia.

a design of the second

anne leptenit vé

SHOW MAY SHEET

Jacons

American Service

amberree 109

Tropies Inches

soft pasting

and any strong his or

Sugary T., 10

#### Vittaria, Smith.

- V. elongata, Sw. Tropics of Old World.
- V. lineata, Sw. Tropical America.
- V. scolopendrina, Thwaites. Ceylon, &c.
- V. stipitata, Kze. Colombia to Peru.

#### Woodsia, R. Br.

- W. glabella, R. Br. North temperate zone.
- W. ilvensis, R. Br. North temperate zone.
- W. oregana, Eat. Rocky Mountains.
- W. polystichoides, Eat. Japan.
- W. scopulina, Eat. North America.

#### Woodwardia, Smith.

- W. angustifolia, Sm. See areolata.
- W. orientalis, Sw. Japan, &c.
- W. radicans, Sw. North temperate zone. Var. Brownii, Hort.



# II. FERN ALLIES.

# Azolla, Lam.

- A. caroliniana, Willd. Tropical and sub-tropica
- A. pinnata, R. Br. Australia.

#### Equisetum, L.

- E. arvense, L. North temperate and arctic regions.
- E. fluviatile, Sm. See limosum.
- E. giganteum, L. Tropical America.
- E. hyemale, L. North temperate and arctic regions.
- E. limosum, L. North temperate and arctic regions.
- E. maximum, Lam. North temperate regions.
- E. palustre, L. North temperate and arctic regions.
- E. pratense, Ehrh. North temperate and arctic regions.
- E. robustum, A. Br. North America.
- E. scirpoides, Michx. North temperate and arctic regions.
- E. silvaticum, L. North temperate and arctic regions.
- E. Telmateia, Ehrh. See maximum.
- E. variegatum, Schleich. North temperate and arctic regions.

# [soetes, L.

- I. Durizi, Bory. Mediterranean region.
- I. lacustris, L. Europe and North America. Var. Morei, Moore. Ireland.

# Lycopodium, L.

- L. alpinum, L. Europe.
- L. complanatum, L. Europe.
- L. clavatum, L. Europe.
- L. Hippuris, Desv. See squarrosum.

# ALLIES

Proposal and malestages.

ODDING

as a first state of the sound in the sound i

well-based, their

and a street line street to be a str

Appropriate that developed the

the foreigness of the same and the

aurroa am

A) h. sempense and see - per support A(n ) semperate as least a service and a service

# Lycopodium, L.—cont.

- L. Hookeri, Wall. See squarrosum.
- L. nummularifolium, Bl. Malaya, &c.
- L. Phlegmaria, L. Tropics.
- L. Selago, L. Europe.
- L. squarrosum, Forst. Tropical Asia.
- L. strictum, Baker. Madagascar.
- L. taxifolium, Sw. Tropical America.

#### Marsilea, L.

- M. Drummondii, A. Br. Australia. Var. salvatrix (Hans.).
- M. hirsuta, R. Br. Australia.
- M. macropus, Englm. Texas.
- M. quadrifoliata, L. Europe and Asia.
- M. salvatrix, Hans. See Drummondii.

# Pilularia, L.

P. globulifera, L. Europe.

# Psilotum, Sw.

P. triquetrum, Sw. Tropics. Var. mascarenica, Hort. Var. nudum (Griseb.).

# Salvinia, Schreb.

- S. natans, Hoffm. Sub-tropics of Old World. Selaginella, Spring.
  - S. africana, A. Br. See Vogelii.
  - S. albonitens, Spring. West Indies.
  - S. albospica, Hort. See tenophylla.
  - S. amæna, Hort. See caulescens.
  - & spu Sp. . North America.

-ortonia by Marion aile. street, from repo -dynamical j

#### Selaginella, Spring—cont.

- S. argentea, Spring. See caulescens.
- S. atroviridis, Spring. Tropical Asia.
- S. bakeriana, Bailey. Queensland.
- S. Braunii, Baker. China.
- S. cæsia, Hort. See uncinata.
- S. canaliculata, Baker. Tropical Asia.
- S. caudata, Spring. See canaliculata.
- S. caulescens, Spring. Tropical Asia.
  Var. amæna, Hort.
  Var. minor, Hort.
- S. cognata. See Lobbii.
- S. concinna, Spring. Mascaren Isles, &c.
- S. conferta, Moore. See canaliculata.
- S. convoluta, Spring. Tropical America.
- S. cuspidata, Link. Tropical America. Var. elongata, Spring.
- S. denticulata, Link. Europe.
- S. denticulata, Hort. See kraussiana.
- S. dichroa, Hort. See Vogelii.
- S. Douglasii, Spring. United States.
- S. emiliana, Hort.
- S. erythropus, Spring. Tropical America. Var. minor, Hort.
- S. filicina, Spring. See hæmatodes.
- S. flabellata, Spring. Tropics.
- S. flagellifera, Hort. See plumosa.
- S. flexuosa, Spring. South Brazil.

are regulated and admit decorper P. decoharmon()

anards.

and imager?

analosismo so

stale inarger?

Samuel Asia, As-

and county becomes to

## Selaginella, Spring-cont.

- S. Galeottei, Spring. Mexico.
- S. grandis, Moore. Borneo.
- S. Griffithii, Spring. Tropical Asia.
- S. hæmatodes, Spring. Tropical America.
- S. inæqualifolia, Spring. Tropical Asia.

  Var. bellula (Moore). See var. perelegans.

  Var. perelegans (Moore).
- S. involvens, Spring. China and Japan. Var. texta, Baher. Var. variegata, Hort.
- S. kraussiana, A. Br. South Africa, Azores, &c.

Var. aurea, Hort.

Var. Brownii, Hort.

Var. Stansfieldii, Hort.

Var. variegata, Hort.

- S. lævigata, Baker. Madagascar. Var. Lyallii (Spring).
- S. lepidophylla, Spring. Tropical America.
- S. leptostachya, Bailey. See bakeriana.
- S. Lyallii, Spring. See lævigata.
- S. Martensii, Spring. Mexico.

Var. divaricata, Hort.

Var. stolonifera, A. Br.

Var. variegata, Hort.

- S. Mettenii, A. Br. Garden origin.
- S. molliceps, Spring. Upper Guinea.
- S. mutabilis, Hort. See serpens.
- S. patula, Spring. West Indies.
- S. pilifera, A. Br. Texas.

122 LANGE DOWN Argent Street L. INA Someth III Complete See 27 177 woman borger I See balegroom

#### Selaginella, Spring—cont.

- S. plumosa, Baker. Tropical Asia. Var. flagellifera, Hort.
- S. radiata, Baker. Tropical America.
- S. radicata, Spring. See plumosa.
- S. rubella, Moore. Garden origin.
- S. rubricaulis, Hort. See suberosa,
- S. serpens, Spring. West Indies.
- S. stenophylla, A. Br. Mexico. Var. albospica, Hort.
- S. suberosa, Spring. Tropical Asia.
- S. texta, Hort. See involvens.
- S. uncinata, Spring. China.
- S. usta, Vieill. New Caledonia.
- S. Victoriæ, Moore. Borneo.
- S. viridangula, Spring. Polynesia.
- S. viticulosa, Klotzsch. Tropical America.
- S. Vogelii, Spring. Tropical Africa. Var. dichroa (Hort.).
- S. Wallichii, Spring. Tropical Asia.
- S. Warscewiczii, Klotzsch. See radiata.
- S. Willdenovii, Baker. Tropical Asia.

## Tmesipteris, Bernh.

No.

- T. Forsteri, Endl. See tannense.
- T. tannense, Bernh. Australia and Polynesia.

319-1 and busy Ass american bear majority : site E House -mahal and become -001

# III. APPENDIX.

# Cultural forms of British Ferns.

## Adiantum, L.

#### A. Capillus-veneris, L.

Var. admirable, Lowe.

Var. concinnum, Hort.

Var. cornubiense, Moore.

Var. daphnites, Lowe.

Var. fissum, Moore.

Var. grande, Moore.

Var. imbricatum, Lowe.

Var. laciniatum, Hort.

Var. magnificum, Fraser.

Var. Mariesii, Moore.

Var. maximum, Moore.

Var. obrienianum, Birkenhead.

Var. optandrum, Lowe.

Var. perfectum, Padley.

Var. Roperi, Hort.

Var. semilunatum, Lowe.

Var. tenuis, Hort.

Var. undulatum, Moore.

# Aspidium, Swartz (Polystichum).

A. aculeatum, Sw. Europe.

Var. acrocladon, Lowe.

K

Var. Barnesii, Jones.

u 85419.

XINCH!

And a strict to

spidium, Swartz (Polystichum) - cont.

A. aculeatum, Sw. Europe—cont.

Var. Braunii, Hort.

Var. capitatum, Jones.

Var. cristatum. Moore.

Var. cruciatum, Jones.

Var. " polydactylon.

Var. dubium. Woll.

Var. grandiceps, Jones.

Var. Kitsonae, Jones.

Var. meritum, Lowe.

Var. multifidum, Woll.

Var. proliferum, Woll.

Var. pulcherrimum, Jones.

Var. subcristatum, Jones.

A. angulare,\* Willd. Europe.

Var. acuto-dissectum. Carbonell.

Var. acuto-divaricatum, Carbonell.

Var. acuto-divisilobum, Carbonell.

Var. acutilobum, Woll.

Var. " acutum, Lowe.

Var. " proliferum, Moore.

Var. alatum, Moore.

Var. , pterophorum, Moore.

Var. apuaeforme, Moore.

Var. assimile, Jones.

Var. athyroides, Woll.

Var. Bayliae, Lyell.

Var. brachiatum, Moore.

Var. ,, cristatum, Jarvis.

This is a sub-species of A. aculeatum, but for garden purposes it is re convenient to treat it as a species.

#### spidium, Swartz (Polystichum)—cont.

A. angulare, Willd. Europe-cont.

Var. Buckleae, Lowe.

Var. calomelanos, Jones.

Var. capitatum, Clap.

Var. caudatum, Carbonell.

Var. Claphami, Jones.

Var. concinnum, Moore.

Var. confluens, Moore.

Var. congestum. Moore.

Var. conspicuilobum, Lowe.

Var. ,, acutum, Carbonell.

Var. cristatum, Moore.

Var. .. biceps, Carbonell.

Var. " gracile, Woll.

Var. cruciato-polydactylum, Jones.

Var. cruciatum, Lowe.

Var. " majus, Jones.

Var. " proliferum, Hort.

Var. curvato-pinnum, Carbonell.

Var. decompositum, Moore.

Var. densum, Carbonell.

Var. ,, grande, Jones.

Var. ,, grandiceps, Jones. .

Var. ,, plumosum, Jones.

Var. ,, polydactylum, Jones.

Var. ,, robustum, Jones.

Var. , splendens, Jones.

Var. decurrens, Moore.

Var. densum, Moore.

Var. " polydactylum, Jones.

Var. divisilobum, Woll.

Aspidium, Swartz (Polystichum)-cont.

A. angulare, Willd. Europe-cont.

Var. divisilobum acutum, Jones.

Var. .. cristatum. Ivery.

Var. decorum, Jones.

Var. " deltoideum, Jones.

Var. ,, densum, Carbonell.

Var. ,, elegans, Jones.

Var. ,, foliosum, Jones.

Var. ,, grandiceps, Jones.

Var. " laxum, Jones.

Var. ,, lineare, Jones.

Var. ,, multifidum, Jones.

Var. " polydaotylum, Jones.

Var. " proliferum, Woll.

Var. ,, reflexum, Jones.

Var. ,, robustum, Jones.

Var. ,, splendidissimum, Jones.

Var. flexuosum, Woll.

Var. ,, polydactylum, Jones.

Var. folioso-decompositum, Jones.

Var. foliosum, Woll.

Var. ,, bulbiferum, Lowe.

Var. frondosum, Jones.

Var. " decompositum, Jones.

Var. ,, polydactylum, Jones.

Var. gracile, Woll.

Var. grandiceps, Moore.

Var. grandidens, Jones.

Var. " minus, Sim.

Var. " truncatum, Woll.

Var. imbricatum, Moore.

Var. ,, congestum, Jones.

\_\_\_\_

### spidium, Swartz (Polystichum)—cont.

A. angulare, Willd. Europe-cont.

Var. inciso-acutum, Jones.

Var. inciso-laciniatum, Jones.

Var. incisum, Woll.

Var. " variegatum, Woll.

Var. interruptum, Woll.

Var. Kitsonae, Moore.

Var. laciniatum, Woll.

Var. lanceolatum, Moore.

Var. latifolium, Woll.

Var. ,, grandiceps, Jones.

Var. laxo-crispum, Jones.

Var. lineare, Moore.

Var. " minus, Jones.

Var. " polydactylum, Jones.

Var. lineatum, Moly.

Var. multifidum, Woll.

Var. ,, densum, Jones.

Var. multilobum, Woll.

Var. .. deltoideum. Jones.

Var. ,, densum, Jones.

Var. ,, latum, Jones.

Var. ,, laxum, Jones.

Var. " multifidum, Jones.

Var. " ovale, Woll.

Var. " polydactylum, Jones.

Var. ,, revolvens, Jones.

Var. oxyphyllum, Moore.

Var. parvissimum, Moore.

Var. pendens, Jones.

Var. perserratum, Jones.

## spidium, Swartz (Polystichum)-cont.

A. angulare, Willd. Europe--cont.

Var. plumosum, Woll.

Var. ,, elegantissimum, Jones.

Var. polydactylum, Moore.

Var. " capitatum, Jones.

Var. " cruciatum, Lowe.

Var. " grande, Jones.

Var. ,, grandiceps, Jones.

Var. " laxum, Jones.

Var. " multifidum, Jones.

Var. " grandiceps, Jones.

Var. ,, robustum, Jones.

Var. proliferum, Moore.

Var. ,, densum, Carbonell.

Var. ,, holeanum, Moore.

Var. pulchellum, Woll.

Var. pulcherrimum, Moore.

Var. pulchrum, Moore.

Var. ramo-varians, Jones.

Var. remoto-decurrens, Woll.

Var. revolvens, Moore.

Var. revolvens grandiceps, Jones.

Var. " polydactylum, Jones.

Var. scalptum, Carbonell.

Var. Stansfieldii, Lowe.

Var. stipatum, Woll.

Var. stipitatum, Moore.

Var. stipulatum, Jones.

Var. subplumosum, Woll.

Var. Thompsonae, Moore.

Var. torto-cristatum, Padley.

Aspidium, Swartz (Polystichum)-cont.

A. angulare, Willd. Europe—cont.

Var. tripinnatum, Moore.

Var. ,, acutum, Moore.

Var. , densum, Jones.

Var. ,, laciniatum, Jones.

Var. ,, polydactylum, Jones.

Var. venustum, Moore.

Var. Widworthyi, Carbonell.

Var. Wollastoni, Lowe.

Var. " majus, Hort.

A. Lonchitis, Sw. North temperate zone.

# Asplenium, L.

A. Adiantum-nigrum, L. Europe, &c.

Var. acutum, Pollini.

A. Ceterach, L. Europe.

Var. major, O'Kelly.

A. Filix-femina, Bernh. Europe.

Var. abasiphyllum, Lowe.

Var. acrocladon, Moore.

Var. ,, densum, Stansf.

Var. adpresso-cristatum, Jones.

Var. angustatum, Lowe.

Var. apuæforme, Barnes.

Var. axminsterense, Lowe.

Var. canaliculatum, Stansf.

Var. cancellatum, Sim.

Var. " cristatum, Jones.

Var. ceratophyllum, Mapp.

Var. clarissima, Jones.

Var. caudiculatum, Mapp.

# splenium, L.—cont.

A. Filix-formina, Bernh. Europe-cont.

Var. congestum-cristatum, Stansf.

Var. congestum findlayanum, Stansf.

Var. ,, grandiceps, Stansf.

Var. conoides, Applebu.

Var. , cristatum, Stansf.

Var. cornutum, Carbonell.

Var. coronatum, Lowe.

Var. corymbiferum, Moore.

Var. Craigii, Moore.

Var. ,, angustatum, Jones.

Var. ,, laciniatum, Jones.

Var. crispato-laciniatum, Jones.

Var. crispum, Moore.

Var. , coronatum, Jones.

Var. ,, cristatum, Carbonell.

Var. cristatum, Woll.

Var. " capitatum, Carbonell.

Var. ,, caudatum, Lowe.

Var. ,, corymbiferum, Carbonell.

Var. ,, defecto-furcillans, Mapp.

Var. " densum, Carbonell.

Var. " magnificum, Lowe.

Var. ,, reflexum, Carbonell.

Var. cruciato-capitatum, Carbonell.

Var. , -coronatum, Carbonell.

Var. ,, -cristatum, Jones.

Var. ,, -gracile, Jones.

Var. ,, -grandiceps, Jones.

Var. ,, -magnificum, Jones.

Var. " -multifidum, Stansf.

- drive

#### plenium, L.—cont.

A. Filix-fomina, Bernh. Europe-cont.

Var. cruciatum, Jones.

Var. , angustum, Lowe.

Var. curtum, Woll.

Var. ,, cristatum, Stansf.

Var. daphnites, Glave.

Var. , capitatum, Glave.

Var. defecto-gracile, Mapp.

Var. diffidum, Jones.

Var. diffiso-multifidum, Moore.

Var. digitale, Jones.

Var. " capitatum, Jones..

Var. ,, purpureum, Jones.

Var. Elworthii, Moore.

Var. Fieldæ, Moore.

Var. " minus, Jones.

Var. fissidens, Moore.

Var. " elegans, Mapp.

Var. flabellatum, Jones.

Var. flabelliceps, Carbonell.

Var. flexuosum, Woll.

Var. foliosa-crispatum, Carbonell.

Var. " -cristatum, Woll.

Var. Frizellæ, Moore.

Var. ,, cristatum, Jones.

Var. " multifidum, Barnes.

Var. " nanum, Ivery.

Var. furcans, Moore.

Var. Girdlestoni, Ivery.

Var. glomeratum, Moore.

Var. ,, grandiceps, Jones.

u 85419.

#### splenium, L.—cont.

A. Filix-fomina, Bernh. Europe-cont.

Var. gracile, Moore.

Var. grammicon, Lowe.

Var. grandiceps, Moore.

Var. " globosum, Sim.

Var. " minus, Carbonell.

Var. ,, pumilum, Sim.

Var. Harrisæ, Lowe.

Var. Howardæ, Moore.

Var. imbricatum, Carbonell.

Var. incisum, Newm.

Var. inæquale, Woll.

Var. ,, cristatum, Jones.

Var. interruptum. Moore.

Var. irregulare, Moore.

Var. kalothrix, Lowe.

Var. kilmorensis, Carbonell.

Var. laceratum, Moore.

Var. laciniatum, Moore.

Var. ,, angustatum, Jones.

Var. ,, congestum, Stansf.

Var. ,, Craigii, Jones.

Var. ,, cristatum, Lowe.

Var. , elegans, Stansf.

Var. ,, flabelliforme, Jones.

Var. , furcans, Jones.

Var. ,, ramulosum, Stansf.

Var. Lowæ, Lowe.

Var. " capitatum, Lowe.

Var. minimum, Birkenhead.

Var. Moorei, Jones.

- Notes -40 water anation Lincolnia? min - Samuli 11000000 new Veren Mago

### splenium, L.—cont.

A. Filix-formina, Bernh. Europe-cont.

Var. multiceps, Moore.

Var. multifidum. Moore.

Var. ,, cristatum, Jones.

Var. ,, laxum, Jones.

Var. , tenue, Jones.

Var. nodosum, Jones.

Var. " multifidum, Jones.

Var. ,, nanum, Jones.

Var. ,, ramulosum, Jones.

Var. ,, truncatum, Jones.

Var. orbiculatum, Lowe.

Var. pannosum, Moore.

Var. " cristatum, Jones.

Var. Parsonsi, Moore.

Var. paucidentatum, Mapp.

Var. " cristatum, Mapp.

Var. pectinatum, Moore.

Var. " Stableri, Mapp.

Var. percristatum, Lowe.

Var. perfectum, Carbonell.

Var. phylomanes, Mapp.

Var. plumosum, Moore.

Var. " divaricatum, Moore.

Var. , Edwardsi, Sim.

Var. , 'elegans, Parsons.

Var. " Jacksoni, Carbonell.


Var. , kalothrix, Lowe.

Var. , multifidum, Stansf.

Var. polydactylum, Moore.

Var. ,, grandiceps, Jones.

Var. Pritchardii, Stansf.



•

#### Asplenium, L.—cont.

A. Filix-femina, Bernh. Europe-cont.

Var. " cristatum, Stansf.

Var. proteoides, Lowe.

Var. proteum, Clap.

Var. ,, cristatum, Jones.

Var. pulcherrimum, Jones.

Var. ,, cristatum, Jones.

Var. Pulleri, Moore.

Var. ramosum ramo-cristatum, Jones.

Var. rectangulare, Moore.

Var. refractum, Moore.

Var. reflexum, Woll.

Var. reflexum cristatum, Jones.

Var. regale, Moore.

Var. rhæticum, Moore.

Var. " reflexum, Mapp.

Var. rotundatum, Woll.

Var. ,, lunulatum, Carbonell.

Var. Ryleyæ, Carbonell.

Var. sagittatum, Moore.

Var. , lunulatum, Carbonell.

Var. setigerum, Jones.

Var. Stableri, Lowe.

Var. Stansfieldii, Lowe.

Var. stipatum, Moore.

Var. , capitatum, Carbonell.

Var. subplumosum, Padley.

Var. ,, cristatum, Carbonell.

Var. todeoides, Stansf.

Var. tortile, Moore.

Var. torto-cristatum, Carbonell.

## plenium, L.—cont.

## A. Filix-fomina, Bernh. Europe-cont.

Var. ,, -grandiceps, Carbonell.

Var. truncato-pinnulum, Jones.

Var. unco-cristatum, Jones.

Var. " -ramulosum, Stansf.

Var. variegatum, Wol.

Var. Vernonze, Jervis.

Var. ,, corymbiferum, Stansf.

Var. , crispum, Stansf.

Var. , cristatum, Mapp.

Var. Victoriæ, Lowe.

Var. Williamsii, Jones.

# A. Trichomanes, L. Temperate regions.

Var. cristatum, Moore.

Var. incisum, Moore.

Var. trogyense, Lowe.

## C. fragilis, Bernh. Europe.

Var. angustata, Smith.

Var. dickieana, Moore.

## omaria, Willd.

# L. Spicant, Desv. Europe.

Var. apiculata, Moore.

Var. caudata, Moore.

Var. concinna, Moore.

Var. congesta, Barnes.

Var. lineare, Moore.

Var. multifurcata, Moore.

Var. plumosa, Barnes.

• 

٠.

. . .

. . .

. . .

omaria, Willd .- cont.

L. Spicant, Desv. Europe—cont.

Var. ramo-cristata, Woll.

Var. trinervia, Moore.

ephrodium, Rich. (Lastrea.)

N. æmulum, Baker. Europe.

Var. cristatum, Jones.

N. Filix-mas, Desv. Europe.

Var. attenuatum, Padley.

Var. Barnesii, Moore.

Var. Bollandæ, Moore.

Var. capitatum, Carbonell.

Var. Clowesii, Moore.

Var. crispatissimum, Jones.

Var. crispulatum, Hort.

Var. crispum, Sim.

Var. ,, gracile, Lyell.

Var. crista-galli, Carbonell.

Var. cristatum, Lowe.

Var. " angustatum, Moore.

Var. " caudatum, Ivery.

Var. cronkleyense, Lowe.

Var. depauperatum, Padley.

Var. digitatum, Lowe.

Var. Ellacombei, Lowe.

Var. elongatum, Moore.

Var. erosum, Clowes.

Var. " crispatum, Carbonell.

Var. fluctuosum, Moore.

Var. furcans, Moore.

Var. grandiceps, Sim.

Var. Ingrami, Moore.

0.0 g 0 gain

```
phrodium, Rich. (Lastrea)-cont.
 N. Filix-mas, Desv. Europe-cont.
      Var. interruptum, Moore.
      Var. intermedium, Carbonell.
      Var. Jervisii. Moore.
      Var. lineare, Woll.
      Var. Marsdeniæ, Lowe.
      Var. multiforme, Barnes.
      Var. paleaceum, Don. (pseudo-mas, Woll.)
      Var.
                      Belperi, Lowe.
      Var.
                      cristatum, Moore.
      Var.
                                  intermedium, Sim.
                ٠.
      Var.
                      furcillatum, Woll.
      Var.
                       Lyelli, Lowe.
      Var.
                      ramo-furcillatum, Woll.
      Var.
                      recurvum, Moore.
               ,,
      Var.
                      revolvens. Woll.
      Var. polydactylum, Lowe.
      Var. propinguum, Woll.
      Var.
                         cristatum, Moore.
      Var.
                         excurrens, Moore.
      Var.
                         Gottii, Lowe.
                         gracile, Moore.
      Var.
      Var.
                         grandiceps, Moore.
      Var.
                         laciniatum, Lowe.
      Var.
                         parviceps, Barnes.
      Var
                         polydactylum, Barnes.
      Var. Pulleri, Jones.
      Var. ramo-cristatum, Stansf.
             " -furcillatum, Carbonell.
```

Var. ramosum, Barnes. Var. ramulosissimum, Woll.

39 1000 - gamby Manufes. -quan andrenny ch manolo accusto all agents beloning the the Man keeps\_this ass. - sale when P. vulgare, L. Europe—cont.

Var. bifido-cristatum, Mapp.

Var. cambricum (L.).

Var. Barrowi, Barnes.

Var. cornubiense, Moore.

Var. ,, elegantissimum, Stanst.

Var. ,, Fowleri, Lowe.

Var. cornutum, Jones.

Var. crenatum, Moore.

Var. crispum, Jones.

Var. cristatum, Moore.

Var. " Morleyi, Jones.

Var. dentatum, Moore.

Var. dentatum Barnesii, Moore.

Var. , Whitakeri, Moore

Var. divisilobum, Hort.

Var. Elworthii, Ivery.

Var. falcatum, Jones.

Var. folioso-abruptum, Barnes.

Var. glomeratum, Moly.

Var. irregulare, Moore.

Var. marginatum, Moore.

Var. marginato-attenuatum, Jones.

Var. multifido-cristatum, Stansf.

Var. omnilacerum, Moore.

Var. ,, truncatum, Wilson.

Var. pulcherrimum, Moore.

Var. ramosum, Moore.

Var. ,, Hillmani, Carbonell.

Var. semilacerum (Link.).

Var. ,, obtusum, Dadds.

Var. , truncatum, Barnes.

Var. serratum, Moore.

#### lypodium, L.—cont.

P. vulgare, L. Europe—cont.

Var. suprasoriferum, Woll.

Var. trichomanoides, Backh.

Var. truncatum, Lowe.

#### eris, L.

P. aquilina, L. Cosmopolitan.

Var. cristata, Moore.

#### olopendrium, Smith.

S. vulgare, L. Europe.

Var. aduncum, Moore.

Var. angustifrons, Ivery.

Var. bimarginatum, Moore.

Var. bimarginato-tenue, Jones.

Var. bulbiferum, Lowe.

Var. chelæfrons, Woll.

Var. concavum, Lowe.

Var. Coolingii, Lowe.

Var. cornutum, Lowe.

Var. corrugatum, Lowe.

Var. crispum, Grey.

Var. , Cowburni, Lowe.

Var. ,, densum, Sim.

Var. " fimbriatum, Lowe.

Var. " grande, Lowe.

Var. " latum, Moore.

Var. ,, majus, Moore.

Var. " multifidum, Jones.

Var. " reflexum, Wills.

Var. ,, robustum, Jones.

u 85419.

. An 1000 An an

Do

lross (album)

#### colopendrium, Smith-cont.

#### S. vulgare, L. Europe—cont.

Var. crispum, serratum, Jones.

Var. crista-galli, Woll.

Var. cristatum, Moore.

Var. ,, variegatum, Carbonell.

Var. cristatum cristato-digitatum, Sim.

Var. cuspis, Carbonell.

Var. elegantissimum, Hort.

Var. fissidens, Woll.

Var. fisso-crenatum, Jones.

Var. fissum, Moore.

Var. Fowleri, Hort.

Var. grandiceps, Jones.

Var. Hankeyi, Lowe.

Var. illustre, Lowe.

Var. involvens, Mapp.

Var. ,, minus, Hort.

Var. iveryanum, Ivery.

Var. Kelwayi, Lowe.

Var. laceratum, Moore.

Var. labyrinthum, Lowe.

Var. lonchophorum, Moore.

Var. macrosorum, Moore.

Var. Moonæ, Lowe.

Var. Malcolmsonæ, Stansf.

Var. marginale, Hort.

Var. marginatum, Moore.

Var. ,, fissum, Lowe.

Var. marginato-angustum, Clap.

Var , -multifidum, Moore.

;





# ROYAL GARDENS, KEW.

'ew, Erry. Royal Boxanie garders.

HAND-LIST

OF

# ORCHIDS

CULTIVATED IN

THE ROYAL GARDENS.



#### LONDON:

SOLD AT THE ROYAL GARDENS, NEW.

INTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,

PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

1896.

Price Sixpence.

### Science Library



## PREFACE.

THE collection of Orchids cultivated at Kew is essentially different from any, at least in this country, in the possession of a private collector, and perhaps its only rival is that of the Royal Botanic Gardens, Its main object is botanical and to represent the family Orchideæ in as comprehensive a way as possible. The scientific interest attaching to orchids is But even as regards form they can only verv great. be studied from dried specimens with great difficulty. and as regards their varied and remarkable structural arrangements and the striking mechanical contrivances for cross-fertilisation which they exhibit, they cannot be studied in the dried state at all. While the Kew collection contains representatives of all the most beautiful and popular species, it is more especially rich in others which at first sight are not particularly attractive. Most of these, however, on careful examination will be found to possess no small degree of charm and interest.

In 1880, Dr. Pfitzer, Professor of Botany in the University of Heidelberg, came to Kew to study in the Jodrell Laboratory the Kew collection of orchids for his well-known researches on their morphology and he has continued to draw on it since for further aid.

Dried herbarium specimens of orchids are not easily procurable. Species frequently flower at Kew of which u 89481. 1000.—1/96. Wt. 16155.

no other material exists available means the Herbarium of the R continuously enriched. And in under great obligations to Glasmable Joseph Chamberlain, Sir others.

The task of exhibiting a coll public is not an easy one. I houses which are suitable to the conditions which it requires are admission of visitors. This is consequence, as when out of flow for the most part is not, except either instructive or interesting. houses at Kew, Nos. 13 (warm) for the most part only the plan in flower at any particular per not suited to the permanent cult the collections which at other ti orchid pits (No. 15), to which the

The cultivation of orchids is o

reproach as far, at any rate, as its representative character is concerned. And it is only right to say that in arriving at this result Kew is under great obligations to the liberality of Sir Trevor Lawrence, the Keeper of the Royal Botanic Gardens, Glasnevin, and various private growers and commercial firms, especially amongst the latter Messrs. F. Sander & Co., of St. Albans. The bulk of the collection has, however, been built up by direct importation and purchase.

Orchids have been continuously cultivated at Kew from their earliest introduction into this country. The varied fortunes which have attended the collection practically reflect the history of the progress which has been made in the art of growing orchids under artificial conditions.

The first exotic orchid which was introduced into English gardens was Bletia verecunda, which was obtained from Providence Island, Bahamas, by Peter Collinson, in 1731, and flowered in the following year in the garden of Mr. Wager. About the year 1778 Phaius grandifolius was imported from China by Dr. Fothergill, and a full-sized coloured figure of it is given in the first edition of the Hortus Kewensis under the name of Limodorum Tankervilla. A peculiar interest attaches to this plant because it was in it and at Kew that in 1802 Francis Bauer, who was "resident draughtsman for fifty years to the Royal Botanic Garden," discovered and figured the "nucleus of the cell," an all-important body, the first description of which was published by Robert Brown in 1833.

In the first edition of Aiton's Hortus Kewensis 15 non-British species are enumerated as cultivated at Kew.

Sir J. E. Smith wrote: "We Jone species of this genus [Epider state, before the year 1787, when at Kew, nor was it till October of Swartz, exhibited its rich and same rich collection. At present seen flowering in the spring and

In the second edition of the E 115 species are enumerated, of belonging to 39 genera, "the g Smith states in his Records of epiphytal and natives of the the East Indies, Cape of Good Wales."

According to the same writer number of species from India in present century. These, writes growing in 1822, on a shelf al back wall in what was then house; the Aerides growing an roots clinging to the back wal the pots plunged to the rim in a tan bed." It is not surprising that their cultivation was attended with little success.

A little earlier than this the first step was taken in the direction of modern treatment. Sir Joseph Banks devised and carried out at Isleworth a method which was "one of the most successful modes of treating epiphytal orchids then known." Mr H. J. Veitch, F.L.S., in his excellent historical account of "Orchid Culture past and present" (Journ. R. Hort. Soc., 1889, xi., pp. 115-126), remarks:—"This was the first rude forerunner of our modern orchid basket, and the first instance I find recorded of moss being used for surfacing" (p. 118).

According to John Smith (Records, pp. 229, 230):—
"Between the years 1823 and 1825 a considerable number of species were received from Trinidad, forwarded by Mr. David Lockhart, the superintendent of the garden, amongst which were the first plants of Stanhopea insignis, Oncidium Papilio, Lockhartia elegans, Catasetum tridentatum, Ionopsis pallidiflora, and others, all of which were epiphytal, and many of them being sent growing on portions of branches as cut from the trees, which being accompanied by instructions from Mr. Lockhart as to how they should be treated, led to the successful cultivation of epiphytal orchids."

A whole generation was, however, to pass away before the culture of orchids was placed on an intelligent footing. Dr. Lindley during the middle part of the present century dominated the horticultural world. In 1830 he read a paper before the Royal Horticultural Society,

in which, generalising from insuffic "that high temperature, deep humidity are the conditions esser of the plants" (Veitch, l. c., p. later he was substantially follo "except the important direction season of rest" (l. c., p. 120.)

The cultural treatment approve as it were, the only orthodox of persisted in, in all its essential thirty years."

Two men, however, broke av tradition and with conspicuous first of these was Joseph Coop Fitzwilliam, at Wentworth" (1 innovation was adopted shortly at Chatsworth." In both cases the were lower temperature and increold tradition still, however, held perished under the barbarous tree the hot houses of this country a

at Elcot, near Newbury. The inventor of the process is said to have been a Mr. Atkinson" (Veitch, *l. c.*, pp. 122, 123).

The same writer sums up in the following words the chief features of modern practice:—"Larger and more airy structures, with separate compartments for different climates (for large collections even separate houses); a lower average temperature; the admission of more light and air; and a better system of heating, shading, and ventilation" (l. c., p. 124).

It must, however, be admitted that a considerable number of species still refuse to submit to horticultural conditions. Cattleya citrina, many species of Oncidium, and the beautiful Cingalese Dendrobium MacCarthia are examples familiar to every orchid grower.

One species, however, that is usually found to be intractable, Diacrium bicornutum, has always been grown at Kew with little difficulty. On the other hand it seems impossible to grow Disa grandiflora there with the success that attends its cultivation at Edinburgh and Chatsworth. Perhaps the most baffling genus of all is Anæctochilus, the species of which, under apparently identical conditions, will sometimes flourish with facility, while at other times, for no discoverable reason, they refuse to grow at all.

In 1845 the span-roofed house, which now forms the east wing of the Tropical Fern House (No. II.) was erected on the site of an old stove (No. 3 of Dr. Lindley's Report). Sir William Hooker describes it (in 1846) as "occupied with a rich and inestimable collection of orchideous plants (of which a great proportion was



# ROYAL GARDENS, KEW.

Kew, Eng. Royal Sovanie gardents.

HAND-LIST

OF

# ORCHIDS

CULTIVATED IN

THE ROYAL GARDENS.



#### LONDON:

SOLD AT THE ROYAL GARDENS, NEW.

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE,

PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.

1896.

Price Sixpence.

One striking evidence of the ture has gradually acquired over cultivation is the successful prodseeds of hybrids.

This commenced with the valueseries of Messrs. J. Veitch 1853, and it has been continuous increasing interest and success, its scientific value in indication reputed to be distinct, are more been supposed. The great range has at its command suggests And in the genus Disa it has are easy of cultivation and popular as ornamental plants.

For the convenience of cultiva given, as far as possible, to a pul species. Where available the Magazine have been cited. In has been given to the most eas

# HAND-LIST OF ORCHIDS CULTIVATED IN THE ROYAL GARDENS.

#### Acacallis, Linal. [Vandeæ.]

A. cyanea, Lindl. Brazil. Lindenia, t. 110.

#### Acampe, Lindl. [Vandeæ.]

- A. dentata, Lindl. India.
- A. multiflora, Lindl. China. Lindl. Coll. Bot. t. 38.
- A. pachyglossa, Rchb. f. E. Trop. Africa.
- A. papillosa, Lindl. India. Bot. Reg. t. 1552.
- A. wightiana, Lindl. S. India. Wight Ic. t. 1670.

#### Acanthophippium, Blume. [Epidendreæ.]

- A. bicolor, Lindl. Ceylon. Bot. Reg. t. 1730.
- A. javanicum, Blume. Java. Bot. Mag. t. 4492.
- A. sylhetense, Lindl. N. India.

#### Acineta, Lindl. [Vandeæ.]

- A. Barkeri, Lindl. Mexico. Bot. Mag. t. 4203.
- A. chrysantha, Lindl. Colombia. Ann. de Gand. t. 282.
- A. colossa, Hort.
- A. densa, Lindl. Central America. Bot. Mag. t. 7143.
- A. Humboldtii, Lindl. Colombia. Bot. Reg. 1843, t. 18.
- A. sulcata, Rchb. f. Ecuador.

## Acriopsis, Reinw. [Vandeæ.]

A. javanica, Reinw. Trop. Asia.

### Acropera, Lindl. See Gongora.

And an extended from and the supplemental and

#### Ada, Lindl. [Vandeze.]

A. aurantiaca, Lindl. Colombia. Bot. Mag. t. 5435.

A. Lehmanni, Rolfe. Colombia.

#### Aconia, Lindl. [Vandeæ.]

A. polystachya, Benth. Madagascar. Thou. Orch. Iles. Afr. t. 82.

#### Aëranthes, Lindl. [Vandeæ.]

A. grandiflorus, Lindl. Madagascar. Bot. Reg. t. 817.

#### Aëranthus, Rchb. f. [Vandeæ.]

- A. curnowianus, Rchb. f. Madagascar.
- A. distichus, Rehb. f. See Angræcum distichum.
- A. funalis, Rchb. f. See Dendrophylax funalis.
- A. Leonis, Rchb. f. See Angræcum Humblotii.

#### Aërides, Lour. [Vandeæ.]

- A. affine, Wall. Sec multiflorum.
- A. augustianum, Rolfe. Philippines. Lindenia, t. 210.
- A. crassifolium, Rohb. f. Burma. Warner, Sel. Orch. 3, t. 12.
- A. crispum, Lindl. S. India. Bot. Mag. t. 4427. Var. lindleyanum, Wight. Var. Warneri.
- A. difforme, Wall. See Ornithochilus fuscus.
- A. Emericii, Rchb. f. Andamans. Bot. Mag. t. 6728.
- A. expansum, var. Leonæ, Rchb. f. Burma. Bull. Soc. Tosc. 1885, t. 14.
- A. falcatum, Lindl. India.
- A. Fieldingii, Lindl. Sikkim and Assam. Orch. Alb. t. 309.



#### ärides--cont.

- A. houlletianum, Rchb. f. Cochin China. Warn. Sel. Orch. iii. t. 39.
- A. Huttoni, Hort. See Saccolabium Huttoni.
- A. Iansoni, Rolfe. Burma.
- A. japonicum, Rchb. f. Japan. Bot. Mag. t. 5798.
- A. Larpentæ, Hort. See falcatum.
- A. Lawrenceæ, Rchb. f. Philippines. Orch. Alb. t 270. Var. sanderianum.
- A. leeanum, Rchb. f. Trop. Asia.
- A. lepidum, Rchb. f. India.
- A. lindleyanum, Wight. See crispum, var.
- A. Lobbii, Lem. See multiflorum.
- A. maculosum, Lindl. S. India. Bot. Reg. 1845, t. 58.
- A. mitratum, Rchb. f. Moulmein. Bot. Mag. t. 5728.
- A. multiflorum, Roxb. India. Bot. Mag. t. 4049. Var. Hughii.
- A. odoratum, Lour. Trop. Asia. Bot. Mag. t. 4139.

Var. lentiginosum.

Var. majus.

Var. purpurascens.

- A. ortgiesianum, Rchb.f. Philippines. Xen. Orch. t. 253, fig. 1.
- A. quinquevulnerum, Lindl. Philippines. Paxt. Mag. Bot. viii. p. 241.
- A. radicosum, A. Rich. S. India. Wight Ic. t. 1673.
- A. Roebelenii, Rchb. f. Phillipines.
- A. rohanianum, Rchb. f. See suavissimum.
- A. roseum, Lodd. See multiflorum.
- ¥ 89481.

#### irides-cont.

- A. sanderianum, Rchb. f. See Lawrencea var.
- A. savageanum, Veitch. Philippines. Reichenbachia, ser. 2, t. 81.
- A. Vandarum, Rchb. f. N. India. Bot. Mag. t. 4982. Var. roseum.
- A. virens, Lindl. Java. Bot. Reg. 1844, t. 41. Var. dayanum.
- A. Warneri, Hort. See crispum, var.

#### ranisia, Lindl. [Vandeæ.]

- A. cœrulea, Rchb. f. See Acacallis cyanea.
- A. cyanea, Rchb. f. See Acacallis cyanea.
- A. ionoptera, Nichols. Peru. Bot. Mag. t. 7270.
- A. lepida, Lindl. Trop. America. Lindenia, t. 400. rrostophyllum, Blume. [Epidendreæ.]
  - A. khasyanum, Griff. N. India. Griff. Calcutta Journ. Nat. Hist. v., t. 19.

nia, Lindl. See Tainia.

#### mblostoma, Scheidw. [Epidendreæ.]

- A. cernuum, Scheidw. Brazil. Bot. Ref. t. 101.
- A. tridactylum, Rchb. f. See cernuum.

#### ngræcum, Thou. [Vandeæ.]

- A. apiculatum, Hook. W. Trop. Africa. Bot. Mag. t. 4159.
- A. arcuatum, Lindl. S. Africa. Harv. Thes. cap. t. 107.
- A. armeniacum, Lindl. Trop. Africa.
  - A. articulatum, Rchb. f. Madagascar. Reichenbachia, ser. 1, t. 55.
  - A. ashantense Lindl W. Trop. Africa.



#### ræcum-cont.

A. bilobum, Lindl. W. Trop. Africa. Bot. Reg. 1841, t. 35.

Var. Kirkii, Rchb. f. E. Trop. Africa.

- A. caudatum, Lindl. W. Trop. Africa. Bot. Mag. t. 4370.
- A. citratum, Rehb. f. Madagascar. Bot. Mag. t. 5624.
- A. descendens, Rchb. f. Madagascar.
- A. distichum, Lindl. Trop. Africa. Bot. Mag. t. 4145.
- A. dives, Rchb. f. Kilimanjaro.
- **A. Dubuyssoni**, Lebeuf. Madagascar. Orchidophile, 1887, 280.
- A. eburneum, Thou. Mascarene Islands. Bot. Mag. t. 4761.

Var. virens. Mascarene Islands. Bot. Mag. t. 5170.

- A. elegans, Rolfe. W. Trop. Africa.
- A. Ellisii, Rchb. f. Madagascar. Floral Mag. 1875, t. 191.
- A. falcatum, Lindl. Japan. Bot. Mag. t. 2097. Var. variegatum.
- A. fastuosum, Rchb. f. Madagascar. Gard. Chron. 1885, xxiii. 533, fig. 96.
- A. fragrans, Thou. Mascarene Islands. Bot. Mag. t. 7161.
- A. germinyanum, Rchb. f. Madagascar. Bot. Mag. t. 7061.
- A. Hildebrandtii, Rchb. f. Comoro Islands.
- A. Humblotii, Rchb. f. Comoro Islands. Reichenbachia, ser. 2, t. 70.
- A. hyaloides, Rchb. f. Madagascar. Orchidophile, 1889, p. 347.

T 0.00

#### ngræcum-cont.

- A. ichneumoneum, Lindl. W. Trop. Africa.
- A. imbricatum, Lindl. W. Trop. Africa.
- A. kimballianum, Hort. See Aeonia polystachya.
- A. Kotschyi, Rchb. f. E. Trop. Africa. Bot. Mag. t. 7442.
- A. Leonis, Nichols. See A. Humblotii.
- A. monodon, Lindl. Trop. Africa.
- A. odoratissimum, Rchb. f. Trop. Africa.
- A. pertusum, Lindl. Trop. Africa. Bot. Mag. t. 4782.
- A. pellucidum, Lindl. W. Trop. Africa. Bot. Reg. 1844, t. 2.
- A. polystachyum, A. Rich. See Aeonia polystachya.
- A. porrigens, Hort.
- A. sanderiauum, Rchb. f. Comoro Islands. Rev. Hort. Belge, 1889, p. 217.
- A. Saundersiæ, Bolus. Natal. Ic. Pl. t. 1728.
- A. scottianum, Rchb. f. Comoro Islands. Bot. Mag. t. 6723.
- A. sesquipedale, Thou. Madagascar. Bot. Mag. t. 5113.
- A. Smithii, Rolfe. Kilimanjaro.
- A. subulatum, Lindl. W. Trop. Africa.
- A. superbum, Thou. Madagascar. Thou. Orch. Iles Afr. tt. 62, 63.
- A. tridactylites, Rolfe. Sierra Leone.
- A. vesicatum, Lindl. W. Trop. Africa.
- Tuloa, Ruiz. & Pav. [Vandeæ.]
  - A. albo-magna, Hort.
  - A. Clowesii, Lindl. Colombia. Bot. Mag. t. 4313.

-----

- 0- --

-0.10

#### nlos - cont.

- A. dubia, Rchb. f. Colombia.
- A. eburnea, Hort. Venezuela. Orch. Alb. t. 133.
- A. Ruckeri, Lindl. Colombia. Bot. Reg. 1846. t. 41. Var. sanguinea. Colombia. Bot. Mag. t. 5384.
- A. uniflora, Ruiz. & Pav. Colombia. Bot. Mag. t. 4807. Var. splendens.
- A. virginalis, Hort. See uniflora.

stochilus, Blume. [Neottieæ.]

- A. argenteus, Hort. See Physurus pictus.
- A. concinnus, Hort.
- A. coronatus, Hort. See Roxburghii.
- A. dawsonianus, Low. See Hæmaria dawsoniana.
- A. intermedius, Rchb. f. Trop. Asia.
- A. Lowii, Hort. See Dossinia marmorata.
- A. Petolus, Hort. See Macodes Petola.
- A. pictus, Hort. See Physurus pictus.
- A. regalis, Blume. Ceylon. Bot. Mag. t. 4123.
- A. Rollissoni, Hort. See Goodyera Rollissoni.
- A. Reinwardtii, Blume. Malaya. Belg. Hort. xi., 369.
- A. Rexburghii, Lindl. N. India and China.
- A. sanderianus, Kränzl. See Macodes sanderiana.
- A. setaceus, Blume. See regalis.
- A. striatus, Hort. See Zeuxine regia.

ilia, Lindl. [Vandeæ.]

A. africana, Lindl. Trop. Africa.

Var. latea.

Var. nilotica, Baker. See nilotica.

#### Ansellia-cont.

- A. confusa, N. E. Br. E. Trop. Africa. Bot. Mag. t. 4965.
- A. gigantea, Rchb. f. Natal. Bot. Mag. t. 4965, fig. 3.
- A. nilotica, N. E. Br. E. Trop. Africa.

Aporum, Blume. See Dendrobium.

#### Appendicula, Blume. [Vandeæ.]

- A. bifaria, Lindl. Trop. Asia.
- A. callosa, Blume. Malaya.
- A. monoceras, Rchb. f. Trop. Asia.

#### Arachnanthe, Blume. [Vandeæ.]

- A. bilinguis, Benth. Khasia and Burma. Xen. Orch. I.
- A. Cathcartii, Benth. Himalaya. Bot. Mag. t. 5845.
- A. Clarkei, Rolfe. Himalaya. Bot. Mag. t. 7077.
- A. Lowii, Benth. Borneo. Bot. Mag. t. 5475.
- A. moschifera, Blume. Malaya, Rumphia, iv. t. 196.

#### Argyrorchis, Blume. [Neottiæ.]

A. javanica, Blume. See Macodes javanica.

#### Arpophyllum, Llave & Lex. [Epidendreæ.]

- A. giganteum, Lindl. Mexico.
- A. medium, Rchb. f. Guatemala.
- A. spicatum, Llave & Lex. Mexico and Guatemala. Bot. Mag. t. 6022.
- A. squarrosum, Hort. See spicatum.

### Arundina, Blume. [Epidendreæ.]

- A. bambusæfolia, Lindl. Trop. Asia. Bot. Mag. t. 7284.
- A. chinensis, Blume. China.

and the same of th

Action to the last of the last

#### spasia, Lindl. [Vandeæ.]

- A. epidendroides, Lindl. Central America. Bot. Mag. t. 3962.
- A. lunata, Lindl. Brazil. Paxt. Fl. Gard. i. 108, fig. 74.
- A. odorata, Hort.
- A. variegata, Lindl. Guiana and Trinidad. Bot. Mag. t. 3679.

arkeria, Kn. & Westc. See Epidendrum.

#### temannia, Lindl. [Vandeæ.]

- B. Colleyi, Lindl. British Guiana. Bot. Mag. t. 3818. artholina, R. Br. [Ophrydeæ.]
- B. pectinata, R. Br. S. Africa. Bot. Mag. t. 7450. ifrenaria, Lindl. [Vandeæ.]
  - B. atropurpurea, Lindl. Brazil.
  - B. aurantiaca, Lindl. British Guiana. Bot. Mag. t. 3597.
  - B. aureo-fulva, Lindl. Brazil. Bot. Mag. t. 3629.
  - B. Charlesworthii, Rolfe. Brazil.
  - B. Dallemagnei, Hort. See tyrianthina.
  - B. fragrans, Rodr. Brazil.
  - B. Hadwenii, Lindl. See Scuticaria Hadwenii.
  - B. Harrisonæ, Rchb. f. Brazil. Bot. Mag. t. 2927.
  - B. longicornis, Lindl. British Guiana.
  - B. tyrianthina, Rchb. f. Brazil. Gartenflora, t. 422.
  - B. vitellina, Lindl. Brazil. Bot. Reg. 1839, t. 12.

### letia, Ruiz. & Pav. [Epidendreæ.]

- B. acuminata, Rchb. f. See Lælia rubescens.
- B. acutipetala, Hook. Central America. Bot. Mag. t. 3217.
- B. catenulata, Ruiz. & Pav. Peru.



#### etia-cont.

- B. Gebina, Lindl. See hyacinthina.
- B. godseffiana, Kränzl. See acutipetala.
- B. hyacinthina, R. Br. China and Japan. Bot. Mag. t. 1492.
- B. Shepherdii, Hook. Jamaica. Bot. Mag. t. 3319.
- B. verecunda, R. Br. Central America and W. Indies.
- B. Woodfordii, Hook. See Phaius maculatus.

ollea, Rehb. f. See Zygopetalum.

onatea, Willd. [Ophrydeæ.]


B. speciosa, Willd. S. Africa. Bot. Mag. t. 2926.

## rassavola, R. Br. [Epidendreæ.]

- B. cordata, Lindl. Jamaica. Bot. Mag. t. 3782.
- B. cucullata, R. Br. Trop. America. Bot. Mag. t. 543.
- B. cuspidata, Hook. Trinidad. Bot. Mag. t. 3722.
- B. digbyana, Lindl. See Lælia digbyana.
- B. filifolia, Lind. Colombia.
- B. fragrans, Rodr. Brazil.
- B. glauca, Lindl. See Lælia glauca.
- B. grandiflora, Lindl. Central America and W. Indies.
- B. lineata, Hook. Central America. Bot. Mag. t. 4734.
- B. martiana, Lindl. Brazil. Bot. Reg. 1839. t. 5.
- B. Perrinii, Lindl. Brazil. Bot. Mag. t. 3761.
- B. tuberculata, Hook. Brazil. Bot. Mag. t. 2878.

# Assia, R. Br. [Vandex.]

- B. brachiata, Lindl. Guatemala. Bot. Reg. 1847, t. 29.
- B. brachypus, Rchb. f. Ecuador.



#### rassia-cont.

- B. caudata, Lindl. W. Indies. Bot. Mag. t. 3451.
- B. elegantula, Rchb. f. Mexico.
- B. gireoudiana, Rchb. f. Central America.
- B. guttulata, Lindl. See maculata.
- B. keiliana, Rchb. f. Venezuela. Gartenflora, t. 365.
- B. lawrenceana, Lindl. Brazil. Bot. Reg. 1841, t. 18.
- B. maculata, R. Br. Trop. America. Bot. Reg. t. 1691. Var. gigantea.
- B. Wageneri, Rchb. f. Colombia.
- B. Wrayæ, Hook. See maculata.
- B. ocanensis, Lindl. Colombia.
- B. verrucosa, Lindl. Guatemala. Batem. Orch. t. 22.

# Omheadia, Lindl. [Vandeæ.]

B. palustris, Lindl. Malaya. Bot. Mag. t. 4001.

# Sughtonia, R. Br. [Epidendreæ.]

- B. lilacina, Henfr. San Domingo. Gard. Mag. Bot. iii. t. 201,
- B. sanguinea, R. Br. Jamaica. Bot. Mag. t. 3076.

## lbophyllum, Thou. [Epidendreæ.]

- B. anceps, Rolfe. Borneo. Lindenia, t. 351.
- B. apodum, Hook. f. Malaya. Ic. Pl. t. 2043.
- B. aurantiacum, F. Muell. N. E. Australia.
- B. auricomum, Lindl. Burma.
- B. barbigerum, Lindl. W. Trop. Africa. Bot. Mag. t. 5288.
- B. bisetum, Lindl. Khasia Hills.

- PRI - 1 - 1 - 1 Production of the con-DOCUMENTS OF SHARE THE RESERVE AND ADDRESS OF THE PARTY OF and the second second 10000 salded to be seen

# Bulbophyllum-cont.

- B. Blepharistes, Rchb. f. See Cirrhopetalum Blepharistes.
  - B. cospitosum, Thou. Madagascar. Thou. Orch. Iles Afr. t. 102.
- B. Calamarium, Lindl. W. Trop. Africa. Bot. Mag. t. 4058.
- B. capillipes, Par. & Rchb. f. Moulmein.
- B. careyanum, Spreng. Himalaya. Bot. Mag. t. 4166.
- B. clandestinum, Lindl. Malaya.
- B. cocoinum, Batem. W. Trop. Africa. Bot. Reg. t. 1964.
- B. comosum, Hemsl. Upper Burma. Bot. Mag. t. 7283.
- B. conchiferum, Rchb. f. Sikkim.
- B. cupreum, Lindl. Burma. Bot. Mag. t. 5316.
- B. cylindraceum, Lindl. Himalaya.
- B. Dearei, Rchb. f. Borneo and Philippines. Gard. Chron. 1883, xx., 108, fig. 17.
- B. delitescens, Hance. See Cirrhopetalum delitescens.
- B. densiflorum, Rolfe. India.
- B. densum, Thou. Madagascar. Thou. Orch. Iles Afr. t. 107.
- B. discistorum, Rolfe. See Trias discistora.
- B. Drallei, Rchb. f. W. Trop. Africa.
- B. elegans, Gardn. Ceylon.
- B. erectum, Thou. Mauritius and Madagascar. Thou. Orch. Hes Afr. t. 95.
- B. Ericssoni, Kränzl. Madagascar.
- B. flavidum, Lindl. Trop. Africa.

THE RESERVE AND ADDRESS.

the part of several parts

#### Bulbophyllum-cont.

- B. fuscum, Lindl. W. Trop. Africa.
- B. gibbosum, Lindl. Java.
- B. griffithianum, Rchb. f. See Cirrhopetalum griffithianum.
- B. hirtum, Lindl. Himalaya.
- B. imbricatum, Griff. See cylindraceum.
- B. inflatum, Rolfe. W. Trop. Africa.
- B. intertextum, Lindl. W. Trop. Africa.
- B. lasianthum, Lindl. Malaya.
- B. lemniscatum, Parish. Moulmein. Bot. Mag. t. 5961.
- B. leopardinum, Lindl. Himalaya.
- B. Lebbii, Lindl. Burma and Malaya. Bot. Mag. t. 4532. Var. Henshalli. Var. siamense.
- B. macrathum, Lindl. Burma. Bot. Mag. 7208.
- B. mandibulare, Rchb. f. Borneo.
- B. Medusæ, Rchb. f. Malaya. Bet. Mag. t. 4977.
- B. micranthum, Hook. f. Penang. Ic. Pl. t. 2046.
- B. minutissimum, F. Muell. N.E. Australia.
- B. neilgherrense, Wight. Neilgherries. Bot. Mag. t. 5050.
- B. obrienianum, Rolfe. Himalaya.
- B. occultum, Thou. Mauritius. Thou. Orch. Iles Afr. t. 93, 94.
- B. odoratissimum, Lindl. India.
- B. pachyrhachis, Griseb. W. Indies.
- B. pavimentatum, Lindl. Trop. Africa. Bot. Mag. t. 5329.

	•		
		•	

#### Bulbophyllum-cont.

- B. Pechei, Rchb. f. Moulmein. Bot. Mag. t. 7286.
- B. psittacoglossum, Rchb. f. Burma. Bot. Mag. t. 5498.
- B pteriphilum, Rolfe. Tenasserim.
- B. purpureum, Thw. Ceylon.
- B. radiatum, Lindl. Burma and China.
- B. recurvum, Lindl. W. Trop. Africa. Bot. Reg. t. 963.
- B. reticulatum, Batem. Borneo. Bot. Mag. t. 5605.
- B. rufinum, Rchb. f. Burma.
- B. sanderianum, Rolfe. Brazil.
- B. saurocephalum, Rchb. f. Philippines.
- B. saltatorium, Lindl. W. Trop. Africa. Bot. Reg. t. 1970.
- B. schillerianum, Rchb. f. See Shepherdi.
- B. Shepherdi, F. Muell. Australia. Fitzgerald Austral. Orch., vol. i, part 5, t. 10.
- B. sillemianum, Rchb. f. Burma.
- B. striatum, Rchb. f. Khasia Hills.
- B. suavissimum, Rolfe. Upper Burma.
- B. tuberculatum, Colenso. New Zealand.
- B. umbellatum, Lindl. See Cirrhopetalum guttulatum.
- B. variegatum, Thou. Mascarene Islands.
- B. viride, Rolfe. W. Trop. Africa.
- B. vitiense, Rolfe. Fiji.
- B. watsonianum, Rchb. f. Hongkong.

Burlingtonia, Lindl. See Rodriguezia.

## Caladenia, R. Br. [Neottieze.]

C. Patersoni, R. Br. Australia, Fitzg. Austral. Orch. i. part 3, t. 2. Var. dilatata.

## Calanthe, R. Br. [Epidendreæ.]

- C. bicolor, Lindl. See striata.
- C. biloba, Lindl. Sikkim. Orch. Alb. t. 378.
- C. brevicornu, Lindl. Lindl. Sert. Orch. t. 9.
- C. curculigoides, Wall. Malaya. Bot. Mag. t. 6104.
- C. discolor, Lindl. Japan. Bot. Reg. 1840, t. 55.
- C. Dominii, Lindl. Garden hybrid. Bot. Mag. t. 5042.
- C. Masuca, Lindl. India. Bot. Mag. t. 4541.
- C. natalensis, Rchb. f. Natal. Bot. Mag. t. 6844.
- C. pleiochroma, Rchb. f. Japan.
- C. porphyrea, Rchb. f. Garden hybrid.
- C. Regnieri, Rchb. f. See vestita. var.
- C. rosea, Benth. Moulmein. Bot. Mag. t. 5312.
- C. rubens, Ridl. Malaya.
- C. Sedeni, Rchb. f. Garden hybrid.
- C. Sieboldi, Maxim. See striata.
- C. striata, R. Br. Japan. Bot. Mag. t. 7026.
- C. Turneri, Rchb. f. See vestita, var.
- C. Veitchii, Lindl. Garden hybrid. Bot. Mag. t. 5375.
  Var. splendens.
  Var. lactea.
- C. vestita, Wall. India. Bot. Mag. t. 4671. Var. Fournieri, Rolfe.

Late of the late o and the second Total Control of the Control 1797

#### Calanthe -cont.

#### C. vestite -- cont.

Var. nivalis.

Var. oculata-gigantea. Borneo. Orch. Alb. t. 211.

Var. Regnieri. The Garden, xxiv. t. 397.

Var. rosea.

Var. rubro-oculata, Paxt. Mag. Bot. xvi. 129.

Var. Turneri.

Var. Williamsii. Orch. Alb. t. 134.

C. veratrifolia, R.Br. India and Australia. Bot. Mag. t. 2615.

#### Calopogon, R. Br. [Neottieæ.]

C. pulchellus, R. Br. N. America. Fl. des Serres, t. 1036.

## Calypso, Salisb. [Epidendreæ.]

C. borealis, Salisb. Northern hemisphere. Bot. Mag. t. 2763.

## Camaridium, Lindl. [Vandeæ.]

C. ochroleucum, Lindl. Trop. America. Bot. Mag. t. 3306.

# Catasetum, Rich. [Vandeæ.]

- C. atratum, Lindl. Brazil. Bot. Mag. t. 5202.
- C. barbatum, Lindl. Brazil and Guiana. Bot. Mag. t. 3514.
- C. Bungerothii, N. E. Br. Venezuela. Bot. Mag. t. 6998.
- C. callosum, Lindl. Venezuela. Bot. Mag. t. 6648.
- C. christyanum, Rchb. f. Trop. America. Orch. Alb. t. 83.
- C. darwinianum, Rolfe. British Guians. Journ. Linn. Soc. xxvii. t. 8.



#### tasetum-cont.

- C. discolor, Lindl. Guiana and Brazil. Bot. Mag. t. 1735.
- C. fimbriatum, Lindl. Paraguay. Bot. Mag. t. 7158.
- C. garnettianum, Rolfe. Brazil. Bot. Mag. t. 7069.
- C. glaucoglossum, Rchb. f. Mexico.
- C. globiflorum, Hook. Brazil. Bot. Mag. t. 3942.
- C. Gnomus, Rchb. f. Brazil. Ill. Hort. 1877, t. 270.
- C. Lemosii, Rolfe. Bruzil. Bot. Mag. t. 7444.
- C. longifolium, Lindl. British Guiana. Bot. Mag. t. 3819.
- C. luridum, Lindl. Bot. Mag. t. 3590.
- C. macrocarpum, Rich. Trop. America. Bot. Mag. tt. 2559, 3329.
- C. maculatum, Kunth. Guatemala. Bot. Mag. t. 3823.
- C. mentosum, Lem. Brazil.
- C. Naso, Lindl. Venezuela. Bot. Mag. t. 4792.
- C. Oërstedii, Rchb. f. Nicaragua.
- C. Randii, Rolfe. Brazil.
- C. russellianum, Hook. Guatemala. Bot. Mag. t. 3777.
- C. saccatum, Lindl. Colombia. Lindenia, t. 269.
- C. sanguineum, Lindl.; Central America. Pescatorea, t. 16.
- C. splendens, Cogn. Venezuela. Lindenia, t. 455.
- C. tabulare, Lindl. Colombia. Gartenflora, t. 1223.
- C. tridentatum, Hook. See macrocarpum.
- C. trifidum, Hook. Brazil. Bot. Mag. t. 3262.
- C. uncatum, Rolfe. Brazil.
- C. viridi-flavum, Hook. Central America. Bot. Mag. t. 4017.

ACCUSE OF MARKET BY AN

# Cattleya, Lindl. [Epidendreæ.]

- C. Aclandize, Lindl. Brazil. Bot. Mag. t. 5039.
- C. Alexandræ, L. Lind. See elongata.
- O. amethystina, Morr. See intermedia.
- C. amethystoglossa, Rchb. f. See guttata, var. Prinzii.
- C. aurea, Lind. See labiata, var.
- C. aurantiaca, P. N. Don. Mexico and Guatemala. Batem. Orch. t. 12.
- C. bicolor, Lindl. Brazil. Bot. Mag. t. 4909.
- C. bogotensis, Lind. See labiata, var. Trianæ.
- C. bowringiana, Veitch. Brit. Honduras. Orch. Alb. t. 323.

Var. violacea.

- C. bulbosa, Lindl. See walkeriana.
- C. chocoensis, André. See labiata, var. Trianæ.
- C. chrysotoxa, Sander. See labiata, var.
- C. citrina, Lindl. Mexico. Bot. Mag. t. 3742.
- C. crispa, Lindl. Sec Laclia crispa.
- C. dclosa, Rchb. f. See walkeriana, var.
- C. dormaniana, Rchb. f. Rio de Janeiro. Orch. Alb. t. 401.
- C. dowiana, Batem. See labiata, var.
  Var. aurea, T. Moore. See labiata, var.
- C. Eldorado, Lind. See labiata, var.
- C. elegans, C. Morr. See Laelia elegans.
- C. elongata, Rodr. Bahia. Lindenia, tt. 357, 358.
- C. Forbesii, Lindl. Brazil. Bot. Mag. t. 3265.
- C. gaskelliana, Sander. See labiata, var.

#### Cattleya-cont.

- C. gigas, Lind. & André. See labiata, var. Warscewiczii.
  Var. sanderiana. See labiata, var. Warscewiczii.
- C. granulosa, Lindl. Brazil. Bot. Mag. t. 5048. Var. schofieldiana. Orch. Alb. t. 93.
- C. guttata, Lindl. Brazil. Bot. Reg. 1. 1406. Var. Leopoldi. Orch. Alb. t. 16. Var. Prinzii. Bot. Mag. t. 5683. Var. russelliana. Bot. Mag. t. 3693.
- C. hardyana, Rchb. f. Colombia. Orch. Alb. t. 231.
- C. harrisoniana, Batem. See Loddigesii, var. Harrisonæ.
- C. Holfordi, Hort. See luteola.
- C. imperialis, Hort. See labiata, var. Warscewiczii.
- C. intermedia, R. Grah. Brazil. Bot. Mag. t. 2851.
- C. labiata, Lindl. Brazil. Bot. Mag. t. 3998.

Var. aurea. Colombia. Orch. Alb. t. 84.

Var. chrysotoxa. Colombia. Reichenbachia, ser. I. t. 80.

Var. dowiana. Costa Rica. Bot. Mag. t. 5618.

Var. Eldorado. Brazil. Fl. des Serres, t. 1826.

Var. gaskelliana. Venezuela. Orch. Alb. t. 121.

Var. lueddemanniana. Venezuela. Orch. Alb. t. 261.

Var. Mendelii. Colombia. Orch. Alb. t. 3.

Var. Mossiæ. Venezuela. Bot. Mag. t. 3669.

Var. percivaliana. Venezuela. Orch. Alb. t. 144.

Var. Schroederæ. Colombia.


Var. Trianæ. Colombia. Bot. Mag. t. 5504.

Var. Warneri. Bahia. Fl. Mag. t. 516.

Var. Warscewiczii. Colombia. Ill. Hort. 1874, t. 178. u 89481.

#### Cattleya-cont.

- C. lawrenceana, Rchb. f. British Guiana. Bot. Mag. t. 7133.
- C. Leopoldi, Versch. See guitata, var.
- C. lindleyana, Rchb. f. See Laelia lindleyana.
- C. lobata, Lindl. See Laelia boothiana.
- C. Loddigesii, Lindl. Brazil. Hook. Exot. Fl. t. 186.
  Var. Harrisonæ. Brazil. Faxt. Mag. Bot. iv. 247.
  Var. violacea. Orch. Alb. t. 333.
- C. lueddemanniana, Rehb. f. See C. labiata, var.
- C. luteola, Lindl. Brazil and Peru. Bot. Mag. t. 5032.
- C. marginata, Paxt. See Laelia pumila, var. præstans.
- C. maxima, Lindl. Peru and Ecuador. Bot. Mag. t. 4902.
  Var. gigantea.
  Var. peruviana.
- C. Mendelii, Backh. See labiata, var.
- C. Mossiæ, Hook. See labiata, var.
- C. nobilior, Rchb. f. See walkeriana, var.
- C. obrieniana, Hort. Brazil. Reichenbachia, ser. 2, t. 40.
- C. percivaliana, Rchb. f. See labiata, var.
- C. Pinellii, Lindl. Sce Lælia pumila, var. præstans.
- C. porphyrophlebia, Rchb. f. Garden hybrid.
- C. quadricolor, Batem. See labiata, var. Trianæ.
- C. Regnellii, Warn. See schilleriana.
- C. Rex, O'Brien. Hab. -? Lindenia t. 265.
- C. sanderiana, Hort. See labiata, var. Warscewiczii.
- C. schilleriana, Rchb. f. Bahia. Bot. Mag. t. 5150.
- C. schofieldiana, Rchb. f. See granulosa.



.

.

#### ttleya-cont.

- C. Schroederæ, Sander. See labiata, var.
- C. Skinneri, Batem. Mexico and Guatemala. Bot. Mag. t. 4270.

Var. alba. Orch. Alb. t. 112.

- C. speciosissima, Hort. See labiata, var. lueddemanniana.
- C. sphenophora, Morr. See guttata.
- C. superba, Schomb. Brazil and Guiana. Bot. Mag. 1. 4083.
- C. Trianæ, Rchb. f. See labiata, var.
- C. Victoria-Reginæ, O'Brien. Brazil. Reichenbachia, ser. 2, t. 85.
- C. walkeriana, Gardn. Brazil. Orch. Alb. t. 154. Var. dolosa.

Var. nobilior. Ill. Hort. n.s. t. 485.

- C. Warneri, T. Moore. See labiata, var.
- C. Warscewiczii, Rchb. f. See labiata, var.
- C. warocqueana, L. Lind. See labiata.

# phalanthera, Rich. [Neottieæ.]

C. ensifolia, Rich. Europe and North Africa.

## 10ndrorhyncha, Lindl. [Vandeæ.]

C. Chestertoni, Rchb. f. Colombia.

## Froglossum, Blume. [Epidendreæ.]

C. villosum, Blume. Malaya. Blume, Coll. Orch. t. 47.

# 78is, Lindl. [Epidendreæ.]

- C. aurea, Lindl. Colombia. Bot. Mag. t. 3617.
  Var. maculata. Bot. Mag. t. 4576.
- C. bractescens, Lindl. Mexico. Bot. Mag. t. 5186.



#### Chysis-cont.

- C. chelsoni, Rchb. f. Garden hybrid. Floral Mag. 1878 t. 297.
- C. Limminghei, Rchb. f. Mexico. Bot. Mag. t. 5265. Cirrhæa, Lindl. [Vandeæ.]
  - C. saccata, Lindl. Brazil. Bot. Mag. t. 3726.
  - C. viridi-purpurea, Lindl. Brazil. Bot. Mag. t. 2978.
  - C. warreana, Lindl. See viridi-purpurea.

## Cirrhopetalum, Lindl. [Epidendreæ.]

- C. amesianum, Rolfe. Trop. Asia. Lindenia, t. 314.
- C. Blepharistes, Hook. f. India.
- C. brevipes, Hook. f. Himalaya. Ic. Pl. t. 2056.
- C. brienianum, Rolfe. Borneo.
- C. caespitosum, Wall. Assam.
- C. Collettii, Hemsl. Burma. Bot. Mag. t. 7198.
- C. compactum, Rolfe. Tenasserim.
- C. concinnum, Hook. f. Singapore.
- C. cornutum, Lindl. Sikkim and Khasia.
- C. Cumingii, Lindl. Philippines. Bot. Mag. t. 4996.
- C. delitescens, Rolfe. Hongkong.
- C. elegantulum, Rolfe. Madras.
- C. fimbriatum, Lindl. S. India. Bot. Mag. t. 4391.
- C. Gamblei, Hook. f. India. Ic. Pl. t. 2058.
- C. gamosepalum, Griff. India.

1.50

- C. grandiflorum, Wight. Ceylon. Wight, Ic. t. 656.
- C. guttulatum, Hook. f. Himalaya. Bot. Mag. t. 4267.
- C. Macraei, Lindl. Ceylon. Bot. Mag. t. 4422.

.

#### Cirrhopetalum—cont.

- C. maculosum, Lindl. W. Himalaya.
- C. makoyanum, Rchb. f. Trop. Asia. Bot. Mag. t. 7259.
- C. Medusæ, Lindl. See Bulbophyllum Medusæ.
- C. mundulum, Hort. Upper Burma.
- C. ornatissimum, Rchb. f. Himalaya. Bot. Mag. t. 7229.
- C. picturatum, Lodd. Malaya. Bot. Mag. t. 6802.
- C. proliferum, Hort.
- C. pulchrum, N. E. Br. Tropical Asia. Lindenia, t. 165.
- C. refractum, Zoll. See Wallichii.
- C. robustum, Rolfe. New Guinea. Gard. Chron. 1895, xvii. 771, fig. 116.
- C. Thouarsii, Lindl. Mascarene Islands.
  Var. concolor, Rolfe. Bot. Mag. t. 7214.
- C. Thwaitesii, Rchb. f. Ceylon.
- C. vaginatum, Lindl. Malaya.
- C. Wallichii, Lindl. Himalaya.
- C. Wightii, Thw. Ceylon. Wight, Ic. t. 1652.

## Neisostoma, Blume. [Vandeæ.]

- C. brevipes, Hook. f. East Himalaya.
- C. crassifolium, Lindl. India. Paxt. Fl. Gard. t. 99.
- C. lanatum, Lindl. See Saccolabium lanatum.
- C. wendlandorum, Rchb. f. India.

# lochlioda, Lindl. [Vandeæ.]

- C. noetzliana, Rolfe. Peru. Lindenia, t. 266.
- C. rosea, Benth. Peru. Bot. Mag. t. 6084.

#### Cochioda -- cont.

- C. sanguinea, Benth. Ecuador. Bot. Mag. t. 5627.
- C. vulcanica, Benth. Peru. Bot. Mag. t. 6001. Var. grandiflora.

## Cœlia, Lindl. [Epidendreæ.]

- C. baueriana, Lindl. W. Indies and Mexico. Bot. Reg. 1841, t. 36.
- C. bella, Rchb. f. Guatemala. Bot. Mag. t. 6628.
- C. macrostachya, Lindl. S. Mexico. Bot. Mag. t. 4712.
- C. mooreana, Hort.

## Cœlogyne, Lindl. [Epidendreæ.]

- C. asperata, Lindl. Malaya. Orch. Alb. t. 311. Var. sumatrana.
- C. balfouriana, Hort.
- C. barbata, Griff. N. India. Orch. Alb. t. 143.
- C. (Pleione) birmanica, Rchb. f. Burma.
- C. borneensis, Rolfe. Borneo.
- C. carinata, Rolfe. New Guinea.
- C. conferta, Par. & Rchb. f. Burma.
- C. corrugata, Lindl. S. India. Bot. Mag. t. 5601.
- C. corymbosa, Lindl. Himalaya. Bot. Mag. t. 6955.
- C. cristata, Lindl. Himalaya. Bot. Reg. 1841, t. 57.
  Var. alba. Orch. Alb. t. 54.
  Var. lemoniana. Orchidophile, 1888, 212.
  Var. maxima.
- C. Cumingii, Lindl. Singapore. Bot. Mag. t. 4645.
- C. dayana, Rchb. f. Borneo. Orch. Alb. t. 247.
- C. elata, Lindl. N. India. Bot. Mag. t. 5001.

#### ogyne-cont.

- C. elegans, Hort. See huettneriana.
- C. fimbriata, Lindl. Himalaya and S. China. Bot. I t. 868.
- C. flaccida, Lindl. Himalaya. Bot. Mag. t. 3318.
- C. flavida, Hook. f. N. India.
- C. flexuosa, Rolfe. Java.
- C. Foerstermannii, Rchb. f. Sunda Islands.
- C. fuliginosa, Lindl. N. India. Bot. Mag. t. 4440.
- C. fuscescens, Lindl. Himalaya. Bot. Mag. t. 5494.
- C. gardieriana, Lindl. Himalaya. Orch. Alb. t. 153.
- C. graminifolia, Par. & Rchb. f. Moulmein. Bot. Mag. t. 7006.
- C. huettneriana, Rchb. f. Burma.
- C. (Pleione) humilis, Lindl. N. India. Bot. Mag. t. 5674.
- C. javanica, Lindl. Java.
- 1. lactea, Rchb. f. Burma. Orch. Alb. t. 459.
- . (*Pleione*) lagenaria, *Lindl*. Khasia. Bot. Mag. t. 5370. lentiginosa, *Lindl*. Moulmein. Bot. Mag. t. 5958.
  - . Lowii, Paxt. See asperata.
  - (Pleione) maculata, Lindl. N. India. Bot. Mag. t. 4691.

nassangeana, Rchb. f. Assam. Bot. Mag. t. 6979.

nayeriana, Rchb. f. Trop. Asia.

Prvosa, Wight. Neilgherries. Wight, Ic. t. 1638.

illata, Lindi. N. India. Bot. Mag. t. 3767.

racea, Lindl. Himalaya. Bot. Mag. t. 4661.



#### ologyne-cont.

- C. odoratissima, Lindl. Neilgherries and Ceylon. Bot. Mag. t. 5762.
- C. pandurata, Lindl. Malaya. Bot. Mag. t. 5084.
- C. Parishii, Hook. Moulmein. Bot. Mag. t. 5323.
- C. peltastes, Rchb. f. Borneo. Lindenia, t. 258.
- C. (Pleione) præcox, Lindl. N. India. Bot. Mag. t. 4496.
- C. prolifera, Lindl. N. India.
- C. purpurascens, Hook. f. Ceylon. Ic. Pl. t. 2110.
- C. (Pleione) reichenbachiana, T. Moore. Moulmein. Bot. Mag. t. 5753.
- C. rhodeana, Rchb. f. Moluccas.
- C. rigida, Rchb. f. Moulmein.
- C. Rochussoni, De Vriese. Java.
- C. rossiana, Rchb. f. Burma. Bot Mag. t. 7176.
- C. sanderiana, Rchb. f. Sunda Islands.
- C. schilleriana, Rchb. f. Moulmein. Bot. Mag. t. 7176.
- C. sparsa, Rchb. f. Philippines.
- C. speciosa, Lindl. Malaya. Bot Mag. t. 4889.
- C. stellaris, Rchb. f. Borneo.
- C. sulphurea, Rchb. f. Malaya.
- C. swaniana, Rolfe. Philippines. Reichenbachia, ser. 2, t. 92.
- C. testacea, Lindl. Singapore. Bot. Mag t. 4785.
- C. tomentosa, Lindl. Malaya.
- C. thuniana, Rchb. f. See uniflora.
- C. (Panisea) uniflora, Lindl. N. India. Xen. Orch. I. t. 46.



#### Cologyne-cont.

- C. ventricosa, Rchb. f. Java.
- C. viscosa, Rchb. f. Khasia.
- C. (Pleione) wallichiana, Lindl. See præcox var.

Colax, Lindl. See Lycaste.

#### Collabium, Blume. [Epidendreæ.]

C. nebulosum, Blume. Java. Miq. Choix. Pl. Rar. t. 25.

## Comparettia, Papp. [Vandeæ.]

- C. macroplectron, Rchb. f. Colombia. Bot. Mag. t. 6679. Coryanthes, Hook. [Vandeæ.]
  - C. leucocorys, Rolfe. Peru. Lindenia, t. 293.
  - C. macrantha, Hook. Venezuela and Trinidad. Bot. Reg. t. 1841.
  - C. maculata, Hook. Trop. America. Bot. Mag. t. 3102.

# Corycium, Sw. [Ophrydeæ]

C. orobanchoides, Sw. S. Africa. Bot. Reg. 1838, t. 45.

## Corymbis, Thou. [Neottieæ.]

C. veratrifolia, Rchb. f. Trop. Asia.

# Cottonia, Wight. [Vandeæ.]

- C. Championi, Lindl. See Diploprora Championi.
- C. macrostachya, Wight. S. India and Ceylon. Bot. Mag. t. 7099.
- C. peduncularis, Lindl. See macrostachya.

## Cryptarrhena, R. Br. [Vandex.]

C. lunata, R. Br. Jamaica. Bot. Reg. t. 153.

# Cryptochilus, Wall. [Epidendreæ.]

C. sanguinea, Wall. Himalaya. Bot. Reg. 1838, t. 23.

# Cryptophoranthus. [Epidendreæ.]

- C. atropurpureus, Rolfe. W. Indies. Bot. Mag. t. 4164.
- C. dayanus, Rolfe. Colombia. Gard. Chron. 1886, xxvi. 428, fig. 86.
- C. gracilentus, Rolfe. Costa Rica.
- C. maculatus, Rolfe. Brazil.
- C. oblongifolius, Rolfe. S. America.
- C. sarcophyllus, Rolfe. Venezuela.

# Cycnoches, Lindl. [Vandeæ.]

- C. chlorochilon, Klotzsch. British Guiana. Orch. Alb. t. 263.
- C. egertonianum, Batem. Guatemala. Batem. Orch. t. 40.
- C. Haagei, Rodr. Brazil.
- C. Loddigesii, Lindl. French Guiana. Bot. Mag. t. 3855.
- C. pentadactylon, Lindl. Brazil. Bot. Reg. 1843, t. 22.
- C. ventricosum, Batem. Guatemala. Bot, Mag. t. 4054.

# Cymbidium, Sw. [Vandeæ.] C. albucæflorum, F. Muell. See madidum.

- C. aloifolium, Sw. S. India and Ceylon. Wight Ic. t. 1753.
- C. bicolor, Lindl. Ceylon.
- C. canaliculatum, R. Br. N.E. Australia. Bot. Mag. t. 5851.
- C. chloranthum, Lodd. Australia. Bot. Mag. t. 4907.
- C. cyperifolium, Wall. N. India.
- C. devonianum, Paxt. N. India. Orch. Alb. t. 170.
- C. eburneum, Lindl. N. India. Bot. Mag. t. 5126.
- C. elegans, Lindl. See Cyperorchis elegans.
- C. ensifolium, Sw. S. China. Bot. Mag. t. 1751.

1.0

COLUMN TO THE REAL PROPERTY.

# Cymbidium—cont.

- C. finlaysonianum, Lindl. Malaya. Bot. Reg. 1840, t. 25.
- C. giganteum, Wall. Himalaya. Bot. Mag. t. 4844. Var. purpureum.
- C. grandiflorum, Griff. Himalaya. Bot. Mag. t. 5574.
- C. hookerianum, Rchb. f. See grandistorum.
- C. Humblotii, Rolfe. Madagascar.
- C. lancifolium, Hook. Trop. Asia. Lodd. Bot. Cab. t. 927.
- C. longifolium, Don. N. India.
- C. lowianum, Rchb. f. Burma. Fl. Mag. 1879, t. 353.
- C. madidum, Lindl. Australia.
- C. Mastersii, Griff. See Cyperorchis Mastersii.
- C. pendulum, Sw. N. India. Roxb. Cor. Pl. i. t. 44.
  Var. atropurpureum. Bot. Mag. t. 5710.
- C. sinense, Willd. China and N. India. Lodd. Bot. Cab. t. 37.
- C. tigrinum, Parish. Burma. Bot. Mag. t. 5457.

# Cynorchis, Thouars. [Ophrydeæ.]

- C. grandiflora, Ridley. Madagascar. Gard. Chron. 1893, xiii., 197, fig. 29.
- C. lowiana, Rchb. f. Madagascar.

# Cyperorchis, Blume. [Vandeæ.]

- C. elegans, Blume. N. India. Bot. Mag. t. 7007.
- C. Mastersii, Benth. Khasia and Assam. Bot. Reg. 1845, t. 50.

# Cypripedium, L. [Cypripedieæ.]

C. acaule, Ait. N. America. Bot. Mag. t. 192.

Marine Marine Marine and the second they be by miles y and all one California and Company to the second second second second second

## Cymbidium—cont.

- C. finlaysonianum, Lindl. Malaya. Bot. Reg. 1840, t. 25.
- C. giganteum, Wall. Himalaya. Bot. Mag. t. 4844. Var. purpureum.
- C. grandiflorum, Griff. Himalaya. Bot. Mag. t. 5574.
- C. hookerianum, Rchb. f. See grandiflorum.
- C. Humblotii, Rolfe. Madagascar.
- C. lancifolium, Hook. Trop. Asia. Lodd. Bot. Cab. t. 927.
- C. longifolium, Don. N. India.
- C. lowianum, Rchb. f. Burma. Fl. Mag. 1879, t. 353.
- C. madidum, Lindl. Australia.
- C. Mastersii, Griff. See Cyperorchis Mastersii.
- C. pendulum, Sw. N. India. Roxb. Cor. Pl. i. t. 44. Var. atropurpureum. Bot. Mag. t. 5710.
- C. sinense, Willd. China and N. India. Lodd. Bot. Cab. t. 37.
- C. tigrinum, Parish. Burma. Bot. Mag. t. 5457.

# Cynorchis, Thouars. [Ophrydeæ.]

- C. grandiflora, Ridley. Madagascar. Gard. Chron. 1893, xiii., 197, fig. 29.
- C. lowiana, Rchb. f. Madagascar.

# Cyperorchis, Blume. [Vandess.]

- C. elegans, Blume. N. India. Bot. Mag. t. 7007.
- C. Mastersii, Benth. Khasia and Assam. Bot. Reg. 1845, t. 50.

# Cypripedium, L. [Cypripedieæ.]

C. acaule, Ait. N. America. Bot. Mag. t. 192.

AND DESCRIPTION OF THE PERSON OF THE PERSON

#### pripedium-cont.

- C. Adonis, Hort. Garden hybrid. Orch. Alb. t. 500.
- C. amesianum, Hort. Garden hybrid. Orch. Alb. t. 340.
- C. Argus, Rchb. f. Philippines. Bot. Mag. t. 6175.
- C. arietinum, R. Br. N.E. America and W. China. Bot. Mag. t. 1569.
- C. arthurianum, Hort. Garden hybrid. Orch. Alb. t. 369.
- C. Ashburtonse, Hort. Garden hybrid. Orch. Alb. t. 376.
- C. barbatum, Lindl. Malay Peninsula. Bot. Mag. t. 4234.

Var. nigrum.

Var. superbum.

- C. bellatulum, Rchb. f. Burma. Lindenia, t. 149.
- C. Boxallii, Rehb. f. Burma. Ill. Hort. 1879, t. 345.
  Var. atratum.
- C. Bullenii, Rchb. f. Borneo. Var. anopthalmum.
- C. Calceolus, L. Europe. Syme Engl. Bot. t. 1490.
- C. californicum, A. Gray. California. Bot. Mag. t. 7188.
- C. callosum, Rchb. f. Cochin China. Lindenia, t. 73.
- C. calurum, Rchb. f. See Selenipedium calurum.
- C. candidum, Muhl. N. America. Bot. Mag. t. 5855.
- C. cardinale. See Selenipedium cardinale.
- C. caricinum, Rchb. f. See Selenipedium caricinum.
- C. caudatum, Lindl. See Selenipedium caudatum.
- C. chamberlainianum, O'Brien. Sumatra. Garden, 1893, t. 905.
- C. Charlesworthii, Rolfe. Upper Burma. Bot. Mag. t. 7416.

or the second

100

#### ypripedium—cont.

- C. ciliolare, Rchb. f. Philippines. Ill. Hort. 1884, t. 530.
- C. conchiferum, Rchb. f. See Selenipedium conchiferum.
- C. concolor, Batem. Burma. Bot. Mag. t. 5513.
- C. crossianum, Rchb. f. Garden hybrid.
- C. Curtisii, Rchb. f. Sumatra. Orch. Alb. t. 122.
- C. Dauthieri, Hort. Garden hybrid. Bot. Soc. Tosc. Ort., 1891, t. 11.
- C. dayanum, Rchb. f. Borneo. Xen. Orch. t. 201.
- C. dominianum, Rchb. f. See Selenipedium dominianum.
- C. Druryi, Beddome. S. India. Ill. Hort. 1877, t. 265.
- C. elliottianum, O'Brien. See rothschildianum.
- C. euryandrum, Rchb. f. Garden hybrid. Orch. Alb. t. 301.
- C. Exul, Rolfe. Siam. Lindenia, t. 327.
- C. fitchianum, Hort. Garden hybrid. Orch. Alb. t. 350.
- C. Godefroyæ, Rchb. f. Siam. Bot. Mag. t. 6876.
- C. grande, Rchb. f. See Selenipedium grande.
- C. harrisianum, Rchb. f. Garden hybrid. Fl. Mag. t. 431.
- C. haynaldianum, Rohb. f. Philippines. Bot. Mag. t. 6296.
- C. hirsutissimum, Lindl. Khasia. Bot. Mag. t. 4990.
- C. Hookers, Rchb. f. Borneo. Bot. Mag. t. 5362.
- C. insigne, Wall. Khasia. Bot. Mag. t. 3412.
  Var. Chantini. Rev. Hort., 1866, 429.

Var. giganteum.

Var. Maulei. Fl. Mag. t. 57.

J. J. Land

1 900 0 1 1

11.

#### rpripedium-cont.

- C. Io, Rehb. f. Garden hybrid. Reichenbachia, ser. 1, t. 23.
- C. irapeanum, Llave & Lex. Mexico. Bot. Reg. 1846, t. 58.
- C. japonicum, Thunb. Japan and China. Fl. des Serres, t. 2064.
- C. javanicum, Blume. Java. Fl. des Serres, t. 703.
- C. klotzschianum, Rchb. f. See Selenipedium klotzschianum.
- C. lævigatum, Batem. See philippinense.
- C. lawrenceanum, Rchb. f. Borneo. Bot. Mag. t. 6432.
- C. leeanum, Veitch. Garden hybrid. Orch. Alb. t. 223.
  Var. superbum.
- C. longifolium, Rchb. f. See Selenipedium longifolium.
- C. Lowii, Lindl. Borneo. Orch. Alb. t. 428.
- C. lindleyanum, Schomb. See Selenipedium lindleyanum.
- C. macranthum, Sw. E. Temp. Asia. Bot. Mag. t. 2938.
- C. measuresianum, Hort. Garden hybrid. Orch. Alb. t. 304.
- C. Meirax, Rchb. f. Garden hybrid. Orch. Alb. t. 95.
- C. montanum, Dougl. N.W. America. Bot. Mag. t. 7319.
- C. Morganiæ, Rchb. f. Garden hybrid. Orch. Alb. t. 313.

  Var. burfordiense.
- C. Niobe, Hort. Garden hybrid. Orch. Alb. t. 438.
- C. nitens, Hort. Garden hybrid. Lindenia. t. 223.
- C. niveum, Rchb. f. Malaya. Bot. Mag. t. 5922.
- C. occidentale, S. Watson. See montanum.
- C. cenanthum, Hort. Garden hybrid. Orch. Alb. t. 379.

11 - 1 X

#### pripedium-cont.

- C. pardinum, Rchb. f. See venustum var.
- C. Parishii, Rchb. f. Moulmein. Bot. Mag. t. 5791.
- C. parviflorum, Salisb. N.E. America. Bot. Mag. t. 3024.
- C. Pearcei, Batem. See Selenipedium caricinum.
- C. philippinense, Rchb.f. Philippines. Bot. Mag. t. 5508.
- C. pitcherianum, Hort. Garden hybrid. Orch. Alb. t. 453.
- C. politum, Rchb. f. Garden hybrid. Orch. Alb. t. 36.
- C. porphyreum, Rchb. f.. See Selenipedium porphyreum.
- C. præstans, Rchb. f. New Guinea. Ill. Hort. xxxiv. t. 26.
- C. pubescens, Willd. N.E. America. Bot. Mag. t. 911.
- C. purpuratum, Lindl. Hongkong. Bot. Mag. t. 4901.
- C. reticulatum, Rchb. f. See Selenipedium boissierianum.
- C. Roezlii, Regel. See Selenipedium Roezlii.
- C. rothschildianum, Rchb. f. Borneo. Bot. Mag. t. 7102.
- C. Sallieri, Hort. Garden hybrid. Lindenia, t. 84.
- C. sanderianum, Rchb. f. Borneo. Reichenbachia, ser. 1, t. 3.
- C. Schlimii, Lind. See Selenipedium Schlimii.
- C. Schræderæ, Hort. See Selenipedium Schræderæ.
- C. Sedeni, Rchb. f. See Selenipedium Sedeni.
- C. seegerianum, Hort. Garden hybrid.
- C. selligerum, Veitch. Garden hybrid. Orch. Alb. t. 255.
- C. siamense, Rolfe. Siam. Orch. Rev. iv. 17, fig. 1.
- C. spectabile, Sw. N.E. America. Bot. Reg. t. 1666.
- C. spicerianum, Rchb. f. Assam. Bot. Mag. t. 6490.

# Sypripedium—cont.

- C. Stonei, Low. Borneo. Bot. Mag. t. 5349.
- C. superbiens, Rchb. f. Hab. —? Fl. des Serres, t. 1996.
- C. swanianum, Hort. Garden hybrid.
- C. veitchianum. See superbiens.
- C. venustum, Wall. Himalaya. Bot. Mag. t. 2129.
  Var. pardinum. Fl. Mag. 1873, t. 51.
  Var. spectabile.
- C. vexillarium, Rchb. f. Garden hybrid. Orch. Alb. t. 447.
- C. Victoria-Mariæ, Hort. Sumatra.
- C. villosum, Lindl. Moulmein. Warn. Sel. Orch. t. 30.
- C. virens, Rchb. f. Borneo. Xenia Orch. t. 62.
- C. volonteanum, Hort. Borneo.
- C. williamsianum, Hort. Garden hybrid. Orch. Alb. t. 365.
- C. Wallisii, Rehb. f. See Selenipedium caudatum var.

# Lyrtochilum, H.B.K. See Oncidium.

# yrtopera, Lindl. [Vandeæ.]

- C. flava, Lindl. N. India and S. China. Royle Ill. Himal, t. 88.
- C. flexuosa, Rolfe. Trop. Africa.
- C. papillosa, Rolfe. Natal.
- C. plicata, Lindl. India. Wight, Ic. t. 1690.
- C. squalida, Lindl. Malaya.
- C. Woodfordii, Lindl. Trop. America. Bot. Mag. t. 1814. hyrtopodium, R. Br. [Vandeæ.]
  - C. Andersoni, R. Br. W. Indies. Bot. Mag. t. 1800.

1 F 1/4 and the same of

#### yrtopodium-cont.

- C. cardiochilum, Lindl. See Andersoni.
- C. cristatum, Lindl. British Guiana.
- C. punctatum, Lindl. Trop America. Bot. Mag. t. 3507.
- C. virescens, Rchb. f. & Warm. Brazil. Bot. Mag. t. 7396.
- C. Woodfordii, Sims. See Cyrtopera Woodfordii.

# ystorchis, Blume. [Neottieæ.]

- C. javanica, Blume. Malaya. Belg. Hort. 1862, t. 1, fig. 1.
- C. variegata, Blume. Malaya. Belg. Hort. 1862, t. 1, fig. 5. endrobium, Sw. [Epidendreæ.]
  - D. aduncum, Wall. Himalaya. Bot. Mag. t. 6784.
  - D. æmulum, R. Br. N.E. Australia. Bot. Mag. t. 2096.
  - D. aggregatum, Roxb. N. India and S. China. Bot. Mag. t. 3643.

Var. majus.

- D. Ainsworthii, T. Moore. Garden hybrid. Orch. Alb. t. 20.
- D. albidulum, Thw. See Diodon.
- D. albosanguineum, Lindl. Moulmein. Bot. Mag. t. 5130.
- D. album, Hook. See aqueum.
- D. amenum, Wall. Himalaya. Bot. Mag. t. 5119.
- D. anceps, Sw. N. India. Bot. Mag. t. 3608.
- D. anosmum, Lindl. See superbum var.
- D. Aphrodite, Rehb. f. Moulmein. Bot. Mag. t. 5470.
- D. aqueum, Lindl. S. India. Bot. Mag. t. 4640.
- D. atropurpureum, Miq. Trop. Asia. Blume, Rumphia, t. 193, fig. 4.

u 89481.

and the second second

#### endrobium-cont.

- D. aureum, Lindl. Trop. Asia. Bot. Mag. tt. 4708, 4970. Var. philippinense.
- D. barbatulum, Lindl. S. India. Bot. Mag. t. 5918.
- D. Bensonæ, Rchb. f. Burma. Bot. Mag. t. 5679.
- D. bicameratum, Lindl. N. India. Saund. Ref. Bot. t. 143.
- D. bigibbum, Lindl. N.E. Australia. Bot. Mag. t. 4898.
- D. Boxallii, Rchb. f. Moulmein. Fl. Mag. 1874, t. 114.
- D. bracteosum, Rchb. f. New Guinea. Lindenia, t. 74.
- D. brymerianum, Rchb. f. Burma. Bot. Mag. t. 6383.
- D. brevistorum, Lindl. See bicameratum.
- D. brisbanense, Rchb. f. See gracilicaule.
- D. bullerianum, Batem. See gratiosissimum.
- D. Calceolaria, Hook. India. Bot. Mag. t. 3837.
- D. cambridgeanum, Paxt, See ochreatum.
- D. canaliculatum, R. Br. N. E. Australia. Bot. Mag. t. 5537.
- D. capillipes, Rchb. f. Moulmein. Xen. Orch. t. 169.
- D. cariniferum, Rchb. f. Burma. Var. Wattii. See Wattii.
- D. carnosum, Teijsm. & Binn. Java.
- D. Cassiope, Hort. Garden hybrid.
- D. chlorops, Lindl. S. India.
- D. chloropterum, Rehb. f. New Guinea. Trim. Journ. of Bot. 1878, t. 196.
- D. chrysanthum, Wall. N. India. Bot. Reg. t. 1299.
- D. chrysodiscus, Hort. Garden hybrid.

The second second

0.00

#### robium-cont.

- D. chrysolabrum, Rolfe. See bracteosum.
- D. chrysotis, Rchb. f. See hookerianum.
- D. chrysotoxum, Lindl. Burma. Bot. Mag. t. 5053.
- D. ciliatum, Parish. Burma. Bot. Mag. t. 5430. Var. breve.
- D. clavatum, Lindl. N. India. Bot. Mag. t. 6993.
- D. Coologyne, Rchb. f. Moulmein.
- D. crassinode, Rchb. f. Burma. Bot. Mag. t. 5766. Var. barberianum, Rchb. f.
- D. crepidatum, Lindl. India. Bot. Mag. t. 4993.
- D. cretaceum, Lindl. N. India. Bot. Mag. t. 4686.
  Var. roseum.
- D. cruentum, Rchb. f. Malaya, Orch. Alb. t. 174.
- D. crumenatum, Sw. Trop. Asia. Bot. Mag. t. 4013.
- D. crystallinum, Rchb. f. N. India. Bot. Mag. t. 6319.
- D. cucumerinum, McLeay. N.S. Wales. Bot Mag. t. 4619.
- D. cumulatum, Lindl. N. India. Bot. Mag. t. 5703.
- D. D'Albertisii, Rchb. f. New Guinea. Gard. Chron. 1878, x. 217.
- D. dalhousieanum, Paxt. See pulchellum.
- D. dayanum, Low. See macrophyllum var.
- D. Dearei, Rchb. f. Philippines. Orch. Alb. t. 20.
- D. densiflorum, Wall.
  N. India. Bot. Mag. t. 3418.
  Var. alboluteum. Moulmein. Bot. Mag. t. 5780.
  Var. Schroederi. Fl. Mag. t. 502.
- D. devonianum, Paxt. N. India. Bot. Mag. t. 4429.



#### Dendrobium-cont.

- D. dicuphum, F. Muell. N. E. Australia.
- D. Diodon, Rchb. f. Ceylon.
- D. dixanthum, Rchb. f. Moulmein. Bot. Mag. t. 5564.
- D. Draconis, Rchb. f. Burma and Siam. Bot. Mag. t. 5459.
- D. eburneum, Rchb. f. See Draconis.
- D. eulophotum, Lindl. Burma and Malaya.
- D. Falconeri, Hook. N. India. Bot. Mag. t. 4944.
  Var. giganteum.
- D. Farmeri, Paxt. N. India. Bot. Mag. t. 4659.
  Var. aureum.
- D. fimbriatum, Hook. N. India. Hook. Exot. Fl. t. 71. Var. oculatum. Bot. Mag. t. 4160.
- D. findlayanum, Rchb. f. Burma. Bot. Mag. t. 6438.
- D. Fitzalani, F. Muell. E. Australia.
- D. Fælschii, F. Muell. N. E. Australia.
- D. formosum, Roxb. India. Bot. Reg. 1839, t. 64. Var. giganteum, Moulmein. Orch. Alb. t. 308.
- D. Freemani, Hort. See lituisforum var.
- D. fuscatum, Lindl. See Gibsoni.
- D. fytchianum, Batem. Burma. Bot. Mag. t. 5444.
- D. Gibsoni, Paxt. N. India. Bot. Mag. t. 6226.
- D. glomeratum, Rolfe. Moluccas. Gard. Chron. 1894, xv. 653, fig. 80.
- D. gracilicaule, F. Muell. N. E. Australia. Bot. Mag. t. 7042.
- D. gratiosissimum, Rchb. f. Moulmein. Bot. Mag. t. 5652.

THE REAL PROPERTY.


#### Dendrobium-cont.

- D. griffithianum, Lindl. Burma.
- D. hainanense, Rolfe. S. China.
- D. harveyanum, Rehb. f. Burma. Gard. Chron., 1894, xvi. 593, fig. 76.
- D. hedyosmum, Batem. See scabrilingue.
- D. herbaceum. Lindl. S. India.
- D. hercoglossum, Rchb. f. Malacca.
- D. heterocarpum, Lindl. See aureum.
- D. heyneanum, Lindl. S. India.
- D. Hildebrandii, Rolfe. Burma. Bot. Mag. t. 7453.
- D. Hillii, Hook. See speciosum, var.
- D. hookerianum, Lindl. Himalaya. Bot. Mag. t. 6013.
- D. Huttoni, Rchb. f. Malaya.
- D. Imperatrix, Kränzl. New Guinea. Reichenbachia, ser. 2, t. 95.
- D. infundibulum, Lindl. Burma. Bot. Mag. t. 5456.
- D. jamesianum, Rchb. f. Burma. Orch. Alb. t. 221.
- D. japonicum, Lindl. See moniliforme.
- D. Jenkinsii, Wall. Assam. Bot. Reg. 1839, t. 37.
- D. Johannis, Rohb. f. N. E. Australia. Bot. Mag. t. 5540.
- D. Johnsonæ, F. Muell. New Guinea. Reichenbachia, ser. 2, t. 61.
- D. kingianum, Bidwill. N. E. Australia. Bot. Mag. t. 4527.

Var. roseum.

Var. pallidum.

D. Kunstleri, Hook. f. Perak. Ic, Pl. t. 2023.



#### Dendrobium-cont.

- D. leechianum, Rchb. f. Garden hybrid. Reichenbachia, ser. 2, t. 50.
- D. linawianum, Rchb. f. China and Japan. Bot. Mag. t. 4153.
- D. linguiforme, Sw. N. E. Australia. Bot. Mag. t. 5249.
- D. Linguella, Rchb. f. Malay Archipelago.
- D. lituiflorum, Lindl. Assam and Burma. Bot. Mag. t. 6050.

Var. Freemanii.

- D. Loddigesii, Rolfe. China. Bot. Mag. t. 5037.
- D. lonchophyllum, Hook. f. Perak. Ic. Pl. t. 2018.
- D. longicornu, Lindl. Himalaya. Bot. Reg. t. 1315.
- D. Lowii, Lindl. Borneo. Bot. Mag. t. 5303.
- D. luteolum, Batem. Burma. Bot. Mag. 5441. Var. chlorocentrum, Rchb. f.
- D. Maccarthiæ, Hook. Ceylon. Bot. Mag. t. 4885.
- D. Macraei, Lindl. India.
- D. macranthum, Hook. See superbum.
- D. macrophyllum, Lindl. See superbum.
- D. macrophyllum, A. Rich. New Guinea. Bot. Mag. t. 5649.
- D. macrostachyum, Lindl. Ceylon and S. India. Bot. Reg. t. 1865.
- D. mesochlorum, Lindl. See amænum.
- D. mirbelianum, Gaud. New Guinea. Lindenia, t. 215.
- D. moniliforme, Lindl. See linawianum.
- D. moniliforme, Sw. Japan and China. Bot. Mag. t. 5482.

#### ndrobium-cont.

- D. monophyllum, F. Muell. N. E. Australia. Fitzg. Austr. Orch., 1, pt. 6, t. 9.
- D. mooreanum, Lindl. Aneitum.
- D. Mortii, F. Muell. N. S. Wales.
- D. moschatum, Wall. See Calceolaria.
- D. mutabile, Lindl. Java. Bot. Mag. t. 5285.
- D. nobile, Lindl. N. India and China. Lindl. Sert. Orch. t. 3.

Var. cooksonianum, Veitch. Man. Orch. III., 64.

Var. elegans.

Var. nobilius. Orch. Alb. t. 214.

Var. pallidiflorum, Hook. See primulinum.

Var. pendulum.

Var. sanderianum. Reichenbachia, ser. 1, t. 58.

- D. nodatum, Lindl. See Aphrodite.
- D. obrienianum, Kränzl. Philippines.
- D. ochreatum, Lindl. Khasia and Chittagong. Bot, Mag. t. 4450.
- D. owenianum, Hort. Garden hybrid.
- D. palpebræ, Lindl. Moulmein. Gartenflora, t. 595.
- D. panduratum, Lindl. Ceylon.
- D. parcum, Rchb. f. Burma. Xen. Orch. t. 169.
- D. Parishii, Rchb. f. Burma. Bot. Mag. t. 5488.
- D. Paxtoni, Lindl. See chrysanthum.
- D. Paxtoni, Paxt. See fimbriatum, var. oculatum.
- D. Phalænopsis, Fitzg. New Guinea and Timor laut. Bot. Mag. t. 6817.


Var. statterianum. Reichenbachia, ser. 2, t. 7.

D. Pierardi, Roxb. N. India. Bot. Mag. t. 2584.



#### endrobium-cont.

- D. plicatile, Lindl. Philippines.
- D. primulinum, Lindl. Nepal and Sikkim. Bot. Mag. t. 5003.
- D. profusum, Rchb. f. Philippines.
- D. pulchellum, Roxb. India. Warn. Sel. Orch. i. t. 22.
- D. pulchellum, Lodd. See Loddigesii.
- D. pumilum, Roxb. Burma and Malaya. Trans. Linn. Soc. xxx. t. 31, fig. A.
- D. purpureum, Roxb. Moluccas. Miq. Choix. Pl. t. 20.Var. candidulum. Lindenia, t. 98.Var. Moseleyi.
- D. quadrilobum, Rolfe. Hab. -?
- D. ramosissimum, Wight. See herbaceum.
- D. revolutum, Lindl. Burma and Malaya. Bot. Mag. t. 6706.
- D. rhodocentrum, Rchb. f. India.
- D. rhodostoma, Rchb. f. Garden hybrid. Gard. Chron. 1895, xvii. 472, fig. 84.
- D. sanguineum, Rolfe. Borneo.
- D. sanguinolentum, Lindl. Malaya. Bot. Reg. 1843, t. 6.
- D. sarmentosum, Rolfe. Upper Burma.
- D. scabrilingue, Lindl. Moulmein. Bot. Mag. t. 5515.
- D. secundum, Wall. Burma and Malaya. Bot. Mag. t. 4352.
- D. signatum, Rchb. f. Siam.
- D. Smilliæ, F. Muell. N. E. Australia. Fitzg. Austr. Orch. 1, pt. 7, t. 2.
- D. speciosum, Sm. Australia. Bot. Mag. t. 3074.Var. Hillii. Bot. Mag. t. 5261.



#### endrobium-cont.

- D. stratiotes, Rchb. f. Sunda Islands. Lindenia, t. 43.
- D. strongylanthum, Rchb. f. Burma.
- D. stuposum, Lindl. N. India.
- D. suavissimum, Rchb. f. See chrysotoxum.
- D. Sumneri, F. Muell. N.E. Australia.
- D. superbiens, Rchb. f. N. E. Australia. Orch. Alb. t. 312.
- D. superbum, Rchb. f. Malaya. Bot. Mag. t. 3970. Var. anosmum. Var. giganteum.
- D. teretifolium, R. Br. N. E. Australia. Bot. Mag. t. 4711.
- D. terminale, Par. & Rchb. f. Burma.
- D. tetragonum, F. Muell. N. E. Australia. Bot. Mag. t. 5956.
- D. thyrsiflorum, Rchb. f. Burma. Fl. Mag., 1881, t. 449.
- D. tortile, Lindl. N. India. Bot. Mag. t. 4477. Var. roseum.
- D. transparens, Wall. N. India. Bot. Mag. t. 4663.
- D. triadenium, Lindl. See mutabile.
- D. undulatum, R. Br. N. E. Australia and New Guinea. Bot. Reg. 1841, t. 52.
- D. veitchianum, Lindl. Sec macrophyllum.
- D. Venus, Hort. Garden hybrid.
- D. veratrifolium, Lindl. New Guines. Benth. Bot. Sulph. t. 60.

a

- D. Wallichii, Hort. See nobile.
- D. Wattii, Rchb. f. Manipur. Bot. Mag. t. 6715. u 89481.

#### Dendrobium-cont.

D. wardianum, Warn. Assam and Burma. Bot. Mag. t. 5058.

Dendrochilum, in part. See Platyclinis.

#### Dendrophylax, Rchb. f. [Vandeæ.]

- D. Fawcettii, Rolfe. W. Indies.
- D. funalis, Benth. W. Indies. Bot. Mag. t. 4295.

## Diacrium, Lindl. [Epidendreæ.]

D. bicornutum, Benth. W. Indies. Bot. Mag. t. 3332.

## Dichæa, Lindl. [Vandeæ.]

D. glauca, Lindl. Trop. America.

## Dicrypta, Lindl. See Maxillaria.

D. Baueri, Lindl. See Maxillaria crassifolia.

# Diploprora, Hook. f. [Vandeæ.]

D. Championi, Hook. f. India and Hongkong. Ic. Pl. t. 2120.

# Dipodium, R. Br. [Vandeæ.]

D. paludosum, Rchb. f. Malaya. Orch. Alb. t. 422.

# Disa, Berg. [Ophrydeæ.]

- D. chrysostachya, Sw. S. Africa.
- D. Cooperi, Rchb. f. S. Africa. Bot. Mag. t. 7256.
- D. cornuta, Sw. S. Africa.
- D. Draconis, Sw. S. Africa.
- D. graminifolia, Ker. S. Africa.
- D. grandiflora, L. fil. S. Africa. Bot. Mag. t. 4073.
- D. incarnata, Lindl. Madagascar. Bot. Mag. t. 7243.
- D. kewensis, Hort. Garden hybrid. Gard. Chron., 1895, xviii. 273, fig. 51.

#### Disa-cont.

- D. lacera, Sw. S. Africa.
  Var. multifida, N. E. Br. Bot. Mag. t. 7066.
- D. langleyensis, Hort. Garden hybrid. Gard. Chron., 1894, xvi. 35, fig. 5.
- D. nervosa, *Lindl*. S. Africa. Gard. Chron., 1894, xvi. 309, fig. 41.
- D. Premier, Hort. Garden hybrid.
- D. racemosa, L. fil. S. Africa. Bot. Mag. t. 7021.
- D. rosea, Lindl. S. Africa.
- D. rufescens, Sw. S. Africa.
- D. secunda, Sw. See racemosa.
- D. tripetaloides, N. E. Br. S. Africa. Bot. Mag. t. 7206.
- D. Veitchii, Hort. Garden hybrid. Gard. Chron., 1894, xvi. 93, fig. 14.

# Doritis, Lindl. [Vandeæ.]

- D. tænialis, Benth. N. Iudia. Griff. Ic. Pl. Asiat. t. 338.
- D. Wightii, Benth. India.
- Dossinia, C. Morr. [Neottiæ.]
  - D. marmorata, C. Morr. Borneo. Belg. Hort. 1862, t. 1.
- Earina, Lindl. [Epidendreæ.]
  - E. mucronata, Lindl. New Zealand. Ic. Pl. t. 431.
  - E. suaveolens, Lindl. New Zealand.

# Elleanthus, Presl. [Epidendreæ.]

- E. capitatus, Rchb. f. Trop. America.
- E. xanthocomus, Rchb. f. Peru. Bot. Mag. t. 6016.
- Epidendrum, L. [Epidendreæ.]
  - E. adenocarpum, Llav. & Lex. Mexico.

. .

### Epidendrum-cont.

- E. agathosmicum, Rchb. f. Venezuela.
- E. alatum, Batem. Guatemala. Bot. Mag. t. 3898.
- E. Allemanii, Rodr. Brazil.
- E. atropurpureum, Willd. Trop. America. Bot. Mag. t. 3534.

Var. album.

Var. Randii. Reichenbachia, ser. 2, t. 94.

- E. aurantiacum, Batem. See Cattleya aurantiaca.
- E. auritum, Lindl. Mexico.
- E. bicornutum, Hook. See Discrium bicornutum.
- E. bletioides, Griseb. W. Indies.
- E. brachyglossum, Lindl. Peru and Colombia.
- E. bracteatum, Rodr. Brazil.
- E. Brassavolae, Rchb. f. Central America. Bot. Mag. t. 5664.
- E. Candollei, Lindl. Mexico. Bot. Mag. t. 3765.
- E. ciliare, L. Trop. America. Bot. Mag. t. 463. Var. latifolium. Var. viscidum.
- E. cinnabarinum, Salzm. Brazil and Venezuela. Bot. Reg. 1842, t. 25.

Var. Moseni.

- E. cochleatum, L. Trop. America. Bot. Mag. t. 572.
- E. conopseum, R. Br. S. U. States. Bot. Mag. t. 3457.
- E. cooperianum, Batem. Brazil. Bot. Mag. t. 5654.
- E. cucullatum, Lindl. Brazil. Bot. Mag. t. 543.
- E. densiflorum, Hook. Mexico. Bot. Mag. t. 3791.
- E. dichromum, Lindl. Bahia. Bot. Mag. t. 5491.

#### pidendrum-cont.

- E. difforme, Jacq. See umbellatum.
- E. discolor, Benth. Brazil. Bot. Mag. t. 1541.
- E. ellipticum, R. Grah. Brazil. Bot. Mag. t. 3543.
- E. elongatum, Jacq. W. Indies. Bot. Mag. t. 611.
- E. equitans, Lindl. Mexico.
- E. evectum, Hook, f. Colombia. Bot. Mag. t. 5902.
- E. expansum, Rchb. f. Colombia.
- E. falcatum, Lindl. Mexico.
- E. ferrugineum, Ruiz. & Pav. Peru.
- E. fragrans, Sw. Trop. America. Bot. Mag. t. 1669. Var. megalanthum.
- E. Frederici-Guilielmi, Rchb. f. Peru. Xen. Orch. t. 51.
- E. funiferum, E. Morr. See polyanthum.
- E. fuscatum, Sw. Trop. America. Bot. Mag. 2844.
- E. ghiesbreghtianum, A. Rich. Mexico.
- E. globosum, Jacq. Trop. America. Ref. Bot. t. 140.
- E. godseffianum, Rolfe. See osmanthum.
- E. gravidum, Lindl. Mexico.
- E. Hanburii, Lindl. Mexico. Gartenflora, t. 398.
- E. Hartii, Rolfe. Trinidad.
- E. ibaguense, H. B. K. Colombia. Fl. Mag. t. 390.
- E. indivisum, Bradf. See Diacrium bicornutum.
- E. inversum, Lindl. Brazil.
- E. ionosmum, Lindl. British Guiana.
- E. lanipes, Lindl. Peru.
- E. latilabrum, Lindl. Trop. America.

### pidendrum-cont.

- E. laxiflorum, Rolfe. Hab. --?
- E. ledifolium, Lindl. Mexico.
- E. (Barkeria) lindleyanum, Rchb. f. Mexico. Bot. Mag. t. 6098.
- E. linkianum, Klotzsch. Mexico.
- E. longiflorum, H. B. K. Colombia.
- E. longipetalum, Lindl. See alatum.
- E. macrochilum, Hook. See atropurpureum.
- E. (Nanodes) mantinianum, Rolfe. Trop. America. Ill. Hort., n.s., t. 150.
- E. Mathewsii, Rchb. f. Peru.
- E. megalanthum, Lindl. See fragrans var.
- E. (Nanodes) Medusæ, Benth. Ecuador. Bot. Mag. t. 5723.
- E. myrianthum, Lindl. Guatemala. Bot. Mag. t. 5556.
- E. nemorale, Lindl. Mexico. Bot. Mag. t. 4606.
- E. nocturnum, L. W. Indies. Bot. Mag. t. 3298.
- E. nutans, Sw. Trop. America. Bot. Reg. t. 17.
- E. obrienianum, Hort. Garden hybrid. Gard. Chron. 1888, iii., 771, fig. 103.
- E. obtusum, A. DC. Mexico.
- E. odoratissimum, Lindl. Brazil. Bot. Reg. t. 1415.
- E. osmanthum, Rodr. Brazil. Lindenia, t. 333.
- E. pallidiflorum, Hook. Dominica and St. Vincent. Bot. Mag. t. 2980.
- E. paniculatum, Ruiz & Pav. Trop. America. Bot. Mag. t. 5731.

Var. racemosum.

### pidendrum — cont.

- E. parkinsonianum, Hook. Mexico. Bot. Mag. t. 3778.
- E. patens, Sw. Jamaica. Bot. Mag. t. 3800. Var. affinis.
- E. polyanthum, Lindl. Mexico. Ref. Bot. t. 212.
- E. polybulbon, Sw. W. Indies.
- E. prismatocarpum, Rchb. f. Central America. Bot. Mag. t. 5336.
- E. purum, Lindl. Colombia.
- E. pusillum, Rolfe. See bracteatum.
- E. radiatum, Lindl. Mexico and Guatemala. Bot. Reg. 1844, t. 45.
- E. radicans, Pav. Mexico and Guatemala. Orch. Alb. t. 161.
- E. Randii, Rehb. f. See atropurpureum var.
- E. ramosum, Jacq. W. Indies. Jacq. Sel. Am. tt. 132, 202.
- E. raniferum, Lindl. Trop. America. Bot. Reg. 1842, t. 42.
- E. rhizophorum, Batem. See radicans.
- E. Schomburgkii, Lindl. Trop. America. Bot. Reg. 1838, t. 53.
- E. sceptrum, Lindl. Colombia.
- E. scriptum, Rich. & Gal. Mexico.
- E. selligerum, Batem. Mexico.
- E. (Barkeria) Skinneri, Batem. Guatemala. Bot. Mag. t. 3951.
- E. (Barkeria) spectabile, Rchb. f. Guatemala. Bot. Mag. t. 4094.
- E. spondiadum, Rehb. f. Costa Rica. Bot. Mag. t. 7273.

### pidendrum—cont.

- E. squamatum, Rodr. Brazil.
- E. stenopetalum, Hook. f. Trop. America. Bot. Mag. t. 3410.
- E. tampense, Lindl. Florida.
- E. teretifolium, Sw. W. Indies.
- E. tovarense, Rchb. f. Colombia.
- E. tridactylon. See Amblostoma trydactyla.
- E. tripunctatum, Lindl. ' See ghiesbreghtianum.
- E. umbellatum, Sw. Trop. America. Bot. Mag. t. 2030.
- E. varicosum, Batem. Cent. America. Xen. Orch. i. t. 56.
- E. variegatum, Hook. Trop. America. Bot. Mag. t. 3151, Var. coriaceum.
- E. verrucosum, Lindl. See nemorale.
- E. vesicatum, Lindl. Brazil.
- E. virens, Lindl. Trop. America.
- E. virgatum, Lindl. Mexico.
- E. vitellinum, Lindl. Guatemala. Bot. Mag. t. 4107. Var. majus. Mexico.
- E. Wageneri, Klotzsch. See virens.
- E. Wallisii, Rchb. f. Colombia. Orch. Alb. t. 74.
- E. xanthinum, Lindl. Brazil.

# ria, Lindl. [Epidendreæ.]

- E. acervata, Lindl. Himalaya. Ic. Pl. t. 1849.
- E. alba, Lindl. India. Wall. Pl. Asiat. Rar. t. 197.
- E. albido-tomentosa, Lindl. Java.
- E. albiflora, Rolfe. S. India.
- E. ambrosia, Hance. See Bulbophyllum watsonianum.

#### Eria -cont.

- E. armeniaca, Lindl. See ornata.
- E. barbata, Rchb. f. N. India. Ref. Bot. t. 114.
- E. berringtoniana, Rchb. f. Borneo.
- E. bicolor, Lindl. Ceylon.
- E. bicristata, Lindl. Java.
- E. biflora, Griff. Sikkim and Burma.
- E. braccata, Lindl. Ceylon.
- E. bractescens, Lindl. Singapore and Burma. Bot. Mag. t. 4163.
- E. carinata, Gibs. Sikkim and Khasia.
- E. concolor, Rchb. f. Burma.
- E. confusa, Hook. f. India. Ic. Pl. t. 1850.
- E. convallarioides, Lindl. N. India. Bot. Reg. 1841, t. 62.
- E. Corneri, Rchb. f. Formosa.
- E. crassicaulis, Hook. f. Khasia. Ic. Pl. t. 2076.
- E. cristata, Rolfe. Moulmein.
- E. excavata, Lindl. Himalaya. Wall. Pl. Asiat. Rar. t. 160.
- E. extinctoria, Oliv. Burma. Bot. Mag. t. 5910.
- E. ferox, Bl. Malaya.
- E. flava, Lindl. Himalaya. Gard. Chron. 1882, xviii. 468, fig. 82.

A

- E. floribunda, Lindl. Malaya. Bot. Reg. 1844, t. 20.
- E. marginata, Rolfe. Burma. Bot. Mag. t. 7238.
- E. Meirax, N. E. Br. Burma. Bot. Mag. t. 7329.
- E. nutans, Lindt. Malaya.
- E. obesa, Lindl, Burma. Bot. Mag. t. 5391.

#### ia -cont.

- E. ornata, Lindl. Java and Philippines.
- E. paniculata, Lindl. N. India.
- E. polystachya, A. Rich. Neilgherries.
  - E. pubescens, Wight. Neilgherries. Wight, Ic. t. 1634.
  - E. reticosa, Wight. S. India.
  - E. ringens, Rchb. f. Burma.
  - E. rosea, Lindl. Hongkong. Bot. Reg. t. 978.
  - E. rostriflora, Rchb. f. Fiji.
  - E. stellata, Lindl. Java. Bot. Mag. t. 3605.
  - E. striolata, Rchb. f. Papuan Islands. Ill. Hort. xxxv. t. 48.
  - E. velutina, Lindl. Malaya.
  - E. vittata, Lindl. N. India.

### riopsis, Lindl. [Vandeæ.]

E. rutidobulbon, Hook. Colombia. Bot. Mag. t. 4437.

# rycina, Lindl. [Vandeæ.]

E. echinata, Lindl. Mexico. Bot. Mag. t. 7389.

'smeralda, Rchb. f. See Arachnanthe.

# ulophia, R. Br. [Vandeæ.]

- E. andamanica, Rchb. f. Andaman Islands.
- E. campestris, Wall. India.
- E. coiloglossa, Bolus. Natal.
- E. dregeana, Lindl. S. Africa.
- E. ensata, Lindl. S. Africa.
- E. explanata, Lindl. N. W. India.
- E. gracilis, Lindl. W. Trop. Africa. Bot. Reg. t. 742.

### fulophia-cont.

- E. latifolia, Rolfe. W. Trop. Africa.
- E. Ledienii, Stein. W. Trop. Africa. Gartenflora, t. 1285.
- E. lurida, Lindl. W. Trop. Africa.
- E. Mackenii, Rolfe. Natal.
- E. maculata, Rchb. f. Brazil. Bot. Reg. t. 618.
- E. megistophylla, Rchb. f. Comoro Islands. Rev. Hort. 1887, 87.
- E. monophylla, S. Moore. Mauritius.
- E. pulchra, Lindl. Mascarene Islands. Ill. Hort. xl. t. 181.
- E. saundersiana, Rchb. f. W. Trop. Africa. Xen. Orch. t. 173.
- E. scripta, Lindl. Madagascar.
- E. streptopetala, Lindl. See Lissochilus streptopetalus.
- E. virens, Lindl. Ceylon and S. India. Bot. Mag. t. 5579.
- E. Zeyheri, Hook. f. S. Africa. Bot. Mag. t. 7330.

# ulophiella, Rolfe. [Vandeæ.]

E. Elizabethæ, L. Lind. & Rolfe. Madagascar. Bot. Mag. t. 7387.

Ternandezia, Lindl. See Lockhartia.

# laleandra, Lindl. [Vandeæ.]

- G. Baueri, Lindl. Guiana. Bot. Mag. t. 4701.
- G. Claesii, Cogn. Brazil. Lindenia, t. 391.
- G. cristata, Lindl. See Baueri.
- G. devoniana, Schomb. Trop. America. Bot. Mag. t. 4610.
- G. gracilis, Lindl. See Eulophia gracilis.
- G. lagoensis, Rchb. f. & Warm. Brazil. Warm. Symb. Fl. Bras. t. 6, fig. 6.
- G. nivalis, Hort. Trop. America. Ill. Hort. 1885, t. 555.

- eodorum, Jacks. [Vandeæ.]
  - G. candidum, Wall. Burma.
  - G. dilatatum, R. Br. India. Bot. Reg. t. 675.

# omeza, R. Br. [Vandeæ.]

- G. Barkeri, Hook. f. Brazil. Bot. Mag. t. 3497.
- G. crispa, Klotzsch. Brazil. Bot. Reg. 1840, t. 54.
- G. planifolia, Klotzsch. Brazil. Bot. Mag. t. 3504.

# ongora, Ruiz & Pav. [Vandeæ.]

- G. armeniaca, Rchb. f. Nicaragua.
- G. atropurpurea, Hook. Brit. Guiana. Bot. Mag. t. 3220.
- G. bufonia. Lindl. Brazil. Bot. Reg. 1841, t. 2.
  Var. leucochila. Bot. Reg. 1847, t. 17.
- G. galeata, Rchb. f. Mexico. Bot. Mag. t. 3563.
- G. gratulabunda, Rchb. f. Colombia. Bot. Mag. t. 7224.
- G. maculata, Lindl. Trop. America. Bot. Mag. t. 3687.
- G. portentosa, Rchb. f. Colombia. Bot. Mag. t. 6284.
- G. quinquenervis, Ruiz & Pav. Trinidad. Bot. Reg. t. 1616.
- G. scaphephorus, Rchb. f. Peru.
- G. truncata, Lindl. Mexico. Bot. Reg. 1845, t. 56.

# •dyera, R. Br. [Neottiex.]

- G. dawsoniana, Van Houtte. See Hæmaria dawsoniana.
- G. discolor, Ker. See Hæmaria discolor.
- G. Menziesii, Lindl. N. America. Hook, Fl. Bor. Amer. t. 204.
- G. procera, Hook. Trop. Asia. Hook. Exot. Fl. t. 39.
- G. pubescens, R. Br. N. America. Bot. Mag. t. 2540.

		•	

### odyera-cont.

- G. repens, R. Br. Europe. Syme Engl. Bot. t. 1475.
- G. reticulata, Blume. Java. Blume. Orch. Ind. t. 9 b, fig. 1.
- G. Rollissonii, Hort. Garden hybrid.

# ammangis, Rchb. f. [Vandeæ.]

G. Ellisii, Lindl. Madaguscar. Bot. Mag. t. 5179.

# ammatophyllum, Blume. [Vandeæ.]

- G. Ellisii, Lindl. See Grammangis.
- G. fenzlianum, Rchb. f. Amboyna.
- G. Guilielmi II., Kranzl. See rumphianum.
- G. measuresianum, Hort. See rumphianum.
- G. rumphianum, Miq. Moluccas. Miq. Ann. Mus. iv. t. 8.
- G. scriptum, Blume. Moluccas.
- G. seegerianum, Hort. See rumphianum.
- G. speciosum, Blume. Malaya. Bot. Mag. t. 5157.

# robya, Lindl. [Vandeæ.]

- G. Amherstiæ, Lindl. Brazil. Bot. Reg. t. 1740.
- G. galeata, Lindl. Brazil.

ymnadenia, R. Br. See Habenaria.

# benaria, Willd. [Ophrydeæ.]

- H. Boltoni, Harv. S. Africa.
- H. candida, Dalz. See subpubens.
- H. carnea, N. E. Br. Penang. Rev. Hort. Belge, 1895, 742.

Var. nivosa.

H. ciliaris, R. Br. N. America. Bot. Mag. t. 1668.

#### abenaria-cont.

- H. conopsea, Benth. Europe and North Asia. Syme Engl. Bot. t. 1460.
- H. decipiens, Wight. S. India. Bot. Mag. t. 7228.
- H. dives, Rchb. f. S. Africa.
- H. galeandra, Benth. N. India and China.
- H. gigantea, Don. See Susannæ.
- H. Helleborina, Nichols. W. Trop. Africa. Bot. Mag. t. 5875.
- H. Hookeri, Torr. N. America. Hook. Exot. Fl. t. 145.
- H. heyneana, Lindl. S. India. Wight, Ic. t. 923.
- H. longicalcarata, A. Rich. See decipiens.
- H. longicornu, Lindl. S. India. Wight, Ic. t. 925.
- H. macrantha, Hochst. Abyssinia.
- H. militaris, Rehb. f. See pusilla.
- H. montana, A. Rich. See longicornu.
- H. odoratissima, Franch. Europe.
- H. pusilla, Rchb. f. Cochin China. Orch. Alb. t. 281.
- H. rhodocheila, Hance. China.
- H. richardiana, Wight. S. India. Wight. Ic. t. 1713.
- H. spiralis, A. Rich. Mascarene Islands.
- H. subpubens, A. Rich. S. India.
- H. Susannæ, R. Br. India and China. Bot. Mag. t. 3374.
- H. tetrapetala, Rchb. f. S. Africa.
- H. tridentata, Hook. N. America.
- H. viridis, R. Br. Europe. Syme Engl. Bot. t. 1462.

emaria, Lindl. [Neottieæ.]

' H. discolor, Lindl. China. Bot. Mag. t. 2055.

H. dawsoniana, Rolfe. India. Fl. de Serres, t. 1830.

artwegia, Lindl. [Epidendreæ.]

H. purpurea, Lindl. Guatemala and Mexico. Ref. Bot. t. 94.

Telcia, Lindl. See Trichopilia.

erminium, L. [Ophrydeæ.]

H. alpinum, Lindl. Europe. Rchb. Fl. Germ. t. 416.

H. monorchis, Lindl. Europe. Syme Engl. Bot. t. 1466.

exadesmia, Brongn. [Epidendreæ.]

H. crucigera, Lindl. Central America. Ref. Bot. t. 92.

H. fasciculata, Brongn. Mexico.

H. fusiformis, Griseb. W. Indies.

xisia, Lindl. [Epidendreæ.]

H. bidentata, Lindl. Colombia. Bot. Mag. t. 7031.

lothrix, Rich. [Ophrydeæ.]

H. lindleyana, Rchb. f. S. Africa. Gard. Chron. 1888, iii. 365, fig. 56.

ulletia, Brongn. [Vandex.]

H. brocklehurstiana, Lindl. Brazil. Bot. Mag. t. 4072.

H. chrysantha, Lindl. Colombia. Ill. Hort. 1871, t. 71.

H. Lansbergii, Rehb. f. Costa Rica. Bot. Mag. t. 7362.

H. lowiana, Rchb. f. Colombia.

H. odoratissima, Lindl. Colombia. Gartenfl. 1887, 222, fig. 66.

Var. antioquensis.

zentleya, Batem. See Zygopetalum.



# nopsis, H.B.K. [Vandeæ.]

- I. paniculata, Lindl. Brazil. Bot. Mag. t. 5541.
- I. utricularioides, Lindl. W. Indies. Lindl. Coll. Bot. t. 39.

sea, Lindl. [Epidendreæ.]

I. speciosa, Lindl. Ceylon. Bot. Mag. t. 5701.

abelia, Rodr. [Vandeæ.]

I. virginalis, Rodr. Brazil.

ochilus, R. Br. [Epidendreæ.]

I. linearis, R. Br. Trop. America. Bot. Reg. t. 745. Var. alba.

efersteinia, Rchb. f. See Zygopetalum.

acæna, Lindl. [Vandeæ.]

L. spectabilis, Lindl. Central America. Bot. Mag. t. 6516.

# ælia, Lindl. [Epidendreæ.]

- L. acuminata, Lindl. See rubescens.
- L. albida, Batem. Mexico. Bot. Mag. t. 3957. Var. bella. Orch. Alb. t. 239.
- L. anceps, Lindl. Mexico. Bot. Mag. t. 3804.

Var. alba.


Var. barkeriana. Bot. Reg. t. 1947.

Var. chamberlainiana.

Var. Dawsoni. Orch. Alb. t. 44.

Var. sanderiana. Gard. Chron. 1887, i. 281, fig. 59.

- L. autumnalis, Lindl. Mexico. Bot. Mag. t. 3817. Var. atrorubens. Orch. Alb. t. 69.
- L. boothiana, Rchb. f. Brazil. Xen. Orch. t. 91.
- L. cinnabarina, Batem. Brazil. Bot. Mag. t. 4302.



#### ælia-cont.

- L. crispa, Rchb. f. Brazil. Bot. Mag. t. 3910. Var. delicatissima.
- L. crispilabia, A. Rich. Brazil. Warn. Sel. Orch. II, t. 6.
- L. dayana, Rchb. f. See pumila var.
- L. digbyana, Benth. Honduras. Bot. Mag. t. 4474.
- L. dormaniana, Rehb. f. Sec Cattleya dormaniana.
- L. elegans, Rchb. f. Brazil. Bot. Mag. t. 4700.
- L. eyermaniana, Rehb. f. Mexico. Gard. Chron. 1888, iv. 109, fig. 12.
- L. flava, Lindl. Brazil. Bot. Reg. 1842, t. 62.
- L. furfuracea, Lindl. Mexico. Bot. Mag. t. 3810.
- L. glauca, Benth. Mexico. Bot. Mag. t. 4033.
- L. gouldiana, Rchb. f. Mexico. Orch. Alb. t. 371.
- L. grandis, Lindl. Bahia. Bot. Mag. t. 5553.
- L. harpophylla, Rehb. f. Brazil. Orch. Alb. t. 117.
- L. lindleyana, Veitch. Brazil. Bot. Mag. t. 5449.
- L. lobata, Veitch. See boothiana.
- L. lucasiana, Rolfe. Brazil.
- L. majalis, Lindl. Mexico. Bot. Mag. t. 5667.
- L. monophylla, N. E. Br. Jamaica. Bot. Mag. t. 6683.
- L. Patinii. Hort. Colombia.
- L. peduncularis, Lindl. See rubescens.
- L. præstans, Rchb. f. See pumila.
- L. Perrinii, Lindl. Brazil. Bot. Mag. t. 3711.
- L. pumila, Rchb. f. Brazil. Bot. Mag. t. 3656.
  Var. dayana. Orch. Alb. t. 132.
  Var. praestans. Bot. Mag. t. 5498.
  - u 89481.

A CONTRACTOR OF THE PARTY OF TH

#### plia-cont.

- L. purpurata, Lindl. S. Brazil. Ill. Hort. 1856, t. 83.
- L. rubescens, Lindl. Mexico. Bot. Mag. tt. 4099, 4905.
- L. schilleriana, Rchb. f. S. Brazil. Orch. Alb. t. 30.
- L. superbiens, Lindl. Guatemala. Bot. Mag. t. 4090.
- L. tenebrosa, Rolfe. Bahia. Reichenbachia, ser. 2, t. 33.
- L. virens, Lindl. Brazil.
- L. xanthina, Lindl. Brazil. Bot. Mag. t. 5144.

æliopsis, Lindl. See Broughtonia.

ochilus, Kn. & Westc. [Vandeæ.]

L. oncidioides, Kn. & Westc. Mexico. Bot. Mag. t. 3845.

eptotes, Lindl. See Tetramicra.

imatodes, Blume. See Calanthe.

# paris, Rich. [Epidendreæ.]

- L. Bowkeri, Harv. S. Africa. Bolus Orch. Aust. Afr. t. 2.
- L. cuneilabris, F. Muell. Australia.
- L. cylindrostachys, Hort. See longipes.
- L. decursiva, Rchb. f. S. Africa.
- L. disticha, Lindl. India and Mascarene Islands.
- L. elata, Lindl. Trop. America. Bot. Reg. t. 1175. Var. rufina, Ridley. W. Trop. Africa.
- L. liliifolia, A. Rich. N. America. Bot. Mag. t. 2004.
- L. Loeselii, Rich. Europe. Syme Engl. Bot. t. 1488.
- L. longipes, Lindl. India. Wall. Pl. Asiat. Rar. t. 35. Var. pendula.

Var. spathulata.

### paris-cont.

- L. multiflora, Rolfe. Burma.
- L. nervosa, Lindl. Japan and China.
- L. Prainii, Hook. f. Assam. Ic. Pl. t. 1857, fig. A.
- L. saundersiana, Rchb. f. Jamaica.

# ssochilus, R. Br. [Vandeæ.]

- L. arenarius, Lindl. Trop. Africa.
- L. cristatus, Rolfe. Uganda.
- L. Krebsii, Rchb. f. Natal. Bot. Mag. t. 5861. Var. pallida.
  - Var. purpurea.
- L. graniticus, Rchb. f. Abyssinia.
- L. parviflorus, Lindl. S. Africa. Maund. Bot. t. 172.
- L. purpuratus, Lindl. Trop. Africa.
- L. Sandersoni, Rchb. f. Natal. Bot. Mag. t. 6858.
- L. speciosus, R. Br. S. Africa. Bot. Reg. t. 573.
- L. streptopetalus, Lindl. S. Africa. Bot. Mag. t. 2931.

# stera, R. Br. [Neottieæ.]

L. ovata, R. Br. Europe. Syme Engl. Bot. t. 1477. strostachys, Rehb. f. See Angræcum.

# ckhartia, Hook. [Vandeæ.]

- L. acuta, Rchb. f. Trinidad.
- L. amœna, Endr. & Rchb. f. Costa Rica.
- L. elegans, Hook. Trinidad. Bot. Mag. t. 2715.

# ueddemannia. Rchb. f. [Vandeæ.]

- L. Lehmanni, Rchb. f. Colombia.
- L. Pescatorei, Rchb. f. Colombia. Bot. Mag. t. 7123.

- Captigld 27 + 27 - L - 11 - 110

# Luisia, Gaud. [Vandeze.]

- L. amesiana, Rolfe. Burma. Gard. Chron. 1893, x 32, fig. 8.
- L. brachystachys, Blume. N. India. Xen. Orch. t. 78.fig.
- L. Cantharis, Rolfe. Burma.
- L. Psyche, Rchb. f. Burms. Bot. Mag. t. 5558.
- L. trichorhiza, Blume. Himalaya. Hook. Exot. Fl. t. 72.
- L. zeylanica, Lindl. Ceylon.

# Lycaste, Lindl. [Vandeæ.]

- L. aromatica, Lindl. Mexico. Hook. Exot. Fl. t. 219.
- L. Barringtoniæ, Lindl. W. Indies. Bot. Mag. t. 5706.
- L. candida, Lindl. Central America. Rchb. f. Beitr. Orch. Centr. Amer. t. 5.
- L. cochleata, Lindl. Trop. America.
- L. consobrina, Rchb. f. Mexico.
- L. (Paphinia) cristata, Benth. British Guiana. Bot. Mag. t. 4836.
- L. cruenta, Lindl. Guatemala. Orch. Alb. t. 375.
- L. Deppei, Lindl. Mexico. Bot. Mag. t. 3395.
- L. fulvescens, Hook. Colombia. Bot. Mag. t. 4193.
- L. gigantea, Lindl. Colombia. Bot. Mag. t. 5016.
- L. (Paphinia) grandis, Wright & Dewar. Orch. Alb. t. 145.
- L. (Colax) jugosa, Benth. Brazil. Bot. Mag. t. 5661.
- L. lanipes, Lindl. Ecuador.
- L. lawrenceana, Hort. See candida.
- L. lencantha, Klotzsch. Central America. Ref. Bot. t. 102.
- L. macrophylla, Lindl. Peru. Orch. Alb. t. 230. Var. measuresiana.

### ycaste—cont.

- L. mesochlæna, Rchb. f. Peru. Bot. Mag. t. 5706.
- L. plana, Lindl. See macrophylla.
- L. rossiana, Rolfe. Trop. America.
- L. (Paphinia) rugosa, Benth. Colombia. Reichenbachia, ser. 2, t. 11.
- L. schilleriana, Rchb. f. Central America. Ref. Bot. t. 134.
- L. Skinneri, Lindl. Guatemala. Bot. Mag. t. 4445.
  Var. alba.
- L. tetragona, Lindl. Brazil. Bot. Mag. t. 3146.
- L. tricolor, Klotzsch. Guatemala. Rchb. Beitr. Orch. Centr. Amer. t. 4.
- L. (Colax) viridis, Benth. Brazil. Bot. Reg. t. 1510.
- L. xytriophora, Rchb. f. Ecuador. Ref. Bot. t. 131.

# acodes, Lindl. [Neottieæ.]

- M. javanica, Hook. f. Java. Bot. Mag. t. 7037.
- M. petola, Lindl. Java. Xen. Orch. t. 96.
- M. sanderiana, Rolfe. Hab.-?
- acradenia, R. Br. [Vandeæ.]
  - M. lutescens, R. Br. Trinidad. Bot. Reg. t. 612.
- asdevallia, Ruiz. & Pav. [Epidendreæ.]
  - M. abbreviata, Rchb. f. Peru. Woolw. Masd. t.
  - M. acrochordonia, Rchb. f. Ecuador.
  - M. amabilis, Rehb. f. Colombia. Ill. Hort. 1875 t. 196.
    Var. lineato-striata.
  - M. anchorifera, Rchb. f. See Scaphosepalum anchoriferum.
  - M. astuta, Rchb. f. See erythrochæte.



8/0 V

### [asdevallia - cont.

- M. attenuata, Rchb. f. Costa Rica. Bot. Mag. t. 6273.
- M. backhouseana, Rchb. f. See Chimæra var.
- M. barlæana, Rchb. f. Peru.
- M. bella, Rchb. f. Colombia. Belg. Hort. 1884, t. 3.
- M. Benedicti, Rchb. f. See houtteana.
- M. bogotensis, Hort.
- M. Bonplandii, Rchb. f. Colombia.
- M. brevis, Rchb. f. See Scaphosepalum breve.
- M. Bruchmülleri, Hort. See coriacea.
- M. caloptera, Rchb. f. Peru. Woolw. Masd, t.
- M. calura, Rchb. f. Costa Rica.
- M. campyloglossa, Rchb. f. Colombia.
- M. candida, Kl. & Karst. See tovarensis.
- M. Carderi, Rchb. f. Colombia. Bot. Mag. t. 7125.
- M. caudata, Lindl. Colombia. Bot. Mag. t. 6372. Var. xanthocorys, Reichenbachia, ser. 1, t. 13.
- M. Chelsoni, Rchb. f. Garden Hybrid.
- M. Chestertoni, Rchb. f. Colombia. Bot. Mag. t. 6977.
- M. Chimæra, Rchb. f. Colombia. Orch. Alb. t. 203.

Var. backhouseana, Reichenbachia, ser. 1, t. 19.

Var. erecta.

Var. Gorgona.

Var. Roezlii. Orch. Alb. t. 243.

Var. senilis.

Var. severa.

Var. spectrum. Lindenia, t. 143.

Var. Wallisii. Bot. Mag. t. 6152.



### andevallia-cont.

M. civilis, Rchb. f. Peru. Bot. Mag. t. 5476.

M. coccinea, Lind. Colombia. Bot. Mag. t. 5990.

Var. conchiflora.

Var. denisoniana.

Var. Hendersoni.

Var. lilacina.

Var. Lindeni.

Var. rosacea.

Var. walkeriana.

Var. Winnii.

M. conchiflora, Hort. See coccinea var.

M. coriacea, Lindl. Colombia. Karst. Fl. Colomb. t. 153.

M. corniculata, Rchb. f. Colombia. Woolw. Masd. t.

M. courtauldiana, Rchb. f. Garden Hybrid. Reichenbachia, ser. 2, t. 76, fig. 1.

M. cucullata, Lindl. Colombia. Woolw. Masd. t.

M. Davisii, Rchb. f. Peru. Bot. Mag. t. 6190.

M. dayana, Rchb. f. See Cryptophoranthus dayanus.

M. demissa, Rchb. f. Costa Rica.

M. Denisoni, Hort. See coccinea var.

M. Ephippium, Rchb. f. Colombia. Bot. Mag. t. 6208.

M. erythrochæte, Rchb. f. Colombia.

M. Estradæ, Rchb. f. Colombia. Bot. Mag. t. 6171.

M. floribunda, Lindl. Mexico. Belg. Hort. 1873, t. 23.

M. fragrans, Woolw. Colombia. Woolw. Masd. t.

M. gairiana, Rchb. f. Garden hybrid.

M. galeottiana, A. Rich. & Gal. See floribunda.

the factor of the last 000 - 1 - 10 - 10

#### sdevallia-cont.

- M. qaskelliana, Rchb. f. See erythrochæte.
- M. gemmata, Rchb. f. Colombia. Woolw. Masd. t.
- M. gibberosa, Rchb. f. See Scaphosepalum gibberosum.
- M. gracilenta, Rehb. f. See Cryptophoranthus gracilentus.
- M. harryana, Rchb. f. See coccinea.
- M. Heathii, Hort. Garden hybrid.
- M. Hendersoni, Hort. See coccinea var.
- M. hieroglyphica, Rchb. f. Colombia. Woolw. Masd. t.
- M. hincksiana, Rchb. f. Garden hybrid.
- M. houtteana, Rchb. f. Colombia. Fl. des Serres, t. 2106,
- M. ignea, Rchb. f. Colombia. Bot. Mag. t. 5962.
- M. inflata, Rchb. f. Colombia.
- M. infracta, Lindl. Brazil. Fl. des Serres, t. 2389.
- M. ionocharis, Rchb. f. Peru. Bot. Mag. t. 6262.
- M. laucheana, Hort.
- M. leontoglossa, Rchb. f. Colombia. Bot. Mag. t. 7245.
- M. Lindeni, André. See coccinea var.
- M. ludibunda, Rchb. f. Colombia. Lindenia, t. 472.
- M. macrura, Rchb. f. Colombia. Bot. Mag. t. 7164.
- **M.** maculata, Kl. & Karst. Venezuela. Fl. des Serres, t. 2150.
- M. measuresiana, Hort. Garden hybrid. Reichenbachia, ser. 2, t. 76, fig. 3.
- M. melanopus, Rchb. f. Peru. Bot. Mag. t. 6258.
- M. mooreana, Rchb. f. Venezuela. Bot. Mag. t. 7015.
- M. muscosa, Rchb. f. Colombia. Annals of Botany, i. t. 12.

-106

### [asdevallia-cont.

- M. myriosigma, E. Morr. See floribunda.
- M. nidifica, Rchb. f. Ecuador. Woolw. Masd. t.
- M. Nycterina, Rchb. f. Colombia. Fl. Mag. n.s. t. 150.
- M. ochthodes, Rchb. f. See Scaphosepalum ochthodes.
- M. parlatoreana, Rchb. f. Colombia.
- M. pachyantha, Rchb. f. Colombia.
- M. pachyura, Rchb. f. W. S. America.
- M. peristeria, Rchb. f. Colombia. Bot. Mag. t. 6159.
- M. platyglossa, Rchb. f. Colombia. Bot. Mag. t. 7185.
- M. platyrachis, Rolfe. See Pleurothallis platyrachis.
- M. polysticta, Rchb. f. N. Peru. Bot. Mag. t. 6368.
- M. polysticta, Hook. f. See melanopus.
- M. porcelliceps, Rchb. f. Colombia. Woolw. Masd. t.
- M. psittacina, Rcbb. f. See houtteans.
- M. pulvinaris, Rchb. f. See Scaphosepalum pulvinare.
- M. punctata, Rolfe. See Scaphosepalum punctatum.
- M. pumila, Poepp. & Endl. Peru.
- M. pusilla, Rolfe. Colombia.
- M. racemosa, Lindl. Colombia. Woolw. Masd. t.
- M. radiosa, Rchb. f. Colombia. Woolw. Masd. t.
- M. reichenbachiana, Endr. Costa Rica. Gartenflora, t. 1365, fig. 1.
- M. Roezlii, Rehb. f. See Chimæra var.
- M. rolfeana, Kränzl. Costa Rica. Woolw. Masd. t.
- M. rosea, Lindl. Peru. Belg. Hort. 1882, t. 3.
- M. Schlimii, Lind. Venezuela. Bot. Mag. t. 6740.
- n 89481.



### asdevallia --- cont.

- M. schroederiana, Hort. Hab. --?
- M. senilis, Rchb. f. See Chimæra var.
- M. Shuttleworthii, Rchb. f. See caudata.
- M. simula, Rchb. f. Colombia. Woolw. Masd. t.
- M. spectrum, Rchb. f. See Chimæra var.
- M. striatella, Rchb. f. Colombia. Woolw. Masd. t.
- M. swertiæfolia, Rchb. f. See Scaphosepalum swertiæfolium.
- M. torta, Rchb. f. Colombia. Woolw. Masd. t.
- M. tovarensis, Rchb. f. Venezuela. Bot. Mag. t. 5505.
- M. triangularis, Lindl. Colombia. Woolw. Masd. t.
- M. triaristella, Rchb. f. Costa Rica. Bot. Mag. t. 6268.
- M. trichæte, Rchb. f. See gemmata.
- M. tridactylites, Rchb. f. Colombia.
- M. triglochin, Rchb. f. Ecuador.
- M. trochilus, André. See Ephippium.
- M. Troglodytes, E. Morr. Colombia. Belg. Hort. 1877, t. 5.
  - M. veitchiana, Rchb. f. Peru. Bot. Mag. t. 5739. Var. grandiflora.
- M. wageneriana, Lindl. Venezuela. Bot. Mag. t. 4921.
- M. Wallisii, Rchb. f. See Chimæra var.
- M. Wendlandii, Rchb. f. Colombia. Woolw. Masd. t.
- M. xanthina, Rchb. f. Colombia. Woolw. Masd. t.
- Villaria, Ruiz. & Pav. [Vandeæ.]
  - M. aciantha, Rchb. f. Costa Rica.
  - M. acutipetala, Hook. Central America. Bot. Mag. t. 3966.



#### axillaria-cont.

- M. angustifolia, Hook. See variabilis.
- M. arachnites, Rchb. f. Colombia.
- M. aureo-fulva, Hook. See Bifrenaria aureo-fulva.
- M. bractescens, Lindl. See Xylobium bractescens.
- M. callichroma, Rchb. f. Venezuela.
- M. Cepula, Rchb. f. Brazil. See madida.
- M. crassifolia, Rchb. f. Colombia. Ref. Bot. t. 135.
- M. crocea, Lindl. Brazil. Bot. Reg. t. 1799.
- M. cucullata, Lindl. Mexico. Bot. Reg. 1840, t. 12.
- M. densa, Lindl. See Ornithidium densum.
- M. discolor, Rchb. f. British Guiana.
- M. gracilis, Lodd. Brazil. Lodd. Bot. Cab. t. 1837.
- M. grandiflora, Lindl. Peru. Ill. Hort. 1870, t. 14.
- M. Harrisonæ, Lindl. See Bifrenaria Harrisonæ.
- M. houtteana, Rchb. f. Trop. America.
- M. Hubschii, Rchb. f. Ecuador.
- M. hyacinthina, Rchb. f. See Xylobium hyacinthinum.
- M. hypocrita, Rchb. f. See Xylobium hypocritum.
- M. iridifolia, Rchb.f. W. Indies.
- M. leontoglossa, Rchb. f. See Xylobium leontoglossum.
- M. lepidota, Lindl. Colombia.
- M. longisepala, Rolfe. Venezuela. Lindenia, t. 248.
- M. luteo-alba, Lindl. Colombia. Orch. Alb. t. 106.
- M. madida, Lindl. Brazil. Ref. Bot. t. 104.
- M. marginata, Fenzl. Brazil. Bot. Reg. t. 1530.
- M. meleagris, Lindl. Mexico.



### [axillaria-cont.

- M. nigrescens, Lindl. Colombia. Orch. Alb. t. 511.
- M. ochroleuca, Lodd. Brazil. Lodd. Bot. Cab. t. 1904. Var. longipes.
- M. pallidiflora, Hook. See Xylobium pallidiflorum.
- M. palmifolia, Lindl. See Xylobium decolor.
- M. Parkeri, Hook. Guiana. Bot. Mag t. 2729.
- M. parva, Rolfe. W. Indies.
- M. picta, Lindl. Colombia. Bot. Mag. t. 3154.
- M. porphyrostele, Rchb. f. Brazil. Bot. Mag. t. 6477.
- M. præstans, Rchb. f. Guatemala.
- M. pumila, Hook. Brit. Guiana. Bot. Mag. t. 3613.
- M. punctata, Lodd. Brazil. Lodd. Bot. Cab. t. 1914.
- M. puncto-striata, Rchb. f. Guatemala.
- M. rufescens, Lindl. Trinidad. Ref. Bot. tt. 79, 133.
- M. sanderiana, Rchb. f. Ecuador. Reichenbachia, ser. 1, t. 25.
- M. sanguinea, Rolfe. Central America.
- M. scabrilinguis, Lindl. See Xylobium scabrilingue.
- M. setigera, *Lindl*. Colombia. Var. pallida.
- M. squalens, Hook. See Xylobium squalens.
- M. striata, Rolfe. Peru. Lindenia, t. 398.
- M. tenuifolia, Lindl. Mexico. Bot. Reg. 1839, t. 8.
- M. triangularis, Lindl. Guatemala.
- M. Turneri, Nichols. Mexico.
- M. variabilis, Batem. Mexico. Bot. Mag. t. 3614. Var. lutea.
  - Var. media.

11.7

#### [axillaria-cont.

- M. venusta, Rchb. f. Colombia. Bot. Mag. t. 5296.
- M. Wageneri, Rchb. f. See Xylobium corrugatum.

[egaclinium, Lindl. [Epidendreæ.]

- M. Clarkei, Rolfe. Trop. Africa.
- M. falcatum, Lindl. W. Trop. Africa. Bot. Reg. t. 989.
- M. minutum, Rolfe. W. Trop. Africa. Bot. Mag, t. 7314.
- M. purpuratum, Lindl. W. Trop. Africa. Bot. Mag. t. 5936.
- M. pusillum, Rolfe. E. Trop. Africa.
- M. Sandersoni, Oliv. S. Africa.
- M. scaberulum, Rolfe. S. Africa.
- M. triste, Rolfe. Trop. Africa.

[esospinidium, Rchb. f. See Odontoglossum and Cochlioda. icrostylis, Nutt. [Epidendreæ.]

- M. bella, Rchb, f. See plantaginea.
- M. calophylla, Rchb. f. Malaya.
- M. chlorophrys, Rchb. f. Borneo.
- M. commelynæfolia, Zoll. Java.
- M. congesta, Rchb. f. Trop. Asia.
- M. discolor, Lindl. Ceylon. Bot. Mag. t. 5403.
- M. luteola, Wight. Neilgherries. Wight, Ic. t. 1632.
- M. macrochila, Rolfe. Penang. Gard. Chron., 1895, xviii. 325, fig. 60.
- M. metallica, Rchb. f. Borneo. Bot, Mag. t. 6668.
- M. micrantha, Hook. f. Perak. Ic. Pl. t. 1834.
- M. oculata, Rchb. f. Java.

## icrostylis-cont.

- M. plantaginea, Steud. Malaya. Ill. Hort. 1884, t. 581.
- M. purpurea, Lindl. Ceylon.
- M. Rheedii, Wight. S. India. Wight. Ic. t. 902.
- M. Scottii, Hook. f. Penang. Bot. Mag. t. 7268.
- M. trilobulata, Kurz. See congesta.
- M. ventilabrum, Rchb. f. Sunda Islands.
- M. versicolor, Wight. S. India. Ic. Pl. t. 1832.
- M. Wallichii, Lindl. India. Var. biloba, Lindl. Nepal.

## iltonia, Lindl. [Vandeæ.]

- M. candida, Lindl. Brazil. Paxt. Mag. Bot. vi. 241.
- M. Clowesii, Lindl. Brazil. Bot. Mag. t. 4109.
- M. cuneata, Lindl. Brazil. Bot. Reg. 1845, t. 8.
- M. festiva, Rchb. f. Brazil. Xen. Orch. t. 232,
- M. flavescens, Lindl. Brazil. Bot. Reg. t. 1627. Var. grandiflora.
- M. moreliana, Hort. See spectabilis, var.
- M. Phalænopsis, Nichols. Colombia. Ill. Hort. t. 109.
- M. Regnelli, Rchb. f. Brazil. Bot, Mag. t. 5436.
- M. Roezlii, Nichols. Colombia. Bot. Mag. t. 6085. Var. alba.
- M. russelliana, Lindl. Brazil. Bot. Reg. t. 1830.
- M. schroederiana, O'Brien. Costa Rica. Orch. Alb. t. 382.
- M. spectabilis, Lindl. Brazil. Bot. Mag. t. 4204.
  Var. moreliana. Brazil. Gard. Mag. Bot. 1851, t. 41.
  Var. radians. Brazil. Orch. Alb. t. 164.
  Var. virginalis. Brazil. Ill. Hort. t. 573.



### Miltonia-cont.

M. stellata, Lindl. See flavescens.

M. Warscewiczii, Rchb. f. Colombia. Bot. Mag. t. 5843.
Var. Weltoni.

M. vexillaria, Benth. Colombia. Bot. Mag. t. 6037. Var. Klabochorum.

Monachanthus. See Catasetum.

Monochilus, Wall. See Zeuxine.

Moorea, Rolfe. [Vandeæ.]

M. irrorata, Rolfe. S. America. Bot. Mag. t. 7262.

Mormodes, Lindl. [Vandeæ.]

M. Buccinator, Lindl. Mexico.

M. Cogniauxii, L. Lind. Colombia.

M. luxata, Lindl. Mexico. Bot. Reg. 1843, t. 33.

M. pardina, Batem. Mexico. Bot. Mag. t. 3900. Var. unicolor. Bot. Mag. t. 3879.

M. rolfeana, L. Lind. Peru. Bot. Mag. t. 7438.

Mormolyce, Fenzl. [Vandeæ.]

M. lineolata, Fenzl. Mexico. Fenzl. Nov. Gen. and Sp. I. t. 2.

Mystacidium, Lindl. [Vandeæ.]

M. distichum, Benth. See Angraecum.

M. dolabriforme, Rolfe. W. Trop. Africa.

M. filicorne, Lindl. S. Africa. Thes. Cap. ii. t. 175.

Nanodes, Lindl. See Epidendrum.

Neobenthamia, Rolfe. [Vandeæ.]

N. gracilis, Rolfe. E. Trop. Africa. Bot. Mag. t. 7221.



phelaphyllum, Blume. [Epidendreæ.]

- N. cristatum, Rolfe. Hongkong.
- N. pulchrum, Blume. Java. Bot. Mag. t. 5332.

# nuwiedia, Blume. [Apostasieæ.]

- N. Griffithii, Rchb. f. Malaya. Bot. Mag. t. 7425
- N. Lindleyi, Rolfe. Malaya. Bot. Mag. t. 7368.

# eronia, Lindl. [Epidendreæ.]

- O. iridifolia, Lindl. India.
- 0. myosurus, Lindl. Burma. Ic. Pl. t. 1785, fig. B.
- 0. orbicularis, Hook. Sikkim.
- 0. tahitensis, Lindl. Tahiti.

# tadesmia, Benth. [Epidendreæ.]

0. serratifolia, Benth. W. Indies. Bot. Mag. t. 2823.

# stomeria, R. Br. [Epidendreæ.]

- 0. Baueri, Lindl. W. Indies. Bauer. Ill. Orch. Gen. t. 4.
- O. crassifolia, Lindl. Brazil.
- O. diaphana, Lindl. Brazil.
- O. gracilis, Lodd. Brazil.
- 0. graminifolia, R.Br. W. Indies. Bot. Mag. t. 2764.
- 0. juncifolia, Rodr. Brazil.
- O. grandiflora, Lindl. Brazil.
- O. Loddigesii, Lindl. W. Indies.
- 0. supra-glauca, Rolfe. Brazil.

# iontoglossum, H.B.K. [Vandeæ.]

- O. Alexandræ, Batem. See crispum.
- O. anceps, Lem. Mexico.

## dontoglossum-cont.

- andersonianum, Rchb. f. Colombia. Orch. Alb. t. 35.
   Var. ruckerianum, Lindenia, t. 41.
- O. angustatum, Batem. See ramosissimum.
- 0. apertum, *Llav. & Lex.* Mexico. Batem. Monogr. Odont. t. 1.

Var. candidulum.

- O. aspersum, Rchb. f. Sec humeanum.
- O. aspirhinum, Lehm. Colombia.
- O. astranthum, Rchb. f. Ecuador.
- 0. auriculatum, Rolfe. Colombia.
- 0. auro-purpureum, Rchb. f. Venezuela.
- 0. bictoniense, Lindl. Guatemala. Bot. Reg. 1840, t. 66.
- blandum, Rchb. f. Colombia. Batem. Monogr. Odont. t. 28.
- O. Bluntii, Rchb. f. See crispum.
- cariniferum, Rchb. f. Central America. Bot. Mag. t. 4919.
- Cervantesii, Llav. & Lex. Mexico. Bot. Mag. t. 4923.

Var. roseum.

- cirrhosum, Lindl. Ecuador. Bot. Mag. t. 6317.
   Var. maximum.
- O. citrosmum, Lindl. Mexico. Bot. Reg. 1843, t. 3.
  Var. roseum.
- O. claviceps, Rchb. f. Ecuador.
- 0. confertum, Rchb. f. Ecuador.
- Constrictum, Lindl. Venezuela. Bot. Mag. t. 5736.
   Var. sanderianum. Reichenbachia, ser. 1, t. 94.
  - u 89481.



### dontoglossum -cont.


- cordatum, Lindl. Mexico. Batem. Monogr. Odont. t. 25.
- O. Coradinei, Rchb. f. Colombia. Orch. Alb. t. 90.
- coronarium, Lindl. Colombia. Batem. Monogr. Odont. t. 37.

Var. miniatum.

 crispum, Lindl. Colombia. Batem. Monogr. Odont. t. 19.

Var. Lehmanni.

- 0. cristatellum, Rchb. f. Ecuador. Orch. Alb. t. 66.
- O. cristatum, Lindl. Ecuador.
- 0. crocidipterum, Rchb. f. Colombia. Xen. Orch. t. 182.
- O. dawsonianum, Rchb. f. See Rossii.
- O. donnianum, Hort. See maculatum.
- 0. Edwardii, Rchb. f. Ecuador. Bot. Mag. t. 6771.
- O. Ehrenbergii, Lindl. See Rossii.
- epidendroides, H. B. K. Colombia. Xen. Orch. t. 22, fig. 2.
- 0. gloriosum, Lind. & Rchb. f. Colombia. Batem. Monogr. Odont. t. 12.
- 0. grande, Lindl. Guatemala. Bot. Mag. t. 3955.
- 0. guttatum, Rolfe. Colombia.
- 0. Hallii, Lindl. Peru and Ecuador. Bot. Mag. t. 6237.
- harryanum, Rchb. f. Colombia. Reichenbachia, ser.
   t. 52.
- 0. hastilabium, Lindl. Colombia. Bot. Mag. t. 4272.
- 0. humeanum, Rchb. f. Mexico. Orch. Alb. t. 245.
- O. hunnewellianum, Rolfe. Colombia.



## Odontoglossum—cont.

- O. Insleayi, Barker. Mexico. Batem. Monogr. Odont. t. 4. Var. leopardinum. Gartenflora, t. 854.
- Krameri, Rchb. f. Costa Rica. Bot. Mag. t. 5778.
   Var. album.
- 0. Kegeljani, E. Morr. Ecuador. Orch. Alb. t. 258.
- læve, Lindl. S. Mexico and Guatemala. Bot. Mag. t. 6265.
- O. Lindeni, Lindl. Colombia. Fl. Mag. 1878, t. 333.
- lindleyanum, Rchb. f. Colombia. Batem. Monogr. Odont. t. 11.
- O.londesboroughianum, Rchb. f. Mexico. Orch. Alb. t. 82.
- 0. longifolium, Lindl. Peru.
- luteo-purpureum, Lindl. Colombia. Batem. Monogr. Odont. t. 17.
- O. maculatum, Llave et Lex. Mexico. Bot. Mag. 6455.Var. donnianum.Var. grandiflorum.Var. superbum.
- 0. madrense, Rchb. f. Mexico. Orch. Alb. t. 71.
- 0. maxillare, Lindl. Mexico. Bot. Mag. t. 6144.
- O. miniatum, Hort. See coronarium.
- O. mirandum, Rchb. f. See lindleyanum.
- 0. myanthum, Lindl. Peru.
- O. nebulosum, Lindl. See apterum.
- naevium, Lindl. Colombia. Reichenbachia, ser. 2, t. 44.
- 0. odoratum, Lindl. Venezuela. Bot. Mag. t. 6502.
- O. Oerstedii, Rchb. f. Costa Rica. Bot. Mag. t. 6820.



### Odontoglossum—cont.

- O. pardinum, Lindl. Ecuador. Bot. Mag. t. 5993.
- Pescatorei, Lind. Colombia. Batem. Monogr. Odont. t. 5.
- O. Phalaenopsis, Rchb. f. See Miltonia Phalaenopis.
- O. platyodon, Rchb. f. See Lindeni.
- O. polyxanthum, Rchb. f. See Kegeljani.
- pulchellum, Batem. Guatemala. Bot. Mag. t. 4104.
   Var. candidulum.
   Var. tenue.
- O. radiatum, Rchb. f. See luteo-purpureum.
- ramosissimum, Lindl. Colombia. Reichenbachia, ser. 2, t. 41.
- O. ramulosum, Lindl. Colombia.
- Reichenheimii, Rchb. f. Mexico. Batem. Monogr. Odont. t. 15.
- O. Roezlii, Rchb. f. See Miltonia Roezlii.
- O. roseum, Lindl. See Cochlioda rosea.
- O. Rossii, Lindl. Mexico. Bot. Mag. t. 6085.
- O. ruckerianum, Rchb. f. See andersonianum, var.
- O. sanderianum, Rchb. f. See constrictum, var.
- O. sceptrum, Rchb. f. See luteo-purpureum.
- 0. schlieperianum, Rchb f. Costa Rica. Fl. Mag. t. 461.
- 0. tripudians, Rchb. f. Colombia. Bot. Mag. t. 6029.
- 0. triumphans, Rchb. f. Colombia. Batem. Monogr. Odont. t. 23.
- Uroskinneri, Lindl. Guatemala. Batem. Monogr. Odont. t. 2.
- O. vexillarium, Rchb. f. See Miltonia vexillaria.
- 0. Wallisii, Rchb. f. Colombia. Ill. Hort. 1871, t. 56.



## Oncidium, Sw. [Vandeæ.]

- 0. abortivum, Rchb. f. Venezuela.
- O. acinaceum, Lindl. Peru.
- O. alcicorne, Rchb. f. Colombia.
- 0. altissimum, Sw. W. Indies. Bot. Mag. t. 2990.
- ampliatum, Lindl. Central America. Bot. Reg. t. 1699.

Var. majus.

- O. anomalum, Rchb. f. See panchrysum.
- 0. aureum, Lindl. Peru.
- 0. auriferum, Rchb. f. Colombia.
- O. aurosum, Rchb. f. See excavatum.
- 0. barbatum, Lindl. Brazil. Lindl. Coll. Bot. t. 27.
- 0. batemannianum, Parment. Brazil. Flor. Cab. t. 137.
- 0. bicallosum, Lindl. Guatemala. Bot. Mag. t. 4148.
- 0. bicolor, Lindl. Brazil. Bot. Reg. 1843, t. 66.
- 0. bracteatum, Rchb. f. Central America.
- O. cæsium, Rchb. f. See geertianum.
- 0. caminiophorum, Rchb. f. Venezuela.
- 0. candidum, Rchb. f. Guatemala. Bot. Mag. t. 5546.
- carthaginense, Sw. Trop. America. Link. Kl. & Otto, Ic. t. 6.
- cavendishianum, Batem. Guatemala. Orchidophile, 1888, 241.
- 0. Cebolleta, Sw. Brazil. Bot. Mag. t. 3568.
- 0. cheirophorum, Rchb. f. Colombia. Bot. Mag. t. 6278.
- 0. chrysopyramis, Rchb. f. Colombia.
- O. chrysornis, Rchb. f. See ochthodes.

The second second

See 1 201 -0 -1

TAXABLE BUILDING

### Oncidium-cont.

- 0. citrinum, Lindl. Trinidad. Bot. Reg. t. 1758.
- O. concolor, Hook. Brazil. Bot. Mag. t. 3752.
- 0. cornigerum, Lindl. Brazil. Bot. Mag. t. 3486.
- 0. crispum, Lodd. Brazil. Bot. Mag. t. 3499.
- 0. cristatum, Rolfe. Brazil. Lindenia, t. 451.
- O. cucullatum, Lindl. See olivaceum.
- 0. curtum, Lindl. Brazil. Bot. Reg. 1847, t. 68.
- 0. dasystyle, Rchb. f. Brazil. Bot. Mag. t. 6494.
- 0. dichromum, Rolfe. Peru.
- 0. divaricatum, Lindl. Brazil.
- excavatum, Lindl. Peru. Bot. Mag. t. 5293.
   Var. aurosum.
- 0. exasperatum, Rchb. f. Colombia.
- 0. falcipetalum, Lindl. Venezuela.
- 0. flexuosum, Sims. Brazil. Bot. Mag. t. 2203.
- 0. Forbesii, Hook. Brazil. Bot. Mag. t. 3705.
- O. fuscatum, Rchb. f. See Miltonia Warscewiczii.
- 0. Gardneri, Lindl. Brazil. Orch. Alb. t. 12.
- 0. geertianum, C. Morr. Mexico. Ann. de Gand, t, 179.
- graminifolium, Lindl. Mexico and Guatemala. Bot. Mag. t. 3854.
- 0. gravesianum, Rolfe. Brazil. Rev. Hort. Belg. xxi. 73.
- 0. hæmatochilum, Lindl. Trinidad. Orch. Alb. t. 32.
- 0. harrisonianum, Lindl. Brazil. Bot. Reg. t. 1569.
- O. hastatum, Lindl. Mexico. Batem. Orch. t. 20. Var. Rœzlii. Guatemala.

	•	

#### cidium-cont.

- O. hastiferum, Hort. See macranthum var.
- O. hebraicum, Rchb. f. Colombia.
- O. Henchmanni, Lodd. See carthaginense.
- 0. heteranthum, Poep. & Endl. Peru. Poepp. & Endl. Nov. Gen. et Sp. t. 60.
- 0. hians, Lindl. Brazil. Gartenflora, t. 1250, fig. A.
- O. Hookeri, Rolfe. Brazil. Bot. Mag. t. 3712.
- O. Hubschii, Rchb. f. Ecuador.
- 0. incurvum, Barker. Mexico. Bot. Mag. t. 4824.
- 0. insculptum, Rchb. f. Trop. America.
- iridifolium, H. B. K. Trop. America. Bot. Reg. t. 1911.
- 0. isopterum, Lindl. Brazil.
- 0. jonesianum, Rchb. f. Paraguay. Bot. Mag. t. 6982.
- O. janeirense, Rchb. f. See longipes.
- O. juncifolium, Lindl. See Cebolleta.
- 0. kramerianum, Rchb. f. Ecuador. Xen. Orch. t. 33.
- lanceanum, Lindl. Guiana and Trinidad. Bot. Reg. t. 1887.
- 0. Limminghei, E. Morr. Venezuela. Lindenia, t. 20.
- 0. leucochilum, Batem. Mexico. Gartenflora, t. 763.
- O. longifolium, Lindl. See Cebolleta.
- O. longipes, Lindl. Brazil.
- 0. loxense, Lindl. Peru. Orch. Alb. t. 439.
- 0. luridum, Lindl. W. Indies. Bot. Mag. t. 3603.
- O. macranthum, Lindl. Trop. America. Bot. Mag. t. 5743.

  Var. hastiferum.

Var. splendens.

THE RESERVE THE PERSON NAMED IN THE W. Savengrau O.

#### Oncidium—cont.

- 0. maculatum, Lindl. Mexico. Bot. Mag. t. 3880.
- 0. marshallianum, Rchb. f. Brazil. Bot. Mag. t. 5725.
- 0. martianum, Lindl. Brazil.
- 0. metallicum, Rchb. f. Colombia.
- 0. micropogon, Rchb. f. Brazil. Bot. Mag. t. 6971.
- microchilum, Batem. Guatemala. Bot. Reg. 1843, t. 23.
- monachicum, Rchb. f. Colombia. Gard. Chron. 1883, xix. 369, fig. 54.
- 0. nigratum, Lindl. British Guiana.
- 0. obryzatum, Rchb. f. Peru. Gartenflora, t. 925.
- 0. ochthodes, Rehb. f. Ecuador.
- 0. olivaceum, H.B.K. Colombia. Paxt. Fl. Gard. iii. t. 87.

Var. Chestertoni.

Var. grandiflorum.

Var. lawrenceanum.

Var. nubigenum. Bot. Mag. t. 5708.

- 0. ornithopodum, Rchb. f. Trop. America.
- ornithorhynchum, H. B. K. Mexico and Guatemala. Bot. Mag. t. 3912.
- 0. orthostates, Ridl. British Guiana.
- 0. Papilio, Lindl. W. Indies. Bot. Mag. t. 2795.
- O. pelicanum, Hort. See reflexum.
- 0. Phalænopsis, Rchb. f. Ecuador. Orch. Alb. t. 96.
- 0. phymatochilum, Lindl. Mexico. Bot. Mag. t. 5214.
- pictum, H. B. K. Colombia. H. B. K. Nov. Gen. and Sp. I. t, 81.
- 0. prætextum, Rchb. f. Bruzil. Bot. Mag. t. 6062.



#### Oncidium—cont.

- 0. pubes, Lindl. Brazil. Bot. Reg. t. 1007.
- 0. pulchellum, Hook. Jamaica. Bot. Mag. 2773.
- 0. pumilum, Lindl. Brazil. Bot. Mag. t. 3581.
- 0. pulvinatum, Lindl. Brazil. Bot. Reg. 1839, t. 42.
- 0. pyramidale, Lindl. Peru.
- 0. raniferum, Lindl. Brazil. Bot. Reg. 1838, t. 48.
- 0. reflexum, Lindl. Mexico. Bot. Reg. 1847, t. 70.
- O. Rogersii, Hort. See varicosum, var.
- 0. rupestre, Lindl. Peru.
- O. russellianum, Lindl. See Miltonia russelliana.
- O. roseum, Lodd. See carthaginense.
- 0. sanderianum, Rolfe. Peru.
- 0. sarcodes, Lindl. Brazil. Ill. Hort. 1874, t. 165.
- 0. schillerianam, Rchb. f. Trop. America.
- 0. Schlimii, Lind. Colombia.
- 0. serratum, Lindl. Peru. Bot. Mag. t. 5632.
- sphacelatum, Lindl. Mexico and Guatemala. Bot. Reg. 1842, t. 30.
- 0. sphegiferum, Lindl. Brazil. Paxt. Fl. Gard. ii. 9. fig. 124.
- 0. splendidum, A. Rich. Guatemala. Bot. Mag. t. 5878.
- 0. Sprucei, Lindl. Brazil.
- 0. superbiens, Rchb. f. Colombia. Bot. Mag. t. 5980.
- 0. tectum, Rchb. f. Colombia.
- 0. tigrinum, Llav. & Lex. Mexico. Orch. Alb. t. 137. Var. unguiculatum.
  - n 89481.

#### Oncidium-cont.

- O. tigrinum, var. splendidum. See splendidum.
- 0. trichodes, Lindl. Brazil.
- 0. triquetrum, Hook. Jamaica. Bot. Mag. 3393.
- 0. Trulla, Rchb. f. Colombia.
- 0. trulliferum, Lindl. Brazil. Bot. Reg. 1839, t. 57.
- 0. unicorne, Lindl. Brazil. Bot. Mag. t. 3890.
- varicosum, Lindl. Brazil. Orch. Alb. t. 192.
   Var. Rogersii. Fl. Mag. t. 477.
- 0. volvox, Rchb. f. Venezuela.
- O. Warneri, Lindl. Mexico. Bot. Reg. 1847, t. 20.
- 0. Warscewiczii, Rchb. f. Costa Rica. Lindenia, t. 88.
- wentworthianum, Batem. Central America. Batem. Orch. t. 39.
- 0. zebrinum, Rchb. f. Venezuela. Bot. Mag. 6138. Ophrys, L. [Ophrydes.]
  - 0. apifera, Huds. Europe. Syme Engl. Bot. t. 1467.
  - O. Arachnites, Lam. Europe. Syme Engl. Bot. t. 1468.
- 0. insectifera, L. Europe. Syme Engl. Bot. t. 1471.Orchis, L. [Ophrydeæ.]
  - 0. coriophora, L. Europe. Barla Ic. Orch. t. 32.
  - 0. foliosa, Soland. Madeira. Bot. Reg. t. 1701.
  - 0. globosa, L. Europe. Rchb. Pl. Crit. t. 562.
  - 0. incarnata, L. Europe. Barla Ic. Orch. t. 50.
  - O. latifolia, L. Europe. Syme Engl. Bot. t. 1458.
  - 0. laxiflora, Lam. Europe. Syme Engl. Bot. t. 1456.
  - 0. maculata, L. Europe. Syme Engl. Bot. t. 1459.

- Lukara

THE RESERVE AND THE PERSON NAMED IN

### Orchis-cont.

- 0. mascula, L. Europe. Syme Engl. Bot. t. 1455.
- 0. pallens, L. Europe. Barla Ic. Orch. t. 43.
- 0. papilionacea, L. Europe. Baila Ic. Orch. t. 25.
- 0. purpurea, Huds. Europe. Syme Eng. Bot. t. 1451.
- 0. sambucina, L. Europe. Barla Ic. Orch. t. 46.
- 0. spectabilis, L. N. America. Hook. Exot. Fl. t. 69.
- 0. tridentata, Scop. Europe. Barla Ic. Orch. t. 34.
- 0. ustulata, L. Europe. Syme Engl. Bot. t. 1450.

## Ornithidium, Salisb. [Vandeæ.]

- O. album. Hook. See Camaridium ochroleucum.
- O. coccineum, Salisb. West Indies. Hook. Exot. Fl. t. 38.
- 0. confertum, Griseb. West Indies.
- 0. densum, Rchb. f. Mexico. Rot. Reg. t. 1804.
- 0. parviflorum, Rchb. f. Venezuela.
- O. nanum, Rolfe. West Indies.
- 0. ochraceum, Hort.
- Sophronitis, Rchb. f. Colombia. Xen. Orch. t. 84, fig. 3.

# Ornithocephalus, Hook. [Vandeæ.]

- 0. grandiflorus, Lindl. Brazil. Belg. Hort. 1884, t. 6.
- Ornithochilus, Wall. [Vandeæ.]
  - 0. fuscus, Wall. Burma. Bot. Mag. t. 7385.
- Otochilus, Lindl. [Epidendreæ.]
  - 0. fasca, Lindl. Himalaya.
- Pachystoma, Blume. [Epidendreæ.]
  - P. pubescens, Bl. Java. Blume Tabellen, t. 29.

an walls

Action to the last of the last

1 to 1 to 1

Sept.

### Pachystoma—cont.

- P. speciosum, Rchb. f. See Ipsea speciosa.
- P. thompsoniana, Rchb. f. Trop. Africa. Bot. Mag. t. 6471.

Palumbina, Rchb. f. See Oncidium.

Panisea, Lindl. [Epidendreæ.]

P. uniflora, Lindl. See Coologyne uniflora.

Paphinia, Lindl. See Lycaste.

Paradisanthus, Rchb. f. [Vandeæ.]

P. bahiensis, Rchb. f. Bahia. Xen. Orch. t. 14.

Pelexia, Rich. [Neottieæ.]

- P. maculata, Rolfe. Hab .--?
- P. roseo-alba, Rchb. f. Brazil. Warn. Symb. t. 9. fig. 8.
- P. Travassosii, Rolfe. See roseo-alba.

## Peristeria, Hook. [Vandeæ.]

- P. aspersa, Rolfe. Venezuela. Lindenia, t. 267.
- P. cerina, Lindl. Trop. America. Bot. Reg. t. 1953.
- P. elata, Hook. Central America. Bot. Mag. t. 3116.
- P. Humboldtii, Lindl. See Acineta Humboldtii.
- P. Lindenii, Rolfe. Hab .--? Lindenia, t. 328.
- P. pendula, Lindl. British Guiana. Bot. Mag. t. 3479.

Pescatorea, Rchb. f. See Zygopetalum.

## Phaius, Lour. [Epidendreæ.]

- P. (Thunia) albus, Lindl. N. India. Bot. Mag. t. 3991. Var. superbus.
- P. (Thunia) Bensonse. Benth. Burma. Bot. Mag. t. 5964.
- P. Bernaysii, F. Muell. See Blumei, var.

4/

and the second of the second

#### Phaius-cont.

- P. bicolor, Lindl. Ceylon. Bot. Mag. t. 4078.
- P. Blumei, Lindl. Java. Gartenflora, t. 464.
  Var. Bernaysii, Rchb. f. Australia. Bot. Mag. t. 6032.
- P. (Thunia) brymerianus, Hort. Burma. Reichenbachia, ser. 2, t. 82.
- P. callosus, Lindl. Malaya. Xen. Orch. t. 122.
- P. Cooksoni, Hort. Garden hybrid. Orch. Alb. t. 478.
- P. grandifolius, Lour. Trop. Asia and Australia. Bot. Mag. t. 1924.
- P. Humblotii, Rchb. f. Madagascar. Reichenbachia, ser. 1, t. 17.
- P. luridus, Thw. Ceylon.
- P. maculatus, Lindl. N. India. Bot. Mag. tt. 2719, 3960.
- P. (Thunia) Marshalliæ, Nichols. Moulmein, Orch. Alb. t. 130.
- P. mishmiensis, Rchb. f. Himalaya.
- P. pauciflorus, Blume. Java. Blume Coll. Orch. t. 4, fg. 1.
- P. roseus, Rolfe. See mishmiensis.
- P. tuberculosus, Blume. Madagascar. Orch. Alb. t. 91.
- P. (Thunia) veitchianus, Hort. Garden hybrid.
- P. Wallichii, Lindl. India. Wall. Pl. Asiat. Rar. t. 158. Var. Mannii, Hook. f. Assam. Bot. Mag. t. 7023.

# Phalænopsis, Blume. [Vandeæ.]

- P. amabilis, Blume. Malaya. Bot. Mag. t. 5184. Var. aurea.
- P. amabilis, Lindl. See Aphrodite.

### Phalænopsis—cont.

- P. amethystina, *Rchb. f.* Sunda Islands. Gard. Chron. 1870, 1731, fig. 299.
- P. antennifera, Rchb. f. See Esmeralda.
- P. Aphrodite, Rchb. f. Philippines. Bot. Mag. t. 4297.
- P. buyssoniana, Rchb. f. Cochin China.
- P. Cornu-cervi, Rchb. f. Malaya. Bot. Mag. t. 5570.
- P. denticulata, Rchb. f. Tropical Asia.
- P. equestris, Rchb. f. See rosea.
- P. Esmeralda, Rchb. f. Cochin China. Orch. Alb. t. 321.
- P. gloriosa, Rchb. f. Sulu Archipelago. The Garden, 1889, t. 697.
- P. grandiflora, Lindl. See amabilis.
- P. Lowii, Rchb. f. Moulmein. Bot. Mag. t. 5351.
- P. lueddemanniana, Rchb. f. Philippines. Bot. Mag. t. 5523.
- P. Mannii, Rchb. f. Assam. Xen. Orch. t. 242.
- P. Parishii, Rchb. f. Burma. Bot. Mag. t. 5815.
- P. regnieriana, Rchb. f. Cochin Chins.
- P. rosea, Lindl. Philippines. Bot. Mag. 5212.
- P. sanderiana, Rchb. f. Philippines. Orch. Alb. t. 209.
- P. schilleriana, Rchb. f. Philippines. Bot. Mag. t. 5530.
- P. speciosa, Rchb. f. Andamans. Orch. Alb. t. 158.
- P. stuartiana, Rchb. f. Philippines. Bot. Mag. t. 6622.
- P. sumatrana, Rchb. f. Sumatra. Bot. Mag. t. 5527.
- P. tetraspis, Rchb. f. Andamans. Bot. Mag. t. 7321.
- P. violacea, Teysm. Malaya. Orch. Alb. t. 182. Var. schroederiana.
- P. Wightii, Rchb. f. See Doritis Wightii.

section of the Contract of the -7 and of the second of Z, tepperature The second of the second of T. Britan, Street, St.

## Pholidota, Lindl. [Epidendreæ.]

- P. articulata, Lindl. India.
- P. chinensis, Lindl. S. China.
- P. conchoidea, Lindl. Philippines.
- P. imbricata, Hook. India. Hook. Exot. Fl. t. 138.
- P. Lugardii, Rolfe. Burma.
- P. obovata, Hook. f. Burma.
- P. ventricosa, Rchb. f. Java.

## Physosiphon, Lindl. [Epidendreæ.]

- P. guatemalensis, Rolfe. Guatemala,
- P. Moorei, Hort.
- P. Loddigesii, Lindl. Mexico. Bot. Mag. t. 4869.

## Physurus, Rich. [Neottieze.]

- P. chinensis, Rolfe. China.
- P. pictus, Lindl. Brazil. Ref. Bot. t. 73. Var. holargyreus.
- P. querceticolus, Lindl. N. America.

## Pilumna, Lindl. See Trichopilia.

# Platyclinis, Benth. [Epidendreæ.]

- P. abbreviata, Benth. Java.
- P. arachnites, Rolfe. Philippines.
- P. cobbiana, Hemsl. Philippines.
- P. cucumerina, Rolfe. Philippines.
- P. filiformis, Benth. Philippines. Gartenflora, t. 604.
- P. glumacea, Benth. Philippines. Bot. Mag. t. 4853.
- P. latifolia, Hemsl. Philippines.
- P. longifolia, Benth. Trop. Asia.
- P. uncata, Benth. Philippines.

good Child Supplied C. THE RESERVE OF THE PARTY OF THE THE RELLEGIO

## Platylepis, A. Rich. [Neottieæ.]

P. glandulosa, Rchb. f. S. Africa. Bolus Orch. Austr. Afr. t. 11.

## Pleurothallis, R. Br. [Epidendreæ.]

- P. atropurpurea, Lindl. See Cryptophoranthus atropurpureus.
- P. barberiana, Rchb. f. S. America. Bot. Mag. t. 6886.
- P. gelida, Lindl. Jamaica.
- P. glanduligera, Lindl. Brazil.
- P. Grobyi, Lindl. Brazil and Guiana. Bot. Mag. t. 3682.
- P. immersa, Lindl. Colombia. Bot. Mag. t. 7169.
- P. johannensis, Rodr. Brazil.
- P. insignis, Rolfe. Venezuela. Bot. Mag. t. 6936.
- P. leptotifolia, Rodr. Brazil. Xen. Orch. t. 276.
- P. longissima, Lindl. Mexico. Ref. Bot. t. 141.
- P. lepanthiformis, Rehb. f. See villosa.
- P. macroblepharis, Rchb. f. Peru.
- P. maculata, Rolfe. Brazil.
- P. malachantha, Rchb. f. Brazil.
- P. mutabunda, Rchb. f. Brazil.
- P. octomerioides, Lindl. Mexico.
- P. ophiocephala, Lindl. Sce Restrepia ophiocephala.
- P. ornata, Rchb. f. Trop. America. Bot. Mag. t. 7094.
- P. pergracilis, Rolfe. Brit. Honduras.
- P. pernambucensis, Rolfe. Pernambuco.
- P. picta, Lindl. Brazil. Bot. Reg. t. 1825.
- P. platyrachis, Rolfe. Costa Rica. Bot. Mag. t. 7128.



#### Pleurothallis-cont.

- P. polyliria, Rehb. f. Costa Rica. Xen. Orch. t. 268, fig. 2.
- P. prolifera, Herb. Brazil.
- P. pulchella, Lindl. Colombia. H. B. K. Nov. Gen. et Sp. i. t. 90.
- P. regeliana, Rchb. f. Brazil.
- P. Roezlii, Rchb. f. Colombia. Orch. Alb. t. 476.
- P. rotundifolia, Rolfe. Jamaica.
- P. rubens, Lindl. Brazil.
- P. ruscifolia, R. Br. Trop. America. Hook. Exot. Fl. t. 197.
- P. saurocephala, Lodd. Brazil. Bot. Mag. t. 3030.
- P. Scapha, Rchb. f. Hab .--? Bot. Mag. t. 7431.
- P. semipellucida, Rchb. f. Venezuela.
- P. sicaria, Lindl. Trop. America.
- P. stenopetala, Lodd. Trop. America.
- P. tenuissima, Rchb. f. Mexico.
- P. teretifolia, Rolfe. Brazil.
- P. tribuloides, Lindl. Central America and W. Indies, Xen. Orch. t. 275.
- P. tridentata, Klotzsch. Venezuela.
- P. unistriata, Rolfe. Hab .--?
- P. velaticaulis, Rchb. f. Colombia.
- P. velatipes, Rchb. f. Venezuela.
- P. villosa, Kn. & Westc. Mexico.
- P. wendlandiana, Rchb. f. Hab.—? n. 89481,



### Plocoglottis, Blume. [Vandeæ.]

- P. acuminata, Blume. Malaya.
- P. javanica, Blume. Malaya.
- P. Lowii, Rchb. f. Borneo. Xen. Orch. t. 154.

## Podochilus, Blume. [Vandeæ.]

P. longicalcaratus, Rolfe. Borneo and Philippines.

### Pogonia, Juss. [Neottieæ.]

- P. discolor, Blume. Java. Bot. Mag. t. 6125.
- P. Fordii, Hance. China. Bot. Mag. t. 6851.
- P. plicata, Lindl. India.
- P. pulchella, Hook. f. See Fordii.
- P. punctata, Blume. Java.

### Polycycnis, Rchb. f. [Vandeæ.]

B. muscifera, Rchb. f. Colombia.

## Polystachya, Hook. [Vandeæ.]

- P. bracteosa, Lindl. Trop. Africa.
- P. Buchanani, Rolfe. Upper Zambesi.
- P. bulbophylloides, Rolfe. W. Trop. Africa.
- P. grandiflora, Lindl. W. Trop. Africa. Bot. Mag. t. 3707.
- P. Kirkii, Rolfe. E. Trop. Africa.
- P. laxiflora, Lindl. W. Trop. Africa.
- P. leonensis, Rchb. f. W. Trop. Africa.
- P. luteola, Hook. Trop. America. Hook. Exot. Fl. t. 103.
- P. ottoniana, Rchb. f. S. Africa.
- P. pubescens, Rchb. f. S. Africa. Bot. Mag. t. 5586.

Polystachya-cont.

P. Wightii, Rchb. f. Ceylon.

P. zambesiaca, Rolfe. Zambesi.

Ponera, Lindl. [Epidendreæ.]

P. juncifolia, Lindl. Mexico.

P. prolifera, Rchb. f. West Indies.

Prescottia, Lindl. [Neottieæ.]

P. stachyodes, Lindl. West Indies.

Promenæa, Liudl. See Zygopetalum.

Pterostylis, R. Br. [Neottieæ.]

P. curta, Lindl. Australia. Bot. Mag. t. 3086.

Renanthera, Lour. [Vandeæ.]

R. bilinguis, Rchb. f. See Arachnanthe bilinguis.

R. coccinea, Lour. Burma and Cochin China. Bot. Mag. 1t. 2997, 2998.

R. Lowii, Rchb. f. See Arachnanthe Lowii.

R. Storiei, Rchb. f. Philippines.

Restrepia, H. B. K. [Epidendreæ.]

R. antennifera, Lindl. Sce maculata.

R. elegans, Karst. Venezuela. Bot. Mag. t. 5966.

R. Falkenbergii, Rchb. f. Colombia.

R. guttulata, Lindl. Ecuador.

R. maculata, Lindl. Colombia. Bot. Mag. t. 6288.

R. ophiocephala, Rchb. f. Guatemala and Mexico. Var. purpurea.

R. pandurata, Rchb. f. Colombia.

R. striata, Rolfe. Colombia. Bot. Mag. t. 7233.

R. Shuttleworthii, Rolfe. Andes.

		•

## Rhynchostylis, Blume. [Vandeæ.]

- R. cœlestis, Rchb. f. Siam. Orch. Alb. t. 361.
- R. retusa, Blume. Trop. Asia. Bot. Mag. t. 4108.

## Rodriguezia, Ruiz. & Pav. [Vandeæ.]

- R. candida, Batem. Brazil. Bot. Reg. t. 1927.
- R. crispa, Lindl. See Gomeza crispa.
- R. decora, Rchb. f. Brazil. Var. picta, Hook. Bot. Mag. t. 5419.
- R. secunda, H. B. K. Trop. America. Bot. Mag. t. 3524.

### Saccolabium, Blume. [Vandeæ.]

- S. ampullaceum, Lindl. India. Bot. Mag. t. 5595.
- S. bellinum, Rchb. f. Burma. Bot. Mag. t. 7142.
- S. Blumei, Lindl. See Rhynchostylis retusa.
- S. calceolare, Lindl. India.
- S. cæleste, Rchb. f. See Rhynchostylis cælestis.
- S. curvifolium, Lindl. N. India. Bot. Mag. t. 5326.
- S. gemmatum, Lindl. N. India. Xen. Orch. t. 260, fig. 1.
- S. giganteum, Lindl. Burma. Bot. Mag. t. 5635. Var. illustre. Lindenia, t. 83.
- S. guttatum, Lindl. See Rhynchostylis retusa.
- S. hainanense, Rolfe. Hainan.
- S. harrisonianum, Low. See violaceum, var.
- S. lanatum, Hook. f. Burma. Xen. Orch. t. 249, fig. 1-3.
- S. longicalcaratum, Rolfe. Burma.
- S. micranthum, Lindl. N. India. Ref. Bot. t. 110.
- S. miniatum, Lindl. Java. Bot. Mag. t. 5326.

·	
	·

#### Saccolabium—cont.

- S. mooreanum, Rolfe. Sumatra. Bot. Mag. t. 7428.
- S. Pechei, Rchb. f. Moulmein.
- S. praemorsum, Lindl. See Rhynchostylis retusa.
- S. retusum, Voigt. See Rhynchostylis retusa.
- S. violaceum, Lindl. Philippines. Warn. Scl. Orch. I. t. 14.

Var. harrisonianum, Bot. Mag. t. 5433.

S. wightianum, Lindl. See Aërides radicosum.

### Sarcanthus, Lindl. [Vandeæ.]

- S. erinaceus, Rchb. f. Moulmein. Bot. Mag. t. 5630.
- S. formosanus, Rolfe. Formosa.
- S. hongkongensis, Rolfe. Hongkong.
- S. insectifer, Rchb. f. N. India. Ic. Pl. t. 2137.
- S. laxus, Rchb. f. Moulmein. Ref. Bot. t. 109.
- S. pallidus, Lindl. N. India.
- S. paniculatus, Lindl. China. Bauer Ill. Orch., Gen. t. 9.
- S. pugioniformis, Rchb. f. Trop. Asia.
- S. rostratus, Lindl. China. Bot. Reg. t. 981.
- S. teretifolius, Lindl. China. Bot. Mag. t. 3571.
- S. Williamsoni, Rchb. f. India.

## Sarcochilus, R. Br. [Vandea.]

- S. Calceolus, Lindl. Philippines. Bot. Reg. 1846, t. 19.
- S. Fitzgeraldi, F. Muell. N. S. Wales. Fitzg. Aust. Orch. i. pt. 3, t. 3.
- S. Hartmanni, F. Muell. N. E. Australia. Bot. Mag. t. 7010.
- S. hainanensis, Rolfe. Hainan.

#### Sarcochilus-cont.

- S. luniferus, Benth. N. India. Bot. Mag. t. 7044.
- S. muscosus, Rolfe. Andamans.
- S. unguiculatus, Lindl. Philippines.

## Satyrium, Sw. [Ophrydeæ.]

- S. candidum, Lindl. S. Africa.
- S. carneum, R. Br. S. Africa. Bot. Mag. t. 1512.
- S. coriifolium, Sw. S. Africa. Bot. Mag. t. 7289.
- S. cucullatum, Lodd. See coriifolium.
- S. membranaceum, Sw. S. Africa.
- S. militare, Lindl. See sphærocarpum.
- S. nepalense, Don. India. Bot. Mag. t. 6625.
- S. princeps, Bolus. S. Africa. Bot. Mag. t. 7104.
- S. sphærocarpum, Lindl. S. Africa. Bot. Mag. t. 7295.
- S. wightianum, Lindl. See nepalense.

# Saundersia, Rchb. f. [Vandeæ.]

S. mirabilis, Rchb. f. Brazil. Xen. Orch. t. 177.

# Scaphosepalum, Pfitz. [Epidendreæ.]

- S. anchoriferum, Rolfe. Costa Rica.
- S. breve, Rolfe. British Guiana.
- S. gibberosum, Rolfe. Colombia. Bot. Mag. t. 6990.
- S. microdactylum, Rolfe. Hab.-?
- S. ochthodes, Pfitz. Colombia.
- S. pulvinare, Rolfe. Colombia.
- S. punctatum, Rolfe. Colombia. Bot. Mag. t. 7165.
- S. swertiæfolium, Rolfe. Colombia.

	·	

# caphyglottis, Poepp. & Endl. [Epidendreæ.]

- S. Behri, Hort.
- ichomburgkia, Lindl. [Epidendreæ.]
  - S. carinata, Griseb. See Lyonsii.
  - S. crispa, Lindl. British Guiana. Bot. Mag. t. 3729.
  - S. Humboldtii, Rchb. f. Venezuela. Xen. Orch. t. 53.
  - S. Lyonsii, Lindl. Jamaica. Bot. Mag. t. 5172.
  - S. sanderiana, Rolfe. Hab.—? Reichenbachia, ser. 2, t. 59.
  - S. thomsoniana, Rchb. f. W. Indies.
  - S. Tibicinis, Batem. Honduras. Bot. Mag. t. 4476.
- S. undulata, Lindl. Venezuela. Bot. Reg. 1845, t. 53. Scuticaria, Lindl. [Vandeæ.]
  - S. Hadweni, Benth. Brazil. Bot. Mag. t. 4629.
- S. Steelii, *Lindl*. British Guiana. Bot. Mag. t. 3573. Selenipedium, *Rchb. f*. [Cypripedieæ.]
  - S. boissierianum, Rchb. f. Peru. Lindenia, t. 10.
  - S. calurum, Nichols. Garden hybrid. Orch. Alb. t. 136.
  - S. caricinum, Rchb. f. Peru. Bot. Mag. t. 5466.
  - S. cardinale, Rchb. f. Garden hybrid. Orch. Alb. t. 370.
  - S. caudatum, Rchb. f. Ecuador. Warn. Sel. Orch. ii. t. 1.
    Var. Uropedium. Belg. Hort. iv. p. 195.

Var. Wallisii. Orch. Alb. t. 380.

Var. Warscewiczii. Orchidophile, 1887, 337.

- S. conchiferum, Nichols. Garden hybrid.
- S. dominianum, Rchb. f. Garden hybrid. Fl. Mag. t. 499.
- S. grande, Rchb. f. Garden hybrid. Warn. Sel. Orch. iii, t. 33,



### Selenipedium-cont.

- S. Kaieteurum, N. E. Br. See lindleyanum.
- S. lindleyanum, Rchb. f. Colombia and British Guiana. Xen. Orch. t. 278.
- S. longifolium, Rchb. f. Central America. Bot. Mag. t. 5970.
- S. porphyreum, Rchb. f. Garden hybrid.
- S. Roezlii, Rchb. f. Colombia. Bot. Mag. t. 6217.
- S. sargentianum, Rolfe. Pernambuco. Bot. Mag. t. 7446.
- S. Sedeni, Rohb. f. Garden hybrid. Fl. Mag. 1876, t. 206. Var. candidulum. Lindenia, t. 245.
- S. Schlimii, Rchb. f. Colombia. Bot. Mag. t. 5614.
- S. vittatum, Rchb. f. Brazil. Ill. Hort. t. 238.
- S. Wallisii, Rchb. f. See caudatum var.
- S. Warscewiczii, Rchb. f. See caudatum var.

## Seraphyta, Fisch. & Mey. [Epidendreæ.]

S. multiflora, Fisch. & Mey. Mexico. Bot. Mag. t. 3565.

# Serapias, L. [Ophrydeæ.]

- S. cordigera, L. S. Europe. Bot. Mag. t. 5868, fig. A.
- S. lingua, L. S. Europe. Bot. Mag. t. 5868, fig. B.

## Sigmatostalix, Rchb. f. [Vandeæ.]

S. radicans, Rchb. f. Brazil.

# Sobralia, Ruiz & Pav. [Neottieæ.]

- S. Cattleya, Rchb. f. Colombia.
- S. decora, Batem. Mexico and Guatemala. Bot. Mag. t. 4570.
- S. leucoxantha, Rchb. f. Costa Rica. Orch. Alb. t. 271.

#### bralia-cont.

- S. Lowii, Rolfe. Colombia.
- S. macrantha, Lindl. Mexico. Bot. Mag. t. 4446.
  Var. nana.
- S. sessilis, Lindl. British Guiana. Bot. Mag. t. 7376.
- S. Veitchii, Hort. Garden hybrid.
- S. Warscewiczii, Rchb. f. Panama. Rchb. f. Beitr. Orch. Cent. Amer. t. 1.
- S. xantholeuca, Rchb. f. Central America. Bot. Mag. t. 7332.

### phronitis, Lindl. [Epidendreæ.]

- S. cernua, Lindl. Brazil. Bot. Mag. t. 3677.
- S. grandiflora, Lindl. Brazil. Bot. Mag. t. 3709. Var. rosea. The Garden, xxv., t. 443.
- S. pterocarpa, Lindl. See cernua.
- S. violacea, Lindl. Brazil. Bot. Mag. t. 6980.

# pathoglottis, Blume. [Epidendreæ.]

- S. aurea, Lindl. Malaya.
- S. Augustorum, Rchb. f. See Vieillardii.
- S. Fortunei, Lindl. Hongkong. Bot. Reg. 1845, t. 19.
- S. gracilis, Rolfe. Borneo. Bot. Mag. t. 7366.
- S. ixioides, Lindl. Himalaya. Bot. Mag. t. 7060.
- S. kimballiana, Sander. Borneo. Bot. Mag. t. 7443.
- S. plicata, Blume. Malaya. Lindenia, t. 54. Var. alba.
- S. pubescens, Lindl. N. India. Wall. Pl. Asiat. Rar. t. 203.
- S. Vieillardii, Rehb. f. Polynesia. Bot. Mag. t. 7013.

# Spiranthes, Rchb. f. [Neottieæ.]

- S. autumnalis, Rich. Europe. Syme Engl. Bot. t. 1472.
- S. cernua, Rich. N. America.
- colorata, N. E. Br. Trop. America. Bot. Mag. t. 1374.

Var. maculata.

- S. diuretica, Lindl. Chili.
- S. grandiflora, Lindl. Brazil. Bot. Reg. t. 1643.
- S. metallica, Rolfe. Brazil and Guiana.
- S. romanzoffiana, Cham. Ireland and N. America. Syme Engl. Bot. t. 1474.

# Stanhopea, Frost. [Vandeæ.]

- S. amesiana, Hort. See Lowii.
- S. aurea, Lodd. See Wardii.
- S. bucephalus, Lindl. Peru and Ecuador. Bot. Mag. t. 5278.
- S. cymbiformis, Rchb. f. Central America.
- S. devoniensis, Lindl. Mexico. Lindl. Sert. Orch. t. 1.
- S. eburnea, Lindl. Brazil. Bot. Mag. t. 3359.
- S. ecornuta, Lindl. Central America. Bot. Mag. t. 4885.
- S. fregeana, Rchb. f. Mexico. Xen. Orch. t. 82.
- S. gibbosa, Rchb. f. S. America.
- S. grandiflora, Lindl. Trinidad. Maund, Botanist, t. 176.
- S. guttulata, Lindl. Trop. America. Lem. Jard. Fleur. t. 309.
- S. haseloviana, Rchb. f. Peru. Bot. Mag. t. 7452.
- S. inodora, Lindl. Mexico. Bot. Reg. 1845, t. 65.



#### tanhopea-cont.

- S. insignis, Hook. Brazil and Peru. Bot. Mag. tt. 2948 2949.
- S. jenischiana, Kramer. See bucephalus.
- S. Lowii, Rolfe. Colombia. Orch. Rev. i. p. 177, fig. 12.
- S. maculosa, Kn. & Westc. See devoniensis.
- S. martiana, Batem. Mexico. Batem. Orch. t. 27.
- S. nigripes, Rolfe. Hab.—?
- S. oculata, Lindl. Mexico. Bot. Mag. t. 5300. Var. crocea.
- S. platyceras, Rchb. f. Colombia. Ref. Bot. t. 103.
- S. Ruckeri, Lindl. Mexico. Lem. Jard. Fleur. t. 375.
- S. saccata, Batem. Guatemala. Batem. Orch. t. 15.
- S. tigrina, Batem. Mexico. Bot. Mag. t. 4197.
- S. Wardii, Lodd. Guatemala. Bot. Mag. t. 5289. Var. venusta.

# Stauropsis, Rchb. f. [Vandeæ.]

- S. fasciata, Veitch. Hab .--? Orch. Alb. t. 208.
- S. giganteus, Benth. Burma. Bot. Mag. t. 5189.
- lissochiloides, Benth. Philippines. Bot. Reg. 1846, t. 59.
- S. undulatus, Benth. N. India. Puydt, Orch. 234, fig. 223.

# Stelis, Sw. [Epidendress.]

- S. discolor, Rchb. f. Peru.
- S. micrantha, Sw. Jamaica. Hook, Exot. Fl. t. 158.
- S. Miersii, Lindl. Brazil.
- S. muscifera, Lindl. Venezuela.
- S. ophioglossoides, Sw. W. Indies.

# tenia, Lindl. [Vandeæ.]

- S. fimbriata, Rehb. f. Colombia. Ill. Hort. 1871, t. 80.
- S. pallida, Lindl. British Guiana. Bot. Reg. 1838, t. 20.

# tenoglottis, Lindl. [Ophrydeæ.]

- S. fimbriata, Lindl. S. Africa. Bot. Mag. t. 5872.
- S. longifolia, Hook. f. Natal. Bot. Mag. t. 7186.

itenorrhynchus, Rich. See Spiranthes.

# iainia, Blume. [Epidendreæ.]

- T. angustifolia, Benth. Burma.
- T. latifolia, Lindl. N. India. Bot. Mag. t. 4669.
- T. penangiana, Hook. f. Penang. Ic. Pl. t. 2089.
- T. speciosa, Blume. Malaya.

# 'etramicra, Lindl. [Epidendreæ.]

- T. bicolor, Benth. Brazil. Bot. Mag. t. 3734.
- T. rigida, Lindl. W. Indies. Bot. Mag. t. 3098.

# [helasis, Blume. [Epidendreæ.]

T. khasiana, Hook. f. Khasia. Ic. Pl. t. 2154.

Thrixspermum, Lour. See Sarcochilus.

# Chelymitra, Forst. [Neottieæ.]

T. grandiflora, Fitzg. Australia. Fitzg. Austral. Orch. ii., pt. 3.

Thunia, Rchb. f. See Phaius.

# Trias, Lindl. [Epidendreæ.]

- T. disciflora, Rolfe. Siam.
- T. picta. Burma.
- T. vitrina, Rolfe. Tenasserim.



# Trichocentrum, Papp. & Endl. [Vandez.]

- T. albiflorum, Rolfe. Mexico.
- T. albo-purpureum, Lindl. N. Brazil. Bot. Mag. t. 5688.
- T. fuscum. Lindl. Mexico.
- T. Hartii, Rolfe. Venezuela.
- T. tigrinum, Lindl. Central America. Bot. Mag. t. 7380.
- T. triquetrum, Rolfe. Peru. Lindenia, t. 311.

Trichoglottis fasciata, Rehb. f. See Stauropsis fasciata.

### Trichopilia, Lindl. [Vandeæ.]

- T. albida, Wendl. Venezuela. Gartenfl. t. 78.
- T. coccinea, Warsc. Central America. Bot. Mag. t. 4857.
  Var. crispa.

Var. lepida. Orch. Alb. t. 197.

Var. marginata. Warn. Sel. Orch. i. t. 5. Var. olivacea.

- T. crispa. Lindl. See coccines var.
- T. fragrans, Lindl. Colombia. Bot. Mag. t. 5035. Var. nobilis.
- T. galeottiana, A. Rich. Mexico. Bot. Mag. t. 5550. Var. concolor.
- T. hymenantha, Rchb. f. Colombia. Bot. Mag. t. 5949.
- T. laxa, Rchb. f. Colombia. Bot. Reg. 1846, t. 57.
- T. lepida, Veitch. See coccinea var.
- T. marginata, Henfrey. See coccinea var.
- T. sanguinolenta, Rchb. f. Central America. Bot. Mag. t. 7281.
- T. suavis, Lindl. Central America. Bot. Mag. t. 4654. Var. grandiflora.



#### Trichopilia—cont.

- T. tortilis, Lindl. Mexico. Bot. Mag. t. 3739.
- T. Wageneri, Rchb. f. Venezueia.
- T. Warscewiczii, Hort.

# Trichosma, Lindl. [Epidendreæ.]

T. suavis, Lindl. Sikkim and Khasia. Bot. Reg. 1842, t. 21.

# Trigonidium, Lindl. [Vandeæ.]

- T. acuminatum, Batem. Guiana.
- T. ringens, Lindl. See Mormolyce lineolata.
- T. latifolium, Lindl. Brazil.

# Uropedium, Lindl. See Selenipedium.

U. Lindeni, Lindl. See S. caudatum var. Uropedium.

# Vanda, R. Br. [Vandeæ.]

- V. amesiana, Rchb. f. India. Orch. Alb. t. 296.
- V. Batemannii, Lindl. See Stauropsis lissochiloides.
- V. Bensoni, Batem. Burma. Bot. Mag. t. 5611.
- V. Cathcartii, Lindl. See Arachnanthe Cathcartii.
- V. cœrulea, Griff. N. India and Burma. Orch. Alb. t. 282.
- V. cœrulescens, Griff. Burma. Bot. Mag. t. 5834.
- V. concolor, Blume. China. Bot. Mag. t. 3416.
- V. cristata, Lindl. N. India. Bot. Mag. t. 4304.
- V. denisoniana, Rchb. f. Burma. Bot. Mag. t. 5811.
- V., furva, Lindl. China. Rumphia, t. 192, fig. 1.
- V. gigantea, Lindl. See Stauropsis gigantea.
- V. Goweri, Hort. See Stauropsis undulatus.
- V. hookeriana, Rchb. f. Malaya. Orch. Alb. t. 73.



#### Vanda-cont.

- V. insignis, Blume. Timor. Bot. Mag. t. 5759.
- V. kimballiana, Rchb. f. Burma. Bot. Mag. t. 7112.
- V. lamellata, Lindl. Philippines.
  Var. Boxallii. Orch. Alb. t. 338.
- V. limbata, Blume. Java. Bot. Mag. t. 6173.
- V. Lowii, Hort. See Arachnanthe Lowii.
- V. multiflora, Lindl. See Acampe multiflora.
- V. Parishii, Rchb. f. Burma. Orch. Alb. t. 15. Var. marriottiana, Rchb. f. Orch. Alb. t. 61.
- V. Roxburghii, R. Br. India. Bot. Mag. t. 2245.
- V. sanderiana, Rchb. f. Philippines. Bot. Mag. t. 6983.
- V. spathulata, Spreng. S. India. Wight. Ic. t. 915.
- V. suavis, Lindl. Javu. Bot. Mag. t. 5174. Var. Rollissoni. Var. Veitchii.
- V. teres, Lindl. India. Bot. Mag. t. 4114.
- V. tricolor, Lindl. Java. Bot. Mag. t. 4432. Var. insignis. Var. planilabris.
- V. undulata, Lindl. See Stauropsis undulatus.
- V. wightiana, Lindl. See Acampe wightiana.

# Vanilla, Swartz. [Neottieæ.]

- V. africana, Lindl. Trop. Africa.
- V. grandistora, Lindl. See Pompona.
- V. Moonii, Thw. Ceylon.
- V. palmarum, Lindl. Brazil and Guiana.

#### Vanilla-cont.

- V. planifolia, Andr. Central America. Bot. Mag. t. 7167.
- V. Pompona, Schiede. Trop. America. Fl. des Serres, t. 2218.
- V. Roscheri, Rchb. f. Zanzibar.
- V. Walkeræ, Wight. S. India. Wight. Ic. t. 932.

### Warrea, Lindl. [Vandeæ.]

- W. bidentata, Lindl. Colombia. Paxt. Fl. Gard. i. 73, fig. 47.
- W. tricolor, Lindl. Brazil. Orchidophile, 1888, p. 176.Warscewiczella, Rchb. f. See Zygopetalum.

### Xylobium, Lindl. [Vandeæ.]

- X. corrugatum, Rolfe. Venezuela.
- X. decolor, Nichols. W. Indies. Bot. Mag. t. 3981.
- X. elongatum, Hemsl. W. Indies. Ref. Bot. t. 123.
- X. leontoglossum, Rolfe. Colombia and Peru. Bot. Mag. t. 7085.
- X. pallidiflorum, Nichols. W. Indies. Bot. Mag. t. 2806.
- X. scabrilinguis, Rolfe. Colombia.
- X. squalens, Lindl. Brazil. Bot. Mag. t. 2955.

# Zeuxine, Lindl. [Neotticæ.]

Z. regia, Trimen. Ceylon.


# Zygopetalum, Hook. [Vandeæ.]

- Z. brachypetalum, Lindl. Brazil. Journ. Hort. Soc. 1849. Proc. p. xi.
- Z. cerinum, Rchb. f. Panama. Fl. des Serres, t. 1815.
- Z. (Promenæa) citrinum, Nichols. See xanthinum.
- Z. Clayi, Rchb. f. Garden hybrid. Orch. Alb. t. 50.



### Zygopetalum—cont.

- (Warscewiczella) cochleare, Lindl. Guiana. Bot. Mag. t. 3585.
- Z. (Bollea) coeleste, Rchb. f. Colombia. Bot. Mag. t. 6458.
- Z. crinitum, Lodd. Brazil. Lodd. Bot. Cab. t. 1687.
- Z. (Warscewiczella) discolor, Rchb. f. Costa Rica. Bot. Mag. t. 4830.
- Z. forcipatum, Rchb. f. Trop. America.
- Z. Gautieri, Lem. Brazil. Orch. Alb. t. 28.
- Z. (Kefersteinia) gramineum, Rchb. f. Colombia. Bot. Mag. t. 5046.
- Z. intermedium, Lodd. Brazil. Reichenbachia, ser. 1, t. 16.
- Z. jorisianum, Rolfe. Venezuela. Lindenia, t. 237.
- Z. Mackaii, Hook. Brazil. Bot. Mag. t. 2748.
- Z. (Huntleya) marginatum, Rchb. f. Colombia. Bot. Mag. t. 4766.
- Z. maxillare, Lodd. Brazil. Bot. Mag. t. 3686.
- Z. mystacinum, Rchb. f. Colombia.
- Z. (Promenæa) Rollissonii, Lindl. Brazil. Bot. Reg. 1838, t. 40.
- Z. rostratum, Hook. British Guiana. Bot. Mag. t. 2819.
- Z. (Promenæa) stapelioides, Lindl. Brazil. Bot. Mag. t. 3877.
- Z. wailesianum, Rchb. f. Brazil. Xen. Orch. t. 222.
- Z. (Warscewiczella) Wendlandii, Rchb. f. Costa Rica. Gartenflora, t. 1267.
- Z. (Promenæa) xanthinum, Rchb.f. Brazil. Orch. Alb. t. 7.



• . . · ·

